

Sensor and Measurement Science International (SMSI 2025)

Nuremberg, Germany
6-8 May 2025

ISBN: 979-8-3313-2320-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2025) by AMA Service GmbH
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact AMA Service GmbH
at the address below.

AMA Service GmbH
Postfach 2352
31506 Wunstorf
Germany

Phone: +49(0)5033-9639-0
Fax: +49(0)5033-1056

info@ama-service.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

A1: Atmospheric Measurement

Chair: Andreas Fischer, Universität Bremen, Bremen (Germany)

A1.1	Development of an Optical Real-Time Measurement System for Air Change Rates in Indoor Environments.....	24
	R. Grüttner, C. Friebe, Institut für Luft- und Kältetechnik gemeinnützige Gesellschaft mbH, Dresden (Germany)	
A1.2	Wireless Network Architecture for Comprehensive Indoor Environmental Quality Monitoring in Public Schools.....	26
	F. Sievers, N. Langer, S. Palzer, TU Dortmund University, Dortmund (Germany)	
A1.3	Validation of a Sensor Node Prototype for Multimodal Climate Measurement Network.....	28
	M. Bankwitz, S. Hirsch, Brandenburg University of Applied Sciences, Brandenburg/Havel (Germany), C. Engel, TEPROSA GmbH, Magdeburg (Germany)	
A1.4	Optimizing OF-CEAS for the Detection of stable methane isotopes in the atmosphere.....	31
	C. Dinc, P. Nitzsche, J. Goldschmidt, University of Freiburg, Freiburg (Germany), K. Schmitt, J. Wöllenstein, Fraunhofer IPM, Freiburg (Germany)	

A2: Magnetic and inductive Measurement

Chair: Michael Heizmann, Karlsruher Institut für Technologie KIT, Karlsruhe (Germany)

A2.1	Digital Signal Processing for Eddy Current Parameter Identification in Measurement Applications	33
A2.2	Wireless Eddy Current Telemetry System for Measuring Axial Piston Ring Movement in a Combustion Engine.....	35
	A. Higgs, B. Rossegger, M. Engelmayer, LEC GmbH, Graz (Austria), N. Wermuth, Graz University of Technology, Graz (Austria)	
A2.3	Three-axis Joystick as Stray Field Robust Magnetic Position System	38
	M. Ortner, P. Malagò, F. Slanovc, Silicon Austria Labs, Villach (Austria), S. Leisenheimer, Infineon Technologies AG, Neubiberg (Germany)	
A2.4	Airgap-Dependent “Pole Eating” Effect in Magnetic Scales.....	40
	F. Slanovc, D. Markó, M. Ortner, Silicon Austria Labs, Villach (Austria)	

A3: Bio Medical Applications

Chair: Dinko Oletic, University of Zagreb, Zagreb (Croatia)

A3.1	Development of a Biosensor Platform Measuring the Electrical Resistance in a Tailor-Made System for Biological Barriers to Assess the Barrier Integrity	42
	V. Vogel, D. Brück, R.-K. Zäh, B. Faupel, University of Applied Sciences, Saarbrücken (Germany), S. Schnur, S.-M. Klär, M. Schneider, M. Hittinger, Saarland University, Saarbrücken (Germany)	
A3.2	Application of NeRF and RGB-D Camera for the Generation of Digital Twins of Biological Soft Tissues	44
	M. C. Mezei, F. Auletta, C. M. Oddo, Sant'Anna School of Advanced Studies, Pisa (Italy), A. Gavazza, G. Rossi, University of Camerino, Matelica (Italy)	
A3.3	Towards Smart Face Masks by a Reusable,Wireless Sensor Patch and Tailored Data Analysis	46
	S. Schäfer, S. Schmitt, J. Magomajew, Fraunhofer IMM, Mainz (Germany), M. Tagliani, H. Theuer, E. Dahrmann, IMSTec GmbH, Klein-Winternheim (Germany)	
A3.4	Platform for the Development of Robust Magnetomotive Ultrasound Imaging Algorithms	48
	C. Heim, S. J. Rupitsch, Albert Ludwig University of Freiburg, Freiburg (Germany), C. Huber, H. Ermer, S. Lyrer, Universitätsklinikum Erlangen, Erlangen (Germany), I. Ullmann, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen (Germany)	

A4: Revised SI

Chair: Joao Alves Sousa, Instituto Portugues da Qualidade, Caparica (Portugal)

- A4.1 New opportunities in Revised SI: Traceable measurement quantities and improved uncertainties in small mass/force metrology50**
 S. Vasilyan, V. Shmagun, N. Rogge, T. Kissinger, T. Fröhlich, Technische Universität Ilmenau, Ilmenau (Germany)
- A4.2 Novel Sensor Principle for High-Precision SI-Traceable Force Measurements51**
 M. Wittke, M. A. Torres Melgarejo, M. Wolf, R. Theska, T. Fröhlich, Technische Universität Ilmenau, Ilmenau (Germany)
- A4.3 Effect of Helium Contamination on Rubidium Clocks - A Possible Error Source for Absolute Gravimeters and Kibble Balances53**
 C. Rothleitner, J. Konrad, Physikalisch-Technische Bundesanstalt, Braunschweig (Germany)

A5: Acoustic Sensing

Chair: Eric Starke, SICK Engineering GmbH, Ottendorf-Okrilla (Germany)

- A5.1 Low-Cost Acoustic Measurements by Calibration of Consumer Grade Hardware55**
 F. Huber, F. Toth, TU Wien, Vienna (Austria)
- A5.2 Electro-acoustic Properties of Li(Nb,Ta)O₃ Solid Solutions in Harsh Environments57**
 H. Fritze, F. El Azzouzi, U. Yakhnevych, Y. Suhak, Technische Universität Clausthal - IEPT, Goslar (Germany), H. Schmidt, Technische Universität Clausthal - IMET, Clausthal-Zellerfeld (Germany), S. Ganschow, Leibniz-Institut für Kristallzüchtung, Berlin (Germany)
- A5.3 A Compact, Cost Efficient, Modular, Intelligent Ultrasound Sensor Platform59**
 W. Bost, C. Grandinetti, H. Hewener, S. Tretbar, Fraunhofer IBMT, Sulzbach (Germany)
- A5.4 Ultrasonic phased array interface using programmable I/O and microprocessor clock synchronisation61**
 T. Nellius, K. Henne, M. Hartinger, L. Meihost, T. Hetkämper, H. Zeipert, L. Claes, B. Henning, Measurement Engineering Group, Paderborn University, Paderborn (Germany)

A6: Flexible Sensors

Chair: Veda Sandeep Nagaraja, Tyndall National Institute, Cork, (Ireland)

- A6.1 Sustainable sensors research on food, environment; Research on healthcare and wearables by Tyndall National Institute: Offerings on INFRACHIP63**
 A. O'Riordan, B. O'Flynn, D. Iacopino, S. Konigulu, V. S. Nagaraja, Tyndall National Institute, Cork (Ireland)
- A6.2 Flexible, Printed Sensors research in Joanneum Research and access through INFRACHIP65**
 O. Werzer, G. Scheipl, B. Stadlober, Joanneum Research Forschungsgesellschaft mbH, Weiz (Austria)
- A6.3 AMO research in graphene and 2D material devices for sensing applications and their access through INFRACHIP67**
 G. Rinke, S. Suckow, H. Kleinjans, Z. Wang, M. C. Lemme, AMO GmbH, Aachen (Germany)
- A6.4 Flexible Magnetoresistive Sensors for Novel Applications69**
 A. Nicolicea, M. Pelkner, M. Melzer, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany), E. S. Oliveros-Mata, Y. Zabala, D. Makarov, Helmholtz-Zentrum Dresden-Rossendorf e.V., Dresden (Germany)

A7: Metrology in the digital age

Chair: Joao Alves Sousa, Instituto Portugues da Qualidade, Caparica (Portugal)

- A7.2 Determining Data Centre PUE with a Digital Twin71**
 A. Kammeyer, F. Burger, D. Lubbert, Physikalisch-Technische Bundesanstalt, Berlin (Germany), K. Wolter, Freie Universität Berlin, Berlin (Germany)

B1: Multimodal IoT Devices

Chair: Andreas Schütze, Universität des Saarlandes, Saarbrücken (Germany)

B1.1	Overview: Multimodal Smart Sensor Networks for Plant Monitoring and Improved Energy Efficiency	73
	D. Arendes, C. Fuchs, C. Bur, A. Schütze, Saarland University, Saarbrücken (Germany), J. Kelleter, GTE Industrieelektronik GmbH, Viersen (Germany), T. Baur, 3S Technologies GmbH, Saarbrücken (Germany), W. Simmendinger, Sciosense Germany GmbH, Reutlingen (Germany)	
B1.2	Gas Source State Estimation with Reynolds-Averaged Dispersion Model and Time-Averaged Measurements	75
	A. Raffelner, R. Pohle, Siemens AG, Munich (Germany), J. Chen, A. J. Lilienthal, Technical University of Munich (Germany)	
B1.3	Performance Assessment of Methane and Carbon Dioxide Sensors for Drone-Based Environmental Gas Monitoring	77
	M. Stanisavljevic, J. Zirzow, P. P. Neumann, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany), S. Essel, Infraser v GmbH & Co. Höchst KG, Frankfurt am Main (Germany), N. Karbach, T. Hoffmann, Johannes Gutenberg University Mainz, Mainz (Germany)	
B1.4	Mobile Test Bed for Development and Validation of Networked Multimodal Gas Leakage Detection.....	79
	C. Fuchs, A. Almohemied, D. Arendes, A. Schütze, Saarland University, Saarbrücken (Germany)	

B2: MEMS Resonators

Chair: Stefan J. Rupitsch, Albert-Ludwigs-Universität Freiburg, Freiburg (Germany)

B2.1	Structural Investigations of Pore Nucleation after Electrochemical Porosification of 4H-SiC for MEMS	81
	G. Pfusterschmied, C. Zellner, D. Schock, U. Schmid, TU Wien, Vienna (Austria)	
B2.2	Avoided mode-crossing in MEMS resonators under different dissipation mechanisms	83
	A. Loch Gesing, E. Gietl, M. Stixenberger, D. Platz, U. Schmid, TU Wien, Vienna (Austria)	
B2.3	Simultaneous Analysis of Local Device Layer Thickness and Film Stress on Cantilevered MEMS Structures	85
	D. Huber, C. Schallert, G. Pfusterschmied, U. Schmid, TU Wien, Vienna (Austria)	
B2.4	Nanoelectromechanical System Fourier Transform Infrared Spectroscopy (NEMS-FTIR) for Nanoplastic Analysis.....	87
	J. Timarac-Popovic, A. Giesriegl, H. Besic, S. Schmid, TU Wien, Vienna (Austria), J. Hiesberger, N. Luhmann, J. P. Lafleur, Invisible-Light Labs GmbH, Vienna (Austria)	

B3: Pressure Sensors and their Applications

Chair: Marc Christopher Wurz, Leibniz Universität Hannover, Garbsen (Germany)

B3.1	High-Sensitive Chromium Strain Gauges on Steel Surfaces.....	89
	R. Ottermann, T. Steppeler, M. C. Wurz, Leibniz University Hannover, Garbsen (Germany)	
B3.2	Analysis of positioning parameters at glazing of pressure measurement cells	91
	I. Jenei, R. Wagner, M. Nikolic, ETO SENSORIC GmbH, Nürnberg (Germany), A. Grün, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
B3.3	Advanced Glass Packaging with Integrated Stress Relief Structures for MEMS Pressure Sensors	93
	M. Bertke, S. Schudak, LPKF Laser & Electronics SE, Garbsen (Germany)	
B3.4	Sensors on PEEK - Advantages of Plastic Substrates in Microsystem and MEMS Technology.....	95
	S. Bengsch, E. Fischer, S. Bur, Ensinger GmbH, Nufringen (Germany)	

B4: Optical Sensor Systems

Chair: Petr Klapetek, Czech Metrology Institute (CMI), Brno (Czech Republic)

B4.1	Small Optical Measurement System for Stable Detection of Mold Growth.....	97
	V. Rathnayake, T. Schweizer, S. van den Driesche, M. J. Vellekoop, University of Bremen (Germany)	
B4.2	Low-Noise Silicon APD with Enhanced Blue-Violet Sensitivity	99
	L. Long, X. Xu, M. Schaedel, G. Brokmann, T. Ortlepp, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
B4.3	Fiber Optic Current Sensor System for Long-Term Monitoring of Geomagnetically Induced Currents in the Power Grid.....	101
	J. Mandl, P. Trampitsch, A. Fröhlich, R. Klambauer, A. Bergmann, University of Technology, Graz (Austria)	

B5: Modeling

Chair: Eric Benoit, Université Savoie Mont Blanc, Chambéry (France)

B5.1	Model-based Reconstruction of Freeform Surfaces with Radial Basis Functions	103
	F. Fleischmann, D. Hilbig, Hochschule Bremen, Bremen (Germany), T. Binkele, OPTIMARE Systems GmbH, Bremerhaven (Germany), N. Müller, ATLAS ELEKTRONIK GmbH, Bremen (Germany)	
B5.2	OPC UA for IO-Link Wireless in a Cyber Physical Finite Element Sensor Network for Shape Measurement.....	105
	H. Beuster, L.-M. Bretthauer, G. Scholl, Helmut Schmidt University, Hamburg (Germany)	
B5.3	OEFPL: An Alternative Method for Curve Fitting.....	107
	A. C. Campbell, R. Slesinger, M. Sira, Czech Metrology Institute, Okružní (Czech Republic), V. Witkovsky, G. Wimmer, Slovak Academy of Sciences, Bratislava (Slovakia)	
B5.4	Methods of uncertainty evaluation using virtual experiments with the example of the tilted-wave interferometer.....	109
	M. Stavridis, M. Marschall, F. Hughes, I. Fortmeier, C. Elster, Physikalisch-Technische Bundesanstalt Braunschweig and Berlin (Germany)	

B6: Event Based Vision

Chair: Daniel Platz, Technische Universität Wien, Wien (Austria)

B6.1	Fast Tracking using Event-based Vision Sensors and Binary Frames	111
	J. Baßler, M. Heizmann, Karlsruhe Institute of Technology, Karlsruhe (Germany)	
B6.2	Performance Comparison of Area-scan and Event-based Image Sensors.....	113
	A. Manakov, B. Jähne, Heidelberg University, Heidelberg (Germany)	
B6.3	Motion Compensation of Event-Streams for Multitarget Tracking in Sensor-Based Sorting.....	115
	P. Bäcker, G. Maier, Fraunhofer IOSB, Karlsruhe (Germany)	
B6.4	Ev2Gray: Generating Intensity Images from Event Streams	117
	J. Baßler, M. Heizmann, Karlsruhe Institute of Technology, Karlsruhe (Germany)	

B7: Bio Sensing

Chair: Georg Pfusterschmied, Technische Universität Wien, Wien (Austria)

B7.1	Enhanced Signal Detection for Chlorophyll a Fluorescence Signal.....	119
	S. Baghbani, A. Sarlak, S. J. Rupitsch, Albert Ludwig University of Freiburg, Freiburg (Germany)	
B7.2	A second generation dispatchable fibre-optic biosensor reader for monitoring sediment toxicity (Sundanse).....	121
	Abraham A. Paul, Gal Carmeli, Robert S. Marks, Ben Gurion University of the Negev, Be'er Sheva (Israel)	
B7.3	Field Enabled Bioluminescent Fiber-Optic Whole-Cell Bioreporter Biosensors for Toxicity Monitoring of Water and Sediments (Sundanse).....	123
	Abraham A. Paul, Gal Carmeli, Ofir Menashe, Robert S. Marks, Ben Gurion University of the Negev, Be'er Sheva (Israel)	

C1: Flow Sensing

Chair: Jens Zosel, Kurt-Schwabe-Institut für Mess- und Sensortechnik e.V. , Waldheim (Germany)

- C1.1 Comparison of Polyimide to Silicon Nitride Membranes for Robust Thermal Flow Sensors125**
T. Trautmann, A. Schander, M. Vellekoop, University of Bremen, Bremen (Germany)
- C1.2 Multichannel electrical conductivity sensor for gas-liquid flow imaging.....127**
M. Bliem, S. Puttering, M. Da Silva, Johannes Kepler University Linz, Linz (Austria)
- C1.3 Measurability of changes of the laminar-turbulent transition on wind turbines by means of thermographic flow visualization and a co-rotating measurement platform129**
J. Dieckmann, A. von Freyberg, A. Fischer, University of Bremen, Bremen (Germany),
N. Balaesque, Deutsche WindGuard Engineering GmbH, Bremerhaven (Germany)
- C1.4 Advances in Magnetic Flow Metering: A Clamp-on Device131**
L. Schmieder, P. Koss, Fraunhofer IPM, Freiburg im Breisgau (Germany)

C2: Sensor-Intelligence - Devices and Applications

Chair: Thomas Velten, Fraunhofer-Institut IBMT, Sulzbach (Germany)

- C2.1 Sensor-Intelligence Devices for optimized condition and process monitoring134**
K. Becker, D. Koster, H.-G. Herrmann, Fraunhofer IZFP, Saarbrücken (Germany)
- C2.2 Bioreactor Intelligence for Real-Time Monitoring and Automation of Stem Cell Cultivation137**
D. Amelin, T. Knoll, M. Jochem, S. Altmaier, F. Musiol, F. R. Ihmig, M. M. Gepp, R. Ruff,
Fraunhofer IBMT, Sulzbach (Germany)
- C2.3 Real-time, Parallelized and Non-contact Read-Out of 3D Cardiac Tissue Models139**
R. Le Harzic, F. Stracke, D. Amelin, R. Ruff, F. Musiol, H. Zimmermann, Fraunhofer IBMT
Sulzbach (Germany), R. Kettenhofen, D. Bauer, S. Herrmann, J. Neubauer, Fraunhofer Project
Center for Stem Cell Process Engineering, Würzburg (Germany)
- C2.4 Implementation of Sensor-Intelligence Devices (SIDs) for Condition Monitoring Applications in the Sense of Smart Predictive Maintenance.....141**
S. Klein, P. Stopp, D. Koster, Fraunhofer IZFP, Saarbrücken (Germany)

C3: Gas Sensing I

Chair: Stefan Zimmermann, Leibniz Universität Hannover, Hannover (Germany)

- C3.1 3D Density Field Reconstruction of Vehicles Exhaust Plumes using Background Oriented Schlieren Tomography based on Windowed Fourier Transform and Graphical Phase Analysis143**
H. H. Imtiaz, P. Schaffer, T. Forstinger, M. Kupper, A. Bergmann, Graz University of Technology,
Graz (Austria)
- C3.2 Fast Gas Chromatography Setup for Online Contaminant Monitoring in Plastics Recycling145**
W. Reimringer, O. Brieger, T. Sauerwald, Saarland University, Saarbrücken (Germany)
- C3.3 Chromatographic VOC Sensing using Molecularly Cross-Linked Metal Nanoparticle Networks.....147**
L. Mielke, H. Schlicke, Leibniz Institute of Polymer Research Dresden, Dresden (Germany),
S. C. Bittinger, J. N. Beyer, T. Vossmeier, University of Hamburg, Hamburg (Germany)
- C3.4 Towards Low-Cost Portable GC Systems for VOC Analysis149**
O. T. Penagos Carrascal, M. Köhne, G. Zeh, T. Sauerwald, Fraunhofer IVV, Freising (Germany)

C4: Robotics

Chair: André Schäfer, Hottinger Brüel & Kjaer GmbH, Darmstadt (Germany)

- C4.1 Additive Manufactured Capacitive Sensor for Slip Detection with Seamless Integration of Object Recognition and Differentiation in Robot Grippers151**
N. Hangst, S. Schröder, T. M. Wendt, Offenburger Universität of Applied Sciences, Offenburg
(Germany), S. J. Rupitsch, University of Freiburg, Freiburg (Germany)

C4.2	Novel Characterisation and Modeling of the Thermal Behavior of Multi-Wire SMA Actuators for Robot Grippers	153
	A. Dierle, T. M. Wendt, T. Seifert, A. Schnebel, Offenburg University of Applied Sciences, Offenburg (Germany)	
C4.3	Optimized Grasp Planning for Bin-Picking Robots with 2D and 3D Sensor Data	155
	R. Haas, N. Hangst, T. M. Wendt, Offenburg University of Applied Sciences, Offenburg (Germany)	
C5:	Gas Sensing II	
Chair:	Jens Zosel, Kurt-Schwabe-Institut für Mess- und Sensortechnik e.V, Waldheim (Germany)	
C5.1	Programmable Printing Technology Based on Spark Ablation for the Development of Gas Sensors	157
	L. N. Sacco, N. Rising, N. Schouten, VSParticle, Delft (The Netherlands), L. Egger, M. Popov, A. Köck, Materials Center Leoben Forschung GmbH, Leoben (Austria), C. Dösinger, L. Romaner, Montanuniversität Leoben, Leoben (Austria)	
C5.2	Continuous Estimation of Particle Emissions in Flue Gas of Wood Combustion using Gas Sensor Measurements	159
	G. Hagen, R. Moos, University of Bayreuth, Bayreuth (Germany)	
C5.3	Optomechanical Gas Pressure Sensing over Broad Pressure and Temperature Ranges	161
	C. Reinhardt, S. Croatto, L. Stankewitz, M. Kunze, J. Schaffran, A. Lindner, Deutsches Elektronen-Synchrotron DESY, Hamburg (Germany), H. Masalehdan, A. Franke, N. Sülmann, R. Schnabel, University of Hamburg, Hamburg (Germany)	
C5.4	A Calibration-free Mid-Infrared TDLAS Sensor for Stand-Off Detection of Carbon Dioxide operating at 2004 nm	163
	P. Schaffer, H. H. Imtiaz, B. Lang, M. Kupper, A. Bergmann, University of Technology, Graz (Austria)	
C6:	Hydrogen Sensor Technology	
Chair:	Matthias Bartholmai, BAM Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany)	
C6.1	Toward a Digital Twin of Hydrogen Pressure Vessels Enabled by Distributed Fiber Optic Sensors	165
	C. Karapanagiotis, M. Schukar, M. Breithaupt, K. Hicke, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany)	
C6.2	Hydrogen Safety - Dealing with Closed Spaces	167
	K. Nattuveetil, C. Liebner, C. Tiebe, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany)	
C6.3	Analysis of Methods for Predicting H2 Sensor Responses	169
	R. Sarif, C. Tiebe, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany), C. Herglotz, Brandenburgische Technische Universität Cottbus-Senftenberg, Cottbus (Germany)	
C6.4	Digital Certificates: Enabling Automation in Quality Assurance and Metrological Traceability	171
	M. Melzer, N. Brunner, Bundesanstalt für Materialforschung und -prüfung (BAM), Berlin (Germany)	
C7:	Gas Sensing III	
Chair:	Ulrich Kaiser, DHBW Lörrach, Lörrach (Germany)	
C7.1	Simulation and determination of the coupling efficiency to photoacoustic resonators	173
	D. Sieg, V. Kuczius, G. Rodriguez Gutierrez, J. Gaworski, S. Palzer, TU Dortmund University, Dortmund (Germany)	
C7.2	Design of a Refrigerant Leak Sensor based on the Photoacoustic Dual Chamber Detection Method	175
	H. Yassine, C. Weber, N. Brugger, K. Schmitt, J. Wöllenstein, University of Freiburg, Freiburg (Germany), M. El-Safoury, Fraunhofer IPM, Freiburg (Germany)	
C7.3	Optimizing Analog Front End Architectures for Enhanced SNR in Photoacoustic Imaging	177
	S. Kindorf, C. Weber, B. Bierer, J. Wöllenstein, Fraunhofer IPM, Freiburg (Germany)	

D1: IR Sensing

Chair: Ulrich Schmid, Technische Universität Wien, Wien (Austria)

- D1.1 eNDIRi² evaluation kit – evaluation system for IR components**179
J. Knossalla, A. Isserstedt-Trinke, A. Sachse, S. Biermann, Micro-Hybrid Electronics GmbH, Hermsdorf (Germany)
- D1.2 Investigation of the suitability of MEMS-FPI-based NIR spectral detectors for the analysis of cooling lubricants**181
J. Otto, K. L. Krieger, University of Bremen, Bremen (Germany)
- D1.3 A gonireflectometer for the measurement of bidirectional reflectance distribution functions in the thermal infrared**183
H. Noori, K. Ma, R. Schmoll, A. Kroll, University of Kassel, Kassel (Germany)
- D1.4 Development of a Computationally Efficient Person Detection Procedure for Low-Resolution Infrared Sensor Arrays**185
A. Rehmer, Heimann Sensor GmbH, Dresden (Germany)

D2: Sensors for Agrifood Quality

Chair: Camilla Baratto, National Research Council (CNR-INO), Brescia (Italy)

- D2.1 Innovative Sensor Technologies for Agrifood Quality Assessment**188
F. Venturini, ZHAW Zurich University of Applied Sciences, Winterthur (Switzerland)
- D2.2 Quality assessment of raw fresh milk from several sources by no-destructive Raman sensor**190
I. Pettrignani, S. Almaviva, A. Lai, ENEA, Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Frascati (Italy)
- D2.3 Investigating biotic and abiotic stresses on green-leaf plants by means of hand-held Raman spectroscopy**192
L. Pandolfi, G. Faglia, C. Baratto, CNR-INO, University of Brescia, Brescia (Italy), N. Miotti, M. Turina, M. Ciuffo, E. Gobbi, CNR-IPSP, Turin (Italy), T. Tonto, V. Locato, L. de Gara, Università Campus Bio-Medico di Roma, Rome (Italy)
- D2.4 Portable Raman Spectroscopy Based Prototype for the Clostridia Detection in Milk**194
D. Barbiero, F. Melison, L. Cocola, M. Fedel, L. Poletto, National Research Council, Padua (Italy), C. Andrichetto, P. De Dea, Veneto Agricoltura, Thiene (Italy)

D3: IR and Temperature Measurement

Chair: Bernd Henning, Universität Paderborn, Paderborn (Germany)

- D3.1 Rapid measurement of the Size-of-Source Effect by using an Iris aperture**196
M. Mendez, R. Schmoll, A. Kroll, University of Kassel, Kassel (Germany)
- D3.2 Fast MEMS-IR-Emitters for NDIR Sensors**198
T. Schildhauer, A. T. Winzer, J. Baldauf, T. Ortlepp, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)
- D3.3 Accelerated Life Tests for Determining the Expected Lifetime – Test Strategy for IR-MEMS-Emitter**200
L. Bindel, F. Huwald, L. S. Oechler, A. Isserstedt-Trinke, S. Biermann, Micro Hybrid Electronic GmbH, Hermsdorf (Germany)
- D3.4 Power control and app connection via Bluetooth for NDIR-Sensor-applications**202
M. Ueberschär, M. Jung, F. Liebold, Cooperative University Gera-Eisenach, Gera (Germany)

D4: Temperature Sensing

Chair: Michael Schneider, Technische Universität Wien, Wien (Austria)

- D4.1 Thin-film sensors on thrust bearing washers for temperature measurement directly in the mechanical rolling contact**205
T. Steppeler, R. Ottermann, F. Dencker, M. C. Wurz, D. Konopka, F. Pape, G. Poll, M. Marian, Leibniz University Hannover, Garbsen (Germany)

D4.2	Characterization of the Thermal Conductivity of Silica Aerogels	207
	T. M. de Rijk, T. Wendland, M. J. Vellekoop, University of Bremen, Bremen (Germany)	
D4.3	Enhancing Dynamic Measurement Methods: From Concepts to Calibration Standards	209
	B. Tallawi, J. O. Favreau, K. Romieu, LNE-CETIAT, Villeurbanne (France)	
D5:	Piezoelectric MEMS I	
Chair:	Michael Schneider, Technische Universität Wien, Wien (Austria)	
D5.1	Noncontacting Determination of the Piezoelectric Coefficient d33 of Lithium Tantalate up to 400 °C	212
	H. Wulfmeier, N. Warnecke, D. Kohlmann, H. Fritze, Clausthal University of Technology, Goslar (Germany)	
D5.2	Evaluation of piezoelectric micromachined ultrasonic transducers (PMUT) for the broadband detection of ultrasonic elastic waves	214
	H. Zeipert, L. Claes, B. Henning, Paderborn University, Paderborn (Germany), C. Stoeckel, S. Mulay, Fraunhofer ENAS, Chemnitz (Germany)	
D5.3	Experimental comparison of receive sensitivity of circular and ring piezo-electrodes geometries for PMUT resonator membranes designed in PiezoMUMPS process	216
	N. Plantak, M. Katalenic, D. Oletic, University of Zagreb, Zagreb (Croatia)	
D5.4	Impact of Damping Effects on Piezoelectric Actuation Used in Acoustofluidic Cell Trapping	218
	B. Leikam, S. Pandey, O. Hayden, G. Schrag, Technical University of Munich, Munich (Germany)	
D6:	Piezoelectric MEMS II	
Chair:	Stefan J. Rupitsch, Albert-Ludwigs-Universität Freiburg, Freiburg (Germany)	
D6.1	High Throughput Magnetron Sputtering of Tilted c-Axis AlN Films for Biosensing Applications	220
	P. Bergmann, E. Loos, M. Nestler, scia Systems GmbH, Chemnitz (Germany)	
D6.2	Noise in Piezoelectric MEMS: Modeling and Experimental Characterization	222
	S. Zarepakzad, P. Egger, N. R. Haghighi, S. Muringakodan, M. Mortada, P. T. Das, U. Schmid, M. Schneider, TU Wien, Vienna (Austria), K. C. Schwab, Kavli Nanoscience Institute and Thomas J. Watson, Sr., Laboratory of Applied Physics, California (USA)	
D6.3	DC Voltage Induced Parametric Potential Energy Modulation in Bistable Piezoelectric MEMS Membranes	224
	S. Muringakodan, U. Schmid M. Schneider, TU Wien, Vienna (Austria)	
D6.4	Characterization of AlN-Based MEMS Kineto-Electric Transducer for Cultural Heritage Conservation	226
	C. Trigona, S. Ahmed, A. M. Gueli, S. Baglio, University of Catania, Catania (Italy), M. Liuzzo, F. L. Iacono, G. Navarra, University of Enna "Kore", Enna (Italy)	
D7:	Radar Sensors	
Chair:	Michael Heizmann, Karlsruher Institut für Technologie KIT, Karlsruhe (Germany)	
D7.1	Recognising Wild Animals on Roads: Radar-based Sensor Systems for Accident Avoidance	228
	M. Schneider, H. Mantz, T. Walter, Ulm University of Applied Sciences, Ulm (Germany), M. Montoya-Capote, J. Berger, A. Reichel, N. Hollmach, tecVenture, Leipzig (Germany)	
D7.2	Portable Radar-Based Measurement System for Vibration Analysis of Large Infrastructures	230
	V. C. Ramankutty, R. Martin, C. Sohrmann, Fraunhofer IIS, Dresden (Germany)	
D7.3	Millimeter-Wave Spectroscopy for Evaluating Blood Coagulation and Clotting	232
	T. Liebchen, G. Ulisse, V. Krozer, Goethe Universität Frankfurt am Main, Frankfurt am Main (Germany)	

D7.4	High-tech Radar Solutions Made in Germany: From Contactless Vital Sign Sensing to Imaging Radars with Changeable Antennas	340
	F. Michler, B. Scheiner, Sykno GmbH, Erlangen (Germany)	
P01	Identification of Foraging Bumblebees by Pulse Compression of their Unique Doppler Radar Signature	233
	H. Aumann, M. Aumann, Maine Biosensors LLC, Dover-Foxcroft, Maine (USA), F. Drummond, University of Maine, Orono, Maine (USA)	
P02	APPLICATION OF ENVIRONMENTAL MEASUREMENT IN PORTS USING CLEVER SENSE	235
	J. Garcia Fernández, Geomodel LDA / University of Lisbon, Lisbon (Portugal)	
P03	NFC Based Current Sensor for Medium-Voltage Lines	237
	M. Lenzhofer, D. Holzmann, Silicon Austria Labs GmbH, Villach (Austria), D. Sturm, KNG-Kärnten Netz GmbH, Klagenfurt (Austria)	
P04	UHF RFID Based Strain Sensor for Hydropower Generators	239
	M. Lenzhofer, A. Horn, Silicon Austria Labs GmbH, Villach (Austria), S. Culetto, KELAG-Kärntner Elektrizitäts-Aktiengesellschaft, Flattach (Austria)	
P05	Self-built low-cost pyrolyzer using Curie-Point temperature coupled to a gas chromatograph-ion mobility spectrometer	241
	D. Röckrath, M. Hitzemann, M. Lippmann, C. Thoben, A. Eckhardt, S. Zimmermann, Leibniz University Hannover, Hannover (Germany)	
P06	Comparison of Point-to-Point LPWA Smart Sensors with Low-Power Local Mesh Networking Solutions for Industrial Refrigeration and Operational Parameter Detection	243
	Z. Kiss, Endrich Bauelemente Vertriebs GmbH, Nagold (Germany)	
P07	A Concept for Form-Adaptive and Force-Controlled Gripping with Magnetorheological Material	245
	J. J. Blöchle, T. M. Wendt, T. Seifert, Hochschule Offenburg, Offenburg (Germany)	
P08	The SI 2019 approach to redefine units does not apply to the mole	247
	R. Kacker, K. Irikura, National Institute of Standards and Technology, Gaithersburg (USA)	
P09	Piezoelectric pressure mapping sensors using the poling effect induced by surface chemical modification	249
	D. Tadaki, S. Matsumoto, S. Yamamiya, A. Hirano-Iwata, M. Niwano, Tohoku University, Sendai (Japan), T. Ma, Beijing Institute of Technology, Beijing (China), Y. Imai, National Institute of Technology, Sendai College, Sendai (Japan)	
P10	Morphology Evolution of Snow-flakes Pattern and its Effect on Nano-/Micro-particles Embedded PbSe Photoconductive Thin Film Characteristics	251
	R. S. Kim, S. Guduru, Y. Zhang, Laser Components Detector Group, Chandler (USA), K. H. Lee, J. H. Park, USMX Technologies LLC, Las Vegas (USA), S. J. Kim, University of Louisville, Louisville (USA)	
P11	Split-Ring Resonator as Transducer for Metal-Organic Framework Based Sensors	253
	C. Thoben, M. Hitzemann, L. A. Ruff, C. Reinbacher, S. Zimmermann, T. Hennig, E. Rohloff, A. M. Schneider, A. Schaate, Leibniz University Hannover, Hannover (Germany)	
P12	Multi-sensor pothole detection and monitoring system	255
	I. Romero, H. Mantz, T. Walter, M. Schneider, Ulm University of Applied Sciences, Ulm (Germany)	
P13	Why a DCC Makes Life Easier with Multi-Component Sensors for Forces and Moments	257
	D. Schwind, GTM Testing and Metrology GmbH, Bickenbach (Germany)	
P14	Automatic Multisensory Measurement of the Borehole Length during Drilling of Inhomogeneous Materials	259
	A. Boaron, D. Stöbener, A. Fischer, University of Bremen, Bremen (Germany)	
P15	Shape Measurement of Large Scale Components Employing Wireless Sensor Networks	261
	L.-M. Brethauer, G. Scholl, R. Heynicke, Helmut Schmidt University, Hamburg (Germany)	
P16	Optical signal transmission solutions for electromobility and renewable energies in favor of a low carbon future	263
	A. Schäfer, Hottinger Brüel and Kjaer GmbH (HBK), Darmstadt (Germany)	
P17	Influence of Length on the Electromigration of Aluminum through Molybdenum disilicide Thin films	265
	J. Baldauf, A. T. Winzer, T. Ortlepp, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	

P18	Changes in Amorphous Molybdenum Disilicide Thin Films Caused by Electrical Current Stressing	267
	J. Baldauf, S. Reiß, A. T. Winzer, T. Ortlepp, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
P19	Benchmarking Robot and Cobot Performance for an Assembly Application	269
	M. Gapp, A. Fischer-Janzen, D. Pfister, T. M. Wendt, University Offenburg, Offenburg (Germany), S. J. Rupitsch, University Freiburg, Institut für Mikrosystemtechnik – IMTEK, Freiburg (Germany)	
P20	Practical Realization of Johnson's Noise Thermometer	271
	J. Martinek, V. Hortvík, P. Klapetek, Czech Metrology Institute, Brno (Czech Republic)	
P21	Elastically stable tensile force sensors for belt tension monitoring	273
	T. Frank, A. Cyriax, S. Hermann, A. Grün, CiS Forschungsinstitut für Mikrosensorik, Erfurt (Germany)	
P22	Optimized hardness testing: Precise force application and measurement at low forces	275
	T. Frank, S. Hermann, A. Grün, H. Wünscher, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany), P. Beisel, KB Prüftechnik GmbH, Hochdorf-Assenheim (Germany)	
P23	Signal evaluation of force sensors based on silicon strain gauges using artificial neural networks	277
	T. Frank, S. Hermann, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
P24	Add-on kit for non-invasive pressure measurement on process pipes	279
	T. Frank, A. Cyriax, A. Grün, S. Hermann, M. Kermann, S. Jagomast, A. Grün, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
P25	Membrane Characterization of Transparent Photodiodes	280
	C. Möller, D. Mitrenga, T. Klein, A. T. Winzer, T. Ortlepp, CiS Forschungsinstitut für Mikrosensorik GmbH, Erfurt (Germany)	
P26	Combined Stationary Fluorescence and Nanosecond Time Resolved Laser Flash Photolysis Setup	282
	N. Lange, M. Regehly, University of Applied Sciences Wildau, Wildau (Germany)	
P27	Improved Inductive Measurement System for Monitoring Electromagnetic Properties of Steel Sheets During Production	284
	M. Simoneit, T. Thuilot, A. Hennig, University of Applied Sciences Ruhr West, Mülheim an der Ruhr (Germany), O. Kanoun, Technical University Chemnitz, Chemnitz (Germany)	
P28	Enhancing Predictive Maintenance with Temporal Convolutional Networks	286
	F. Rieger, R. Schilling, F. Heinrich, F. Wenninger, Fraunhofer EMFT, Munich (Germany)	
P29	Non-radioactive Electron Capture Detection for Process and Quality Control in Brewery Production	288
	M. Lippmann, M. J. Kueddelsmann, D. Claassen, M. Kaschytza, S. Deicke, E. Bunert, S. Zimmermann, Leibniz University Hannover, Hannover (Germany), M. Wigger, S. Sielemann, Hamm-Lippstadt University of Applied Sciences, Hamm (Germany)	
P30	Identification of plastics in foodstuff using Rapid-FLIM and neural networks	290
	S. Heitzmann, A. S. Rajan, M. Versen, N. Leiter, University of Applied Sciences Rosenheim, Rosenheim (Germany)	
P31	In-Situ and Operando Measurements for the Characterization of Next-Generation Sensor Materials	292
	R. Tschammer, C. Morales, K. Henkel, J. I. Flege, BTU Cottbus-Senftenberg, Cottbus (Germany), C. Tiebe, Bundesanstalt für Materialforschung und -prüfung, Berlin (Germany)	
P32	Measurement Systems for In-Situ Monitoring of Fuel Cell Systems Using Fiber Optical Sensors and Colorimetric Fluorescence Technology	294
	M. Reiter, A. Klug, AVL List GmbH, Graz (Austria), G. Auböck, Silicon Austria Labs GmbH, Graz (Austria), A. Bergmann, C. Sommitsch, M. Bodner, Graz University of Technology, Graz (Austria)	
P33	A MEMS-SPM for dynamic nanomechanical measurements of soft materials	296
	U. Brand, Z. Li, Physikalisch-Technische Bundesanstalt, Braunschweig (Germany)	
P34	Point Cloud Data Processing in Scanning Probe Microscopy	298
	P. Klapetek, M. Valtr, Czech Metrology Institute, Brno (Czech Republic), D. Necas, CEITEC Brno University of Technology, Brno (Czech Republic), E. Heaps, A. Yacoot, National Physical Laboratory, Teddington (United Kingdom)	
P35	Calibration of Temperature Probes on Heat Pipes	300
	J. O. Favreau, E. Georgin, CETIAT, Villeurbanne (France)	

P36	Mass value correction method for weighing cell based on digital pID state-locking control	303
	Presentation preference: P. Sun, J. Wang, C. Peng, National Institute of Metrology, Beijing (China)	
P37	Improved impulse magnetization of magnetic measurement scales	305
	R. Slatter, B. Böhle, U. Rother, ELSOMA GmbH, Schwerte (Germany)	
P38	Fabrication and Characterization of CO₂ Sensor Using ZnO<In> Nanograins	307
	M. Aleksanyan, G. Shahkhatuni, Z. Simonyan, G. Shahnazaryan, R. Papovyan, D. Kananov, A. Grigoryan, G. Gevorgyan, G. Stepanyan, A. Sayunts, Yerevan State University, Yerevan (Armenia)	
P39	Development of a universal instrument system for locking intramedullary nails	309
	T. Reuter, A. Grundmann, S. Walther, Institut Chemnitzer Maschinen und Anlagenbau e.V., Chemnitz (Germany)	
P40	Branching Wall-less Vessel System in Tissue-Mimicking Materials for Magnetomotive Ultrasound Imaging	311
	C. Heim, S. J. Rupitsch, University of Freiburg, Freiburg (Germany), C. Huber, H. Ermer, S. Lier, Universitätsklinikum Erlangen, Erlangen (Germany), I. Ullmann, Friedrich-Alexander-Universität Erlangen-Nürnberg, Erlangen (Germany)	
P41	Innovating THz Detectors: Unmatched Sensitivity at Room Temperature, Infinite Possibilities	313
	A. Rämmer, E. Nöske, E. Dischke, V. Krozer, W. Heinrich, Ferdinand-Braun-Institut, Berlin (Germany)	
P42	Neuromorphic Spiking Sensory Conversion System Based on the STDP Learning Rule of Biological Synapses	315
	H. Abd, A. Joshy, A. König, RPTU University Kaiserslautern Landau, Kaiserslautern (Germany)	
P43	Viscosity Analysis of Liquid Food Using Hyperspectral Imaging	317
	A. Ghezal, A. König, RPTU University Kaiserslautern Landau, Kaiserslautern (Germany)	
P44	Supervised Self-Calibration for Fault-Tolerant xMR-Based Angular Decoders under Dynamic Perturbations	319
	E. Gerken, A. König, RPTU University Kaiserslautern Landau, Kaiserslautern (Germany)	
P45	Determination of the phase proportions of austenitic steels using artificial intelligence	321
	T. Schroeter, J. Wichmann, ifw Günter Köhler Institut für Fügetechnik und Werkstoffprüfung GmbH, Jena (Germany), G. Polte, Technische Universität Ilmenau, Ilmenau (Germany), L. Kaufhold, Ernst Abbe-Hochschule Jena, Jena (Germany)	
P46	Soft Sensor Approach to Detect Failures in Circuit Breaker Components	323
	M. Fuhrlander, J. Gebhardt, H. Rahmeh, A. Boyaci, ABB AG, Mannheim (Germany)	
P47	Stop ignoring units outside the SI	325
	J. Valdés, Universidad Nacional de San Martín, San Martín, Buenos Aires (Argentina)	
P48	Application-Oriented In-Situ Testing Methods for Permanent Magnet Characterization	327
	M. Lanz, G. Martinek, T. Kresse, G. Schneider, D. Goll, Aalen University, Aalen (Germany), A. Georgiadis, Leuphana University, Lüneburg (Germany)	
P49	Modeling of High-Sensitivity SAW Magnetic Field Sensors with Au-SiO₂ Phononic Crystals	329
	M. Samadi, M. Gerken, Kiel University, Kiel (Germany), J. M. Meyer, F. Lofink, Fraunhofer ISIT, Itzehoe (Germany)	
P50	Effect of Matrix Gas Variations on NO₂ Measurements by a PEMS Device for Real Driving Emissions Tests	332
	M. E. Kim, H. Bohlius, V. Ebert, J. Nwaboh Physikalisch-Technische Bundesanstalt, Braunschweig (Germany)	
P51	ThinKIsense – Thin Edge Artificial Intelligence for Process Automation	334
	G. Erdler, S. Klehr, S. von Dosky, M. Mussler, Siemens AG, Karlsruhe (Germany)	
P52	Modelling Membrane-Based Compact Fiber-Interferometric Gas Pressure Sensors in Cryogenic Environments	336
	D. Hartwig, C. Reinhardt, L. Stankewitz, S. Croatto, S. Karstensen, J. Schaffran, A. Lindner, Deutsches Elektronen-Synchrotron DESY, Hamburg (Germany), H. Masalehdan, N. Sülthmann, R. Schnabel, Universität Hamburg, Hamburg (Germany)	
P53	Simultaneous DTGS and DTS Measurements for Temperature Estimation in a Bubble Column Reactor	338
	D. F. Gomes, G. Heim Weber, C. Martelli, Federal University of Technology - Paraná UTFPR, Curitiba (Brazil), M. W. Hlawitschka, Y. Schick, M. J. da Silva, Johannes Kepler Universität, Linz (Austria)	