

Low Impact Development Hydrologic Modeling

West Stroh Gulch Case Study

ISBN: 979-8-3313-2575-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2025) by American Society of Civil Engineers
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact American Society of Civil Engineers
at the address below.

American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, VA 20191
USA

Phone: (800) 548-2723
Fax: (703) 295-6333

www.asce.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

List of Figures	vii
List of Tables	ix
Contributors	xi
Acknowledgments	xiii
Preface	xv
Executive Summary	xvii
Definitions	xxiii
Abbreviations	xxv
Chapter 1 Introduction	1
1.1 Natural Watershed Processes	3
1.2 Land Entitlement Process	5
1.3 Strategies to Reduce Urban Impacts	6
1.3.1 Preserving Branched Stream Network	7
1.3.2 Directing Runoff to Landscaped Areas	7
1.3.3 Distributed Full Spectrum Detention	8
1.4 Hydrologic Model Scales	9
References	12
Chapter 2 Background on Hydrologic Modeling of Distributed Stormwater Treatment Controls within Watersheds	15
References	17
Chapter 3 Modeling Scenarios and Inputs	19
3.1 Development Conditions Analyzed	19
3.1.1 Scenario 1: Traditional Development Layout	19
3.1.2 Scenario 2: Modest Incorporation of Unconnected Impervious Area/Receiving Pervious Areas and Infiltration in the Tributary Channel Network	21
3.1.3 Scenario 3: Comprehensive Incorporation of Unconnected Impervious Area/Receiving Pervious Areas and Infiltration in the Tributary Channel Network	22
3.2 Conceptual Models for Undeveloped and Developed Conditions	23

3.2.1	Undeveloped Conditions	23
3.2.2	Developed Conditions.....	25
3.3	Key Model Input Parameters.....	26
3.3.1	Event-Based Rainfall	26
3.3.2	Continuous/Long-Term Simulation Climatology	26
3.3.3	Sub-Basin Parameters.....	27
3.3.3.1	Sub-Basin Area Delineation	27
3.3.3.2	Imperviousness.....	28
3.3.3.3	Pervious Area Routing.....	28
3.3.3.4	Slope	29
3.3.3.5	Width	29
3.3.3.6	Manning's Roughness for Overland Flow	30
3.3.3.7	Manning's Roughness for Channel Flow	30
3.3.3.8	Depression Storage	31
3.3.3.9	Infiltration	31
3.3.4	Aquifer.....	32
3.3.5	Conveyances	32
3.3.6	Full Spectrum Detention	33
	References	34
Chapter 4	Event-Based Models: Results and Discussion	37
4.1	Development Conditions	38
4.2	Hydrologic Models Used	38
4.3	Modeling Process Steps	38
4.4	Model Results and Discussion	39
	References	44
Chapter 5	Continuous Simulation Model: Results and Discussion	45
5.1	Comparison of Undeveloped and Scenario 1 (Traditional Layout) at A Scale	45
5.2	Scenarios 2 and 3 for 10 to 40 Acre Sub-Basins	48
5.3	Scenario 3 for 1 to 4 Acres Sub-Basins	52
	References	54
Chapter 6	Surrogate Methods	55
6.1	Event-Based Models	55
6.2	Continuous Simulation Models	58
	References	58
Chapter 7	Conclusions	59
	References	61
Index.....		63