

2025 IEEE 41st International Conference on Data Engineering (ICDE 2025)

**Hong Kong
19-23 May 2025**

Pages 1-682



**IEEE Catalog Number: CFP25026-POD
ISBN: 979-8-3315-3604-6**

**Copyright © 2025 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***** *This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP25026-POD
ISBN (Print-On-Demand):	979-8-3315-3604-6
ISBN (Online):	979-8-3315-3603-9
ISSN:	1063-6382

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

2025 IEEE 41st International Conference on Data Engineering (ICDE)

ICDE 2025

Table of Contents

Message from the Conference Chairs	lviii
Organizing Committee	lxii
Program Committees	lxiii

Research Papers

Description-Similarity Rules: Towards Flexible Feature Engineering for Entity Matching	1
Yafeng Tang (Harbin Institute of Technology, China), Zheng Liang (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), Xiaoou Ding (Harbin Institute of Technology, China), Tianyu Mu (Harbin Institute of Technology, China), and Huan Hu (Huawei Cloud Computing Technologies Co., Ltd, China)	
Online Federated Learning on Distributed Unknown Data using UAVs	16
Xichong Zhang (University of Science and Technology of China, China), Haotian Xu (University of Science and Technology of China, China), Yin Xu (University of Science and Technology of China, China), Mingjun Xiao (University of Science and Technology of China, China), Jie Wu (Temple University, USA), and Jinrui Zhou (University of Science and Technology of China, China)	
Grounding Natural Language to SQL Translation with Data-Based Self-Explanations	29
Yuankai Fan (Fudan University, China; China Telecom, China), Tonghui Ren (Fudan University, China), Can Huang (Fudan University, China), Zhenying He (Fudan University, China), and X. Sean Wang (Fudan University, China)	
AllHands: Ask Me Anything on Large-Scale Verbatim Feedback via Large Language Models	43
Chaoyun Zhang (Microsoft), Zicheng Ma (ZJU-UIUC Institute), Yuhao Wu (National University of Singapore), Shilin He (Microsoft), Si Qin (Microsoft), Minghua Ma (Microsoft), Xiaoting Qin (Microsoft), Yu Kang (Microsoft), Yuyi Liang (Microsoft), Xiaoyu Gou (Microsoft), Yajie Xue (Microsoft), Qingwei Lin (Microsoft), Saravan Rajmohan (Microsoft), Dongmei Zhang (Microsoft), and Qi Zhang (Microsoft)	

Learnable Sparse Customization in Heterogeneous Edge Computing	58
<i>Jingjing Xue (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Sheng Sun (Chinese Academy of Sciences, China), Min Liu (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China; Zhongguancun Laboratory, China), Yuwei Wang (Chinese Academy of Sciences, China), Zhuotao Liu (Tsinghua University, China), and Jingyuan Wang (Beihang University, China)</i>	
Many Hands Make Light Work: Accelerating Edge Inference via Multi-Client Collaborative Caching	72
<i>Wenyi Liang (University of Science and Technology of China, China), Jianchun Liu (University of Science and Technology of China, China), Hongli Xu (University of Science and Technology of China, China), Chunming Qiao (University at Buffalo, USA), and Liusheng Huang (University of Science and Technology of China, China)</i>	
ALT-Index: A Hybrid Learned Index for Concurrent Memory Database Systems	86
<i>Yuxin Yang (Huazhong University of Science and Technology, China), Fang Wang (Huazhong University of Science and Technology, China; Shenzhen Huazhong University of Science and Technology Research Institute, China), Mengya Lei (Hubei University of Technology, China), Peng Zhang (Huazhong University of Science and Technology, China), and Dan Feng (Huazhong University of Science and Technology, China)</i>	
Large-Scale Spatiotemporal Kernel Density Visualization	99
<i>Tsz Nam Chan (Shenzhen University), Pak Lon Ip (University of Macau), Bojian Zhu (Hong Kong Baptist University), U Leong Hou (University of Macau), Dingming Wu (Shenzhen University), Jianliang Xu (Hong Kong Baptist University), and Christian S. Jensen (Aalborg University)</i>	
HourglassSketch: An Efficient and Scalable Framework for Graph Stream Summarization	114
<i>Jiarui Guo (Peking University, China), Boxuan Chen (Peking University, China), Kaicheng Yang (Peking University, China), Tong Yang (Peking University, China), Zirui Liu (Peking University, China), Qiuhe Yin (Peking University, China), Sha Wang (National University of Defense Technology, China), Yuhan Wu (Peking University, China), Xiaolin Wang (Peking University, China), Bin Cui (Peking University, China), Tao Li (National University of Defense Technology, China), Xi Peng (Huawei Technologies Co., Ltd., China), Renhai Chen (Huawei Technologies Co., Ltd., China), and Gong Zhang (Huawei Technologies Co., Ltd., China)</i>	
CADRL: Category-Aware Dual-Agent Reinforcement Learning for Explainable Recommendations over Knowledge Graphs	128
<i>Shangfei Zheng (Zhejiang Sci-Tech University), Hongzhi Yin (The University of Queensland), Tong Chen (The University of Queensland), Xiangjie Kong (Zhejiang University of Technology), Jian Hou (Zhejiang Sci-Tech University), and Pengpeng Zhao (Soochow University)</i>	
SOUND: Sanity Checking of Pipelines for Uncertain and Sparse Data Series	142
<i>Hermann Stolte (Humboldt-Universität zu Berlin), Iftach Sadeh (DESY Zeuthen), Elisa Pueschel (Ruhr University Bochum), Avigdor Gal (Technion - Israel Inst. of Techn.), and Matthias Weidlich (Humboldt-Universität zu Berlin)</i>	

Preserving K-Connectivity in Dynamic Graphs	156
<i>Gengda Zhao (University of New South Wales), Dong Wen (University of New South Wales), Xiaoyang Wang (University of New South Wales), Kai Wang (Shanghai Jiao Tong University), and Xuemin Lin (Shanghai Jiao Tong University)</i>	
An Adaptive Sampling Algorithm for the Top-K Group Betweenness Centrality	170
<i>Wenzheng Xu (Sichuan University, P. R. China), Honglin Mao (Sichuan University, P. R. China), Heng Shao (Sichuan University, P. R. China), Weifa Liang (City University of Hong Kong, Hong Kong), Jian Peng (Sichuan University, P. R. China), Wen Huang (Sichuan University, P. R. China), Zichuan Xu (Dalian University of Technology, P. R. China), Pan Zhou (Huazhong University of Science & Technology, P. R. China), and Jeffrey Xu Yu (The Chinese University of Hong Kong)</i>	
BQSched: A Non-Intrusive Scheduler for Batch Concurrent Queries via Reinforcement Learning....	183
<i>Chenhai Xu (Peking University, China), Chunyu Chen (Simon Fraser University, Canada), Jinglin Peng (Huawei Cloud, China), Jiannan Wang (Huawei Cloud, China; Simon Fraser University, Canada), and Jun Gao (Peking University, China)</i>	
DEPA - Delta Shifting and Distribution Shaping for Efficient Adaptive Indexing	197
<i>Ahmad Khazaie (Imperial College London, UK) and Holger Pirk (Imperial College London, UK)</i>	
DaVinci Sketch: A Versatile Sketch for Efficient and Comprehensive Set Measurements	210
<i>Yanshu Wang (Peking University, China), Jianan Ji (Carnegie Mellon University, USA), Chao-Hsuan Liu (East China Normal University, China), Hengyang Zhou (China University of Petroleum, China), and Tong Yang (Peking University, China)</i>	
Explaining Expert Search and Team Formation Systems with ExES	224
<i>Kiarash Golzadeh (University of Waterloo), Lukasz Golab (University of Waterloo), and Jarek Szlichta (York University)</i>	
OOCC: One-Round Optimistic Concurrency Control for Read-Only Disaggregated Transactions ...	238
<i>Hao Wu (Tsinghua University, China), Mingxing Zhang (Tsinghua University, China), Kang Chen (Tsinghua University, China), Xia Liao (Tsinghua University, China), Yingdi Shan (Tsinghua University, China), and Yongwei Wu (Tsinghua University, China)</i>	
Efficient Learning-Based Graph Simulation for Temporal Graphs	251
<i>Sheng Xiang (University of Technology Sydney, Australia), Chenhai Xu (Peking University, China), Dawei Cheng (Tongji University, China), Xiaoyang Wang (University of New South Wales, Australia), and Ying Zhang (University of Technology Sydney, Australia)</i>	
Towards Fair Graph Neural Networks via Graph Counterfactual without Sensitive Attributes	265
<i>Xuemin Wang (Guilin University of Electronic Technology, China), Tianlong Gu (Jinan University, China), Xuguang Bao (Guilin University of Electronic Technology, China), and Liang Chang (Guilin University of Electronic Technology, China)</i>	

HINSCAN: Efficient Structural Graph Clustering over Heterogeneous Information Networks	278
<i>Long Yuan (Nanjing University of Science and Technology, China), Xiaotong Sun (Nanjing University of Science and Technology, China), Zi Chen (Nanjing University of Aeronautics and Astronautics, China), Peng Cheng (East China Normal University, China), Longbin Lai (Alibaba Group, China), and Xuemin Lin (Shanghai Jiao Tong University, China)</i>	
RateL: Optimizing Holistic Data Movement to Fine-Tune 100B Model on a Consumer GPU	292
<i>Changyue Liao (Zhejiang University, China), Mo Sun (Zhejiang University, China), Zihan Yang (Zhejiang University, China), Jun Xie (Zhejiang University, China), Kaiqi Chen (Zhejiang University, China), Binhang Yuan (HKUST, China), Fei Wu (Zhejiang University, China), and Zeke Wang (Zhejiang University, China)</i>	
Efficient Pruning via Entailment Cardinality Estimation for Fast Top-Down Logic Rule Mining	307
<i>Ruoyu Wang (University of New South Wales, Australia), Raymond Wong (University of New South Wales, Australia), and Daniel Sun (Newcastle University, United Kingdom)</i>	
Hyperion: Co-Optimizing SSD Access and GPU Computation for Cost-Efficient GNN Training	321
<i>Jie Sun (Zhejiang University), Mo Sun (Zhejiang University), Zheng Zhang (Purdue University), Zuocheng Shi (Zhejiang University), Jun Xie (Zhejiang University), Zihan Yang (Zhejiang University), Jie Zhang (Zhejiang University), Zeke Wang (Zhejiang University), and Fei Wu (Zhejiang University; Shanghai Institute for Advanced Study of Zhejiang University)</i>	
Boosting Accuracy and Efficiency for Vector Retrieval with Local Scaling Graph	336
<i>Hongya Wang (Donghua University, China; CAS, China), Wenlong Wu (Donghua University, China), Cong Luo (Donghua University, China), Aobei Bian (Donghua University, China), Chunguang Meng (Donghua University, China), Yishuo Wu (Donghua University, China), and Ji Sun (Huawei Technologies Co., Ltd., China)</i>	
Promi: Progressive Live Migration in Distributed Database Systems	349
<i>Zhenghao Ding (Renmin University of China), Ximyi Zhang (Renmin University of China), Wei Lu (Renmin University of China), Wenlong Ma (Huawei Cloud), Wenliang Zhang (Huawei Cloud), and Xiaoyong Du (Renmin University of China)</i>	
Efficient Methods for Accurate Sparse Trajectory Recovery and Map Matching	363
<i>Wei Tian (Hong Kong Polytechnic University), Jieming Shi (Hong Kong Polytechnic University), and Man Lung Yiu (Hong Kong Polytechnic University)</i>	
Incremental Stream Query Placement in Massively Distributed and Volatile Infrastructures	376
<i>Ankit Chaudhary (BIFOLD; TU Berlin), Kaustubh Beedkar (IIT Delhi), Jeyhun Karimov (Ververica GmbH), Felix Lang (BIFOLD), Steffen Zeuch (BIFOLD; TU Berlin), and Volker Markl (BIFOLD; TU Berlin; DFKI GmbH)</i>	
LETFramework: Let the Universal Sketch be Accurate	391
<i>Ruijie Miao (Peking University, China), Xiangwei Deng (Peking University, China), Zicang Xu (Peking University, China), Ziyun Zhang (Peking University, China), and Tong Yang (Peking University, China)</i>	

A Cost-Effective and Decompression-Transparent Compressor for OLTP-Oriented Databases	405
<i>Hao Hu (Harbin Institute of Technology, Shenzhen), Qiyang Zheng (Harbin Institute of Technology, Shenzhen), Xiangyu Zou (Harbin Institute of Technology, Shenzhen), Lisha Qin (Harbin Institute of Technology, Shenzhen), Chengwei Zhang (Data Principles (Beijing) Technology Co., Ltd.), Wanchuan Zhang (Data Principles (Beijing) Technology Co., Ltd.), Zhaocheng Jiang (Data Principles (Beijing) Technology Co., Ltd.), Dingwen Tao (Chinese Academy of Sciences, China), Hongpeng Wang (Harbin Institute of Technology, Shenzhen; Peng Cheng Laboratory; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies), and Wen Xia (Harbin Institute of Technology, Shenzhen; Peng Cheng Laboratory; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies)</i>	
Heterogeneous-Aware Traffic Prediction: A Privacy-Preserving Federated Learning Framework ...	419
<i>Zhihao Zeng (Zhejiang University, China), Ziquan Fang (Zhejiang University, China; Zhejiang Key Laboratory of Big Data Intelligent Computing), Yuting Huang (Zhejiang University, China), Qilong Wang (Zhejiang University, China), Lu Chen (Zhejiang University, China; Zhejiang Key Laboratory of Big Data Intelligent Computing), and Yunjun Gao (Zhejiang University, China; Zhejiang Key Laboratory of Big Data Intelligent Computing)</i>	
GeoTP: Latency-Aware Geo-Distributed Transaction Processing in Database Middlewares	433
<i>Qiyu Zhuang (Renmin University of China), Xinyue Shi (Renmin University of China), Shuang Liu (Renmin University of China), Wei Lu (Renmin University of China), Zhanhao Zhao (Renmin University of China), Yuxing Chen (Tencent Inc.), Tong Li (Renmin University of China), Anqun Pan (Tencent Inc.), and Xiaoyong Du (Renmin University of China)</i>	
Exploring SIMD Vectorization in Aggregation Pipelines for Encoded IoT Data	446
<i>Rui Kang (Tsinghua University), Shaoxu Song (Tsinghua University), and Jianmin Wang (Tsinghua University)</i>	
CommunityDF: A Guided Denoising Diffusion Approach for Community Search	460
<i>Jiazun Chen (Peking University, China), Yikuan Xia (Peking University, China), Jun Gao (Peking University, China), Zhao Li (Hangzhou Yugu Technology Co., Ltd., China; Zhejiang Lab, China), and Hongyang Chen (Zhejiang Lab, China)</i>	
Having It Both Ways: Single Trajectory Embedding for Similarity Computation with Pairwise Learning	474
<i>Jianing Si (BUPT, China; Beiyou Shenzhen Institute, China), Haitao Yuan (NTU, Singapore), Xiang Li (BUPT, China), Nan Jiang (BUPT, China), Xiao Ma (BUPT, China), Guoliang Li (THU, China), and Shangguang Wang (Beiyou Shenzhen Institute, China; BUPT, China)</i>	
Auto-TSF: Towards Proxy-Model-Based Meta-Learning for Automatic Time Series Forecasting Algorithm Selection	487
<i>Tianyu Mu (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), Chen Liang (Harbin Institute of Technology, China), and Xinyue Shao (Harbin Institute of Technology, China)</i>	

HC-SpMM: Accelerating Sparse Matrix-Matrix Multiplication for Graphs with Hybrid GPU Cores	501
<i>Zhonggen Li (Zhejiang University), Xiangyu Ke (Zhejiang University); Zhejiang Key Laboratory of Big Data Intelligent Computing), Yifan Zhu (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), Yunjun Gao (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), and Yaofeng Tu (ZTE Corporation)</i>	
Efficient η -Threshold Maintenance in Dynamic Uncertain Graphs	515
<i>Yu Chen (Zhejiang University), Qing Liu (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), Yifan Zhu (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), and Yunjun Gao (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing)</i>	
Dataset Discovery via Line Charts	529
<i>Daomin Ji (RMIT University), Hui Luo (University of Wollongong), Zhifeng Bao (RMIT University), and Shane Culpepper (The University of Queensland)</i>	
Vista: Vector Indexing and Search for Large-Scale Imbalanced Datasets	543
<i>Yujian Fu (National University of Singapore), Cheng Chen (ByteDance), Yao Chen (National University of Singapore), Weng-Fai Wong (National University of Singapore), and Bingsheng He (National University of Singapore)</i>	
Time-Aware Influence Minimization via Blocking Social Networks	557
<i>Xueqin Chang (Zhejiang University), Jiajie Fu (Zhejiang University), Qing Liu (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), Yunjun Gao (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), and Baihua Zheng (Singapore Management University)</i>	
TierBase: A Workload-Driven Cost-Optimized Key-Value Store	571
<i>Zhitao Shen (Ant Group), Shiyu Yang (Guangzhou University), Weibo Chen (Guangzhou University; Ant Group), Kunming Wang (Guangzhou University; Ant Group), Yue Li (Ant Group), Jiabao Jin (Ant Group), Wei Jia (Ant Group), Junwei Chen (Ant Group), Yuan Su (Ant Group), Xiaoxia Duan (Ant Group), Wei Chen (Ant Group), Lei Wang (Ant Group), Jie Song (Ant Group), Ruoyi Ruan (Ant Group), and Xuemin Lin (Shanghai Jiao Tong University)</i>	
Joinable Search over Multi-Source Spatial Datasets: Overlap, Coverage, and Efficiency	585
<i>Wenzhe Yang (Wuhan University), Sheng Wang (Wuhan University), Zhiyu Chen (Amazon.com, Inc.), Yuan Sun (La Trobe University), and Zhiyong Peng (Wuhan University)</i>	
Maximal Clique Enumeration with Hybrid Branching and Early Termination	599
<i>Kaixin Wang (Beijing University of Technology, China), Kaiqiang Yu (Nanyang Technological University, Singapore), and Cheng Long (Nanyang Technological University, Singapore)</i>	

TopTune: Tailored Optimization for Categorical and Continuous Knobs Towards Accelerated and Improved Database Performance Tuning	613
<i>Rukai Wei (Huazhong University of Science and Technology, China; Dameng Database Co., Ltd, China), Yu Liu (Huazhong University of Science and Technology, China), Yufeng Hou (Huazhong University of Science and Technology, China), Heng Cui (Huazhong University of Science and Technology, China), Yongqiang Zhang (Dameng Database Co., Ltd, China), and Ke Zhou (Huazhong University of Science and Technology, China)</i>	
CrossEM: A Prompt Tuning Framework for Cross-Modal Entity Matching	627
<i>Qin Yuan (Beijing Institute of Technology), Ye Yuan (Beijing Institute of Technology), Zhenyu Wen (Zhejiang University of Technology), Chi Chen (Beijing Institute of Technology), and Guoren Wang (Beijing Institute of Technology)</i>	
CrossETR: A Semantic-Driven Framework for Entity Matching Across Images and Graph	641
<i>Qin Yuan (Beijing Institute of Technology), Zhenyu Wen (Zhejiang University of Technology), Jiaxu Qian (Zhejiang University of Technology), Ye Yuan (Beijing Institute of Technology), and Guoren Wang (Beijing Institute of Technology)</i>	
StructRide: A Framework to Exploit the Structure Information of Shareability Graph in Ridesharing	655
<i>Jiexi Zhan (East China Normal University, China), Yu Chen (East China Normal University, China), Peng Cheng (East China Normal University, China), Lei Chen (HKUST (GZ), China; HKUST, China), Wangze Ni (Zhejiang University, China), and Xuemin Lin (Shanghai Jiaotong University, China)</i>	
A Storage Model with Fine-Grained In-Storage Query Processing for Spatio-Temporal Data	669
<i>Yang Guo (The Chinese University of Hong Kong), Tianyu Wang (Shenzhen University), Zizhan Chen (The Chinese University of Hong Kong), and Zili Shao (The Chinese University of Hong Kong)</i>	
Numerical Estimation of Spatial Distributions under Differential Privacy	683
<i>Leilei Du (East China Normal University, China), Peng Cheng (East China Normal University, China), Libin Zheng (Sun Yat-sen University, China), Xiang Lian (Kent State University, USA), Lei Chen (HKUST (GZ), China; HKUST, China), Wei Xi (Xi'an Jiaotong University, China), and Wangze Ni (Zhejiang University, China)</i>	
Accelerating D-Core Maintenance over Dynamic Directed Graphs	696
<i>Xuankun Liao (Hong Kong Baptist University, China), Qing Liu (Zhejiang University, China), Jiaxin Jiang (National University of Singapore, Singapore), Byron Choi (Hong Kong Baptist University, China), Bingsheng He (National University of Singapore, Singapore), and Jianliang Xu (Hong Kong Baptist University, China)</i>	
Most Probable Maximum Weighted Butterfly Search	710
<i>Yu Shao (East China Normal University, China), Peng Cheng (East China Normal University, China), Longbin Lai (Alibaba Group, China), Long Yuan (Nanjing University of Science and Technology, China), Wangze Ni (Zhejiang University, China), and Xuemin Lin (Shanghai Jiaotong University, China)</i>	

OneRoundSTL: In-Database Seasonal-Trend Decomposition	724
<i>Zijie Chen (Tsinghua University), Shaoxu Song (Tsinghua University), and Jianmin Wang (Tsinghua University)</i>	
BLEND: A Unified Data Discovery System	737
<i>Mahdi Esmailoghi (TU Berlin & BIFOLD, Germany), Christoph Schnell (Leibniz Universität Hannover, Germany), Renée J. Miller (University of Waterloo, Canada), and Ziawasch Abedjan (TU Berlin & BIFOLD, Germany)</i>	
Efficient Route and Area Matching Query in Dynamic Road Networks	751
<i>Yikun Wang (The University of New South Wales; Guangzhou University), Dian Ouyang (Guangzhou University), Zhuoran Wang (The University of New South Wales), Dong Wen (The University of New South Wales), and Xuemin Lin (Shanghai Jiao Tong University)</i>	
PBSM: Predictive Bi-Preference Stable Matching in Spatial Crowdsourcing	765
<i>Yuan Xie (National University of Singapore), Yumeng Liu (Institute of Software Chinese Academy of Sciences, China), Xu Zhou (Hunan University), Yifang Yin (A*STAR), Kenli Li (Hunan University), and Roger Zimmermann (National University of Singapore)</i>	
Self-Supervised Trajectory Representation Learning with Multi-Scale Spatio-Temporal Feature Exploration	779
<i>Hong Xia (Ocean University of China, China), Xiao Zhang (Ocean University of China, China), Yuan Cao (Ocean University of China, China), Lei Cao (The University of Arizona, USA), Yanwei Yu (Ocean University of China, China), and Junyu Dong (Ocean University of China, China)</i>	
Towards Robustness of Text-to-Visualization Translation against Lexical and Phrasal Variability	793
<i>Jinwei Lu (Shenzhen University, China; PolyU, China), Yuanfeng Song (WeBank Co., Ltd, China), Haodi Zhang (Shenzhen University, China; HKUST(GZ), China), Chen Jason Zhang (PolyU, China), Kaishun Wu (HKUST(GZ), China), and Raymond Chi-Wing Wong (HKUST, China)</i>	
DAG*: A Novel A*-Alike Algorithm for Optimal Workflow Execution Across IoT Platforms	807
<i>Errikos Streliniotis (Technical University of Crete), Dimitrios Banelas (Technical University of Crete), Nikos Giatrakos (Technical University of Crete), and Antonios Deligiannakis (Technical University of Crete)</i>	
Revelio: Revealing Important Message Flows in Graph Neural Networks	821
<i>Haoyu He (The George Washington University), Isaiah J. King (The George Washington University), and H. Howie Huang (The George Washington University)</i>	
FAHL: An Efficient Labeling Index for Flow-Aware Shortest Path Querying in Road Networks	836
<i>Tangpeng Dan (Renmin University of China, China), Xiao Pan (Shijiazhuang Tiedao University, China), Bolong Zheng (Huazhong University of Science and Technology, China), and Xiaofeng Meng (Renmin University of China, China)</i>	

DATA-WA: Demand-Based Adaptive Task Assignment with Dynamic Worker Availability Windows
850

Jinwen Chen (University of Electronic Science and Technology of China, China), Jiannan Guo (China Mobile (Suzhou) Software Technology Co., Ltd., China), Dazhuo Qiu (Aalborg University, Denmark), Yawen Li (Beijing University of Posts and Telecommunications, China), Guanhua Ye (Beijing University of Posts and Telecommunications, China), Yan Zhao (University of Electronic Science and Technology of China, China), and Kai Zheng (University of Electronic Science and Technology of China, China)

On Simplifying Large-Scale Spatial Vectors: Fast, Memory-Efficient, and Cost-Predictable k-means 863

Yushuai Ji (Wuhan University), Zepeng Liu (Wuhan University), Sheng Wang (Wuhan University), Yuan Sun (La Trobe University), and Zhiyong Peng (Wuhan University)

QaVA: Query-Aware Video Analysis Framework Based on Data Access Pattern 877

Tianxiong Zhong (Beijing Institute of Technology), Zhiwei Zhang (Beijing Institute of Technology), Yihang Fu (Beijing Institute of Technology), Guo Lu (Shanghai Jiao Tong University), Ye Yuan (Beijing Institute of Technology), and Guoren Wang (Beijing Institute of Technology)

Approximate Vector Set Search: A Bio-Inspired Approach for High-Dimensional Spaces 891

Yiqi Li (Wuhan University), Sheng Wang (Wuhan University), Zhiyu Chen (Amazon.com, Inc.), Shangfeng Chen (Wuhan University), and Zhiyong Peng (Wuhan University)

DaRec: A Disentangled Alignment Framework for Large Language Model and Recommender System
904

Xihong Yang (National University of Defense Technology, China; Baidu Inc, China), Heming Jing (Baidu Inc, China), Zixing Zhang (Baidu Inc, China), Jindong Wang (Baidu Inc, China), Huakang Niu (Baidu Inc, China), Shuaiqiang Wang (Baidu Inc, China), Yu Lu (Baidu Inc, China), Junfeng Wang (Baidu Inc, China), Dawei Yin (Baidu Inc, China), Xinwang Liu (National University of Defense Technology, China), En Zhu (National University of Defense Technology, China), Defu Lian (University of Science and Technology of China, China), and Erxue Min (Baidu Inc, China)

Scaling Asynchronous Graph Query Processing via Partitioned Stateful Traversal Machines 918

Shaoyuan Chen (Tsinghua University), Hongtao Chen (Tsinghua University), Shaonan Ma (9#AISoft), Yajie Qin (9#AISoft), Zheng Wang (Tsinghua University), Weiyu Xie (Tsinghua University), Mingxing Zhang (Tsinghua University; 9#AISoft), Kang Chen (Tsinghua University), Xia Liao (Tsinghua University), Yingdi Shan (Tsinghua University), Jinlei Jiang (Tsinghua University; 9#AISoft), and Yongwei Wu (Tsinghua University; 9#AISoft)

GFlux: A Fast GPU-Based Out-of-Memory Multi-Hop Query Processing Framework for Trillion-Edge Graphs 932

Syeon Oh (DGIST, Republic of Korea), Heeyong Yoon (DGIST, Republic of Korea), Donghyoung Han (GraphAI, Republic of Korea), and Min-soo Kim (KAIST, Republic of Korea)

TempSched: A Temperature-Aware Storage Scheduler for Time Series Across Cloud-Edge-Device	946
<i>Shuangshuang Cui (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), Xianglong Liu (Harbin Institute of Technology, China), and Xiaoou Ding (Harbin Institute of Technology, China)</i>	
Federated Trajectory Similarity Learning with Privacy-Preserving Clustering	959
<i>Hao Miao (Aalborg University, Denmark), Ziqiao Liu (University of Electronic Science and Technology, China), Yan Zhao (Aalborg University, Denmark), Kai Zheng (University of Electronic Science and Technology, China), Yupu Zhang (University of Electronic Science and Technology, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Path-Based Summary Explanations for Graph Recommenders	973
<i>Danae Pla Karidi (Archimedes/Athena RC, Greece) and Evangelia Pitoura (University of Ioannina and Archimedes/Athena RC, Greece)</i>	
Data Poisoning Attacks to Local Differential Privacy Protocols for Graphs	987
<i>Xi He (Macau University of Science and Technology, Macau SAR), Kai Huang (Macau University of Science and Technology, Macau SAR), Qingqing Ye (The Hong Kong Polytechnic University, Hong Kong SAR), and Haibo Hu (The Hong Kong Polytechnic University, Hong Kong SAR)</i>	
A Bargaining-Based Approach for Feature Trading in Vertical Federated Learning	1001
<i>Yue Cui (The Hong Kong University of Science and Technology, Hong Kong SAR), Liuyi Yao (Alibaba Group, China), Zitao Li (Alibaba Group, USA), Yaliang Li (Alibaba Group, China), Keqin Zhong (University at Buffalo, USA), Bingyi Liu (Wuhan University of Technology, China), Bolin Ding (Alibaba Group, USA), and Xiaofang Zhou (The Hong Kong University of Science and Technology, Hong Kong SAR)</i>	
An Efficient Memoization Engine for Concurrent Graph Query Processing	1015
<i>Sen Gao (National University of Singapore, Singapore), Shengliang Lu (National University of Singapore, Singapore), Shixuan Sun (Shanghai Jiao Tong University, China), Yuchen Li (Singapore Management University, Singapore), and Bingsheng He (National University of Singapore, Singapore)</i>	
TeMatch: A Fast Temporal Subgraph Matching Framework with Temporal-Aware Subgraph Matching Algorithms	1029
<i>Chengying Huan (Nanjing University; Chinese Academy of Sciences), Heng Zhang (Chinese Academy of Sciences), Yongchun Jiang (Ant Group), Likang Chen (Ant Group), Xuran Wang (Chinese Academy of Sciences), Yongchao Liu (Chinese Academy of Sciences), Shaonan Ma (9#AISoft), and Yanjun Wu (Chinese Academy of Sciences)</i>	
Efficient Maximum Fair Clique Search over Large Networks	1043
<i>Qi Zhang (University of Science and Technology Beijing, China), Rong-Hua Li (Beijing Institute of Technology, China), Zifan Zheng (Beijing Institute of Technology, China), Hongchao Qin (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	

Exact and Efficient Similar Subtrajectory Search: Integrating Constraints and Simplification	1056
<i>Liwei Deng (University of Electronic Science and Technology of China, China), Fei Wang (University of Electronic Science and Technology of China, China), Tianfu Wang (University of Science and Technology of China, China), Yan Zhao (University of Electronic Science and Technology of China, China), Yuyang Xia (University of Electronic Science and Technology of China, China), and Kai Zheng (University of Electronic Science and Technology of China, China)</i>	
A Deep Dive into Protocol Design: How to Improve IPFS Performance Without Sacrificing Decentralization	1070
<i>Wenbin Zhu (Shandong University, China), Zhaoyan Shen (Shandong University, China), Mengying Zhao (Shandong University, China), Dongxiao Yu (Shandong University, China), and Bingzhe Li (University of Texas at Dallas, USA)</i>	
Maximal Similar-Weight Biclique Enumeration for Large Bipartite Graphs	1084
<i>Jianye Yang (Guangzhou University, China; PengCheng Laboratory, China), Lei Xing (Guangzhou University, China), Ziyi Ma (Hebei University of Technology, China), Xi Luo (Guangzhou University, China), Cuiyun Gao (Harbin Institute of Technology (Shenzhen), China; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), and Xuemin Lin (Shanghai Jiao Tong University, China)</i>	
Effective and General Distance Computation for Approximate Nearest Neighbor Search	1098
<i>Mingyu Yang (The Hong Kong University of Science and Technology (Guangzhou); The Hong Kong University of Science and Technology), Wentao Li (The Hong Kong University of Science and Technology (Guangzhou); University of Leicester), Jiaobao Jin (Ant Group), Xiaoyao Zhong (Ant Group), Xiangyu Wang (Ant Group), Zhitao Shen (Ant Group), Wei Jia (Ant Group), and Wei Wang (The Hong Kong University of Science and Technology (Guangzhou); The Hong Kong University of Science and Technology)</i>	
Collaborative Imputation for Multivariate Time Series with Convergence Guarantee	1111
<i>Yu Sun (Nankai University), Xinyu Yang (Nankai University), Shaoxu Song (Tsinghua University), Ying Zhang (Nankai University), and Xiaojie Yuan (Nankai University)</i>	
DELRec: Distilling Sequential Pattern to Enhance LLMs-Based Sequential Recommendation	1125
<i>Haoyi Zhang (Donghua University, China), Guohao Sun (Donghua University, China), Jinhui Lu (Donghua University, China), Guanfeng Liu (Macquarie University, Australia), and Xiu Susie Fang (Donghua University, China)</i>	
Chameleon: Adaptive and Scalable Stream Processing Over Sensor Sources	1139
<i>Dimitrios Giouroukis (BIFOLD; Technische Universität Berlin), Varun Pandey (Technische Universität Berlin), Steffen Zeuch (BIFOLD; Technische Universität Berlin), and Volker Markl (BIFOLD; Technische Universität Berlin; DFKI GmbH)</i>	
Facility Location for Fair and Equitable Query Results	1153
<i>Sara Cohen (Hebrew University, Israel) and Helen Sternbach (Hebrew University, Israel)</i>	

High Throughput Shortest Distance Query Processing on Large Dynamic Road Networks	1166
<i>Xinjie Zhou (The Hong Kong University of Science and Technology, China; The Hong Kong University of Science and Technology (Guangzhou), China), Mengxuan Zhang (The Australian National University, Australia), Lei Li (The Hong Kong University of Science and Technology (Guangzhou), China; The Hong Kong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China; The Hong Kong University of Science and Technology (Guangzhou), China)</i>	
PILOS: Scalable Large-Subgraph Matching by Online Spectral Filtering	1180
<i>Konstantinos Skitsas (Aarhus University), Davide Mottin (Aarhus University), and Panagiotis Karras (U. of Copenhagen & Aarhus U.)</i>	
Updating an Adaptive Spatial Index	1194
<i>Fatemeh Zardbani (Aarhus University), Konstantinos Lampropoulos (U. of Ioannina & Aarhus U.), Nikos Mamoulis (U. of Ioannina & Archimedes, Athena RC), and Panagiotis Karras (U. of Copenhagen & Aarhus U.)</i>	
Trail: A Knowledge Graph-Based Approach for Attributing Advanced Persistent Threats	1207
<i>Isaiah J. King (Cybermonic LLC, VA; The George Washington University, DC), Ramiro Ramirez (Cybermonic LLC, VA), Benjamin Bowman (Cybermonic LLC, VA), and H. Howie Huang (Cybermonic LLC, VA; The George Washington University, DC)</i>	
Experimental Analysis of Multi-Step Pipelines for Fair Classifications – More than the Sum of their Parts?	1221
<i>Nico Lässig (University of Stuttgart, Germany) and Melanie Herschel (Nanyang Technological University, Singapore)</i>	
BSG4Bot: Efficient Bot Detection Based on Biased Heterogeneous Subgraphs	1236
<i>Hao Miao (Peking University, China), Zida Liu (Peking University, China), and Jun Gao (Peking University, China)</i>	
MassBFT: Fast and Scalable Geo-Distributed Byzantine Fault-Tolerant Consensus	1250
<i>Zeshun Peng (Northeastern University, China), Yanfeng Zhang (Northeastern University, China), Tinghao Feng (Northeastern University, China), Weixing Zhou (Northeastern University, China), Xiaohua Li (Northeastern University, China), and Ge Yu (Northeastern University, China)</i>	
CuckooGraph: A Scalable and Space-Time Efficient Data Structure for Large-Scale Dynamic Graphs	1265
<i>Zhuochen Fan (Pengcheng Laboratory, China; Peking University, China), Yalun Cai (Peking University, China), Zirui Liu (Peking University, China), Jiarui Guo (Peking University, China), Xin Fan (Wuhan University, China), Tong Yang (Peking University, China), and Bin Cui (Peking University, China)</i>	
Towards Lightweight Time Series Forecasting: A Patch-Wise Transformer with Weak Data Enriching	1278
<i>Meng Wang (Xi'an Polytechnic University, China), Jintao Yang (Xi'an Polytechnic University, China), Bin Yang (East China Normal University, China), Hui Li (Xidian University, China; Shanghai Yunxi Technology, China), Tongxin Gong (Xi'an Polytechnic University, China), Bo Yang (Xi'an Polytechnic University, China), and Jiangtao Cui (Xidian University, China)</i>	

A Length Enhanced B+-Tree Based Index for Efficient Set Similarity Query	1292
<i>Lianyin Jia (Kunming University of Science and Technology, China), Shiqi Luo (Kunming University of Science and Technology, China), Jiaman Ding (Kunming University of Science and Technology, China), Suprio Ray (University of New Brunswick, Canada), Mengjuan Li (Yunnan Normal University, China), and Xiuxing Li (Beijing Institute of Technology, China)</i>	
Know Your Account: Double Graph Inference-Based Account De-Anonymization on Ethereum ..	1305
<i>Shuyi Miao (Beihang University, China; Zhongguancun Laboratory, China), Wangjie Qiu (Beihang University, China; Zhongguancun Laboratory, China), Hongwei Zheng (Beihang University, China; Beijing Academy of Blockchain and Edge Computing (BABEC), China), Qinnan Zhang (Beihang University, China; Zhongguancun Laboratory, China), Xiaofan Tu (Beihang University, China; Zhongguancun Laboratory, China), Xunan Liu (Beihang University, China; Zhongguancun Laboratory, China), Yang Liu (Beihang University, China; Zhongguancun Laboratory, China), Jin Dong (Beihang University, China; Beijing Academy of Blockchain and Edge Computing (BABEC), China), and Zhiming Zheng (Beihang University, China; Zhongguancun Laboratory, China)</i>	
More Bang for Your Buck(et): Fast and Space-Efficient Hardware-Accelerated Coarse-Granular Indexing on GPUs	1320
<i>Justus Henneberg (Johannes Gutenberg University, Germany), Felix Schuhknecht (Johannes Gutenberg University, Germany), Rosina Kharal (University of Waterloo, Canada), and Trevor Brown (University of Waterloo, Canada)</i>	
Structure-Preference Enabled Graph Embedding Generation under Differential Privacy	1334
<i>Sen Zhang (The Hong Kong Polytechnic University, Hong Kong SAR), Qingqing Ye (The Hong Kong Polytechnic University, Hong Kong SAR), and Haibo Hu (The Hong Kong Polytechnic University, Hong Kong SAR)</i>	
PGB: Benchmarking Differentially Private Synthetic Graph Generation Algorithms	1348
<i>Shang Liu (China University of Mining and Technology, China; Institute of Science Tokyo), Hao Du (Hokkaido University), Yang Cao (Institute of Science Tokyo), Bo Yan (Beijing University of Posts and Telecommunications; Institute of Science Tokyo), Jinfei Liu (Zhejiang University), and Masatoshi Yoshikawa (Osaka Seikei University)</i>	
Think Twice Before Imputation: Optimizing Data Imputation Order for Machine Learning	1362
<i>Jiaxuan Zhang (BUPT, China; Beiyou Shenzhen Institute, China), Haitao Yuan (NTU, Singapore), Jianing Si (BUPT, China), Nan Jiang (BUPT, China), and Shangguang Wang (Beiyou Shenzhen Institute, China; BUPT, China)</i>	
BOS: Bit-Packing with Outlier Separation	1375
<i>Jinzhaoh Xiao (Tsinghua University), Zihan Guo (Tsinghua University), and Shaoxu Song (Tsinghua University)</i>	
SAGE: A Framework of Precise Retrieval for RAG	1388
<i>Jintao Zhang (Tsinghua University), Guoliang Li (Tsinghua University), and Jinyang Su (Tsinghua University)</i>	

Searching Society over Large Heterogeneous Information Networks	1402
<i>Xuan Liu (Swinburne University of Technology, Australia), Lu Chen (Swinburne University of Technology, Australia), Chengfei Liu (Swinburne University of Technology, Australia), and Rui Zhou (Swinburne University of Technology, Australia)</i>	
Efficient Dynamic Attributed Graph Generation	1415
<i>Fan Li (University of New South Wales, Australia), Xiaoyang Wang (University of New South Wales, Australia), Dawei Cheng (Tongji University, China; Shanghai AI Laboratory, China), Cong Chen (Tongji University, China), Ying Zhang (Zhejiang Gongshang University, China), and Xuemin Lin (Shanghai Jiao Tong University, China)</i>	
Computing Shapley Values in Preference Queries	1429
<i>Jiayao Zhang (Zhejiang University), Chirong Zhang (Simon Fraser University), Jian Pei (Simon Fraser University), Xuan Luo (York University), Jianliang Xu (Hong Kong Baptist University), and Jinfei Liu (Zhejiang University)</i>	
Interactive Search with Reinforcement Learning	1443
<i>Weicheng Wang (Hong Kong University of Science and Technology), Victor Junqiu Wei (Hong Kong University of Science and Technology), Min Xie (Shenzhen Institute of Computing Sciences), Di Jiang (Webank), Lixin Fan (Webank), and Haijun Yang (Webank)</i>	
Bargaining-Based Data Markets	1456
<i>Yuran Bi (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Blockchain and Data Security Research Institute), Jinfei Liu (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Blockchain and Data Security Research Institute), Kui Ren (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Blockchain and Data Security Research Institute), Yihang Wu (Zhejiang University; Hangzhou High-Tech Zone (Binjiang) Blockchain and Data Security Research Institute), and Yang Cao (Tokyo Institute of Technology)</i>	
HIGGS: Hierarchy-Guided Graph Stream Summarization	1470
<i>Xuan Zhao (University of Science and Technology of China (USTC), China), Xike Xie (USTC, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Universal Set Similarity Search via Multi-Task Representation Learning	1483
<i>Zhong Yang (Huazhong University of Science and Technology, China), Bolong Zheng (Huazhong University of Science and Technology, China), Guohui Li (Huazhong University of Science and Technology, China), Xi Zhao (The Hong Kong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	
Guiding Index Tuning Exploration with Potential Estimation	1496
<i>Kecheng Luo (East China Normal University), Ruiyang Ma (East China Normal University), Peng Cai (East China Normal University), Aoying Zhou (East China Normal University), Zhiwei Ye (China Mobile Cloud Center), Dunbo Cai (China Mobile Cloud Center), and Ling Qian (China Mobile Cloud Center)</i>	

Meta-Learning Based CTR Algorithm Selection and Hyperparameter Optimization	1509
<i>Chunnan Wang (Harbin Institute of Technology, China), Junzhe Wang (Harbin Institute of Technology, China), Xiang Chen (King Abdullah University of Science and Technology, Saudi Arabia), Xintong Song (Harbin Institute of Technology, China), Tianyu Mu (Harbin Institute of Technology, China), and Hongzhi Wang (Harbin Institute of Technology, China)</i>	
TabSketchFM: Sketch-Based Tabular Representation Learning for Data Discovery over Data Lakes	1523
<i>Aamod Khatiwada (Northeastern University, USA), Harsha Kokel (IBM Research), Ibrahim Abdelaziz (IBM Research), Subhajit Chaudhury (IBM Research), Julian Dolby (IBM Research), Oktie Hassanzadeh (IBM Research), Zhenhan Huang (Rensselaer Polytechnic Institute), Tejaswini Pedapati (IBM Research), Horst Samulowitz (IBM Research), and Kavitha Srinivas (IBM Research)</i>	
All-in-One: Heterogeneous Interaction Modeling for Cold-Start Rating Prediction	1537
<i>Shuheng Fang (The Chinese University of Hong Kong), Kangfei Zhao (Beijing Institute of Technology), Yu Rong (Alibaba DAMO Academy), Jeffrey Xu Yu (The Chinese University of Hong Kong), and Zhixun Li (The Chinese University of Hong Kong)</i>	
CDA: Cost-Sensitive Data Acquisition for Incomplete Datasets	1551
<i>Kaiyu Li (York University, Canada), Xiaohui Yu (York University, Canada), and Jian Pei (Duke University, US)</i>	
Hyper: Hybrid Physical Design Advisor with Multi-Agent Reinforcement Learning	1565
<i>Zhicheng Pan (East China Normal University; PingCAP), Yuanjia Zhang (PingCAP), Chengcheng Yang (East China Normal University), Ahmad Ghazal (PingCAP), Rong Zhang (East China Normal University), Huiqi Hu (East China Normal University), Xiaoju Wu (PingCAP), Yu Dong (PingCAP), and Xuan Zhou (East China Normal University)</i>	
Learned Compression of Nonlinear Time Series with Random Access	1579
<i>Andrea Guerra (University of Pisa, Italy), Giorgio Vinciguerra (University of Pisa, Italy), Antonio Boffa (EPFL, Switzerland), and Paolo Ferragina (Sant'Anna School for Advanced Studies, Italy)</i>	
MISS: An Incomplete Tabular Data Representation System with Missing Mechanism Learning	1593
<i>Yangyang Wu (Zhejiang University, China), Shuwei Liang (Zhejiang University, China), Lei Qiang (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Xinkui Zhao (Zhejiang University, China), Junlan Cai (Beijing Life Science Academy, China), Yunjun Gao (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)</i>	
SIT: Selective Incremental Training for Dynamic Knowledge Graph Embedding	1607
<i>Zhifeng Jia (The Hong Kong University of Science and Technology, China), Hanmo Liu (The Hong Kong University of Science and Technology, China), Haoyang Li (The Hong Kong Polytechnic University, China), and Lei Chen (The Hong Kong University of Science and Technology, China)</i>	
DyFMVP: Say Goodbye to Staleness! Fresh Memory Vigorous Preserver for Continuous-Time Dynamic Graph	1622
<i>Jianye Pang (Alibaba Group, P. R. China), Xinjie Zhu (Alibaba Group, P. R. China), and Xiaofei Xiong (Alibaba Group, P. R. China)</i>	

MEST: An Efficient Authenticated Secondary Index in Blockchain Systems	1636
<i>Jinping Jia (Ministry of Education, China), Yichen Gao (Ministry of Education, China), Yifei Zhen (Ministry of Education, China), Zhao Zhang (Ministry of Education, China), Kun Qian (Ministry of Education, China), and Cheqing Jin (Ministry of Education, China)</i>	
Are We Wasting Time? A Fast, Accurate Performance Evaluation Framework for Knowledge Graph Link Predictors	1650
<i>Filip Cornell (KTH Royal Institute of Tech., Sweden), Yifei Jin (KTH Royal Institute of Tech., Sweden), Jussi Karlgren (Silo AI, Sweden), and Sarunas Girdzijauskas (KTH Royal Institute of Tech., Sweden)</i>	
Towards Dynamic Boolean Range Query over Hybrid-Storage Blockchains: A Secure and Reliably Verifiable Framework	1664
<i>Ningning Cui (Chang'an University), Dong Wang (Chang'an University), Jianxin Li (Edith Cowan University), Huaijie Zhu (Sun Yat-sen University), Xiaochun Yang (Northeastern University), and Jianliang Xu (Hong Kong Baptist University)</i>	
twCache: Thread-Wise Cache Management with High Concurrency Performance	1677
<i>Yigui Yuan (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), and Xiaoliang Wang (University of Science and Technology of China, China)</i>	
FreewayML: An Adaptive and Stable Streaming Learning Framework for Dynamic Data Streams	1690
<i>Zheng Qin (Chinese Academy of Sciences), Zheheng Liang (Guangdong Power Grid Limited Liability Company), Lijie Xu (Chinese Academy of Sciences; ETH Zürich), Wentao Wu (Microsoft Research), Mingchao Wu (Chinese Academy of Sciences), Wuqiang Shen (Guangdong Power Grid Limited Liability Company), and Wei Wang (Chinese Academy of Sciences)</i>	
DataVisT5: A Pre-Trained Language Model for Jointly Understanding Text and Data Visualization	1704
<i>Zhuoyue Wan (PolyU, China), Yuanfeng Song (WeBank Co., Ltd, China), Shuaimin Li (PolyU, China), Chen Jason Zhang (PolyU, China), and Raymond Chi-Wing Wong (HKUST, China)</i>	
Training-Free Heterogeneous Graph Condensation via Data Selection	1718
<i>Yuxuan Liang (Peking University), Wentao Zhang (Peking University), Xinyi Gao (The University of Queensland), Ling Yang (Peking University), Chong Chen (Huawei Cloud BU), Hongzhi Yin (The University of Queensland), Yunhai Tong (Peking University), and Bin Cui (Peking University)</i>	
LORE: Learning-Based Resource Recommendation for Big Data Queries	1732
<i>Yan Li (Wuhan University), Liwei Wang (Wuhan University), Bolong Zheng (Huazhong University of Science and Technology), and Zhiyong Peng (Wuhan University)</i>	

Extendible RDMA-Based Remote Memory KV Store with Dynamic Perfect Hashing Index	1745
Zirui Liu (Peking University, China), Xian Niu (Beijing University of Posts and Telecommunications, China), Wei Zhou (University of Southern California, USA), Yisen Hong (Peking University, China), Zhouran Shi (HKUST, China), Tong Yang (Peking University, China), Yuchao Zhang (Beijing University of Posts and Telecommunications, China), Yuhan Wu (Peking University, China), Yikai Zhao (Peking University, China), Zhuochen Fan (Pengcheng Laboratory, China; Peking University, China), and Bin Cui (Peking University, China)	
Towards Scalable and Efficient Graph Structure Learning	1759
Siqi Shen (Peking University), Wentao Zhang (Peking University), Chengshuo Du (Renmin University of China), Chong Chen (Huawei Cloud BU), Fangcheng Fu (Peking University), Yingxia Shao (Beijing University of Posts and Telecommunications), and Bin Cui (Peking University)	
Effective Task Assignment in Mobility Prediction-Aware Spatial Crowdsourcing	1773
Huiling Li (Zhengzhou University, China; Hong Kong Baptist University, China), Yafei Li (Zhengzhou University, China), Wei Chen (Zhengzhou University, China), Shuo He (Zhengzhou University, China), Mingliang Xu (Zhengzhou University, China), and Jianliang Xu (Hong Kong Baptist University, China)	
IsGCL: Informative Sample-Aware Progressive Graph Contrastive Learning	1787
Juxiang Zeng (Xi'an Jiaotong University, P. R. China), Pinghui Wang (Xi'an Jiaotong University, P. R. China), Linbo Ma (Xi'an Jiaotong University, P. R. China), Jing Tao (Xi'an Jiaotong University, P. R. China), and Xiaohong Guan (Xi'an Jiaotong University, P. R. China; Tsinghua University, P. R. China)	
Columnar Formatted Inverted Index for Highly-Paralleled, Vectorized Query Processing	1800
Weichen Zhao (East China Normal University), Minghao Zhao (East China Normal University), Huiqi Hu (East China Normal University), and Weining Qian (East China Normal University)	
Rottnest: Indexing Data Lakes for Search	1814
Ziheng Wang (Stanford University), Sasha Krassovsky (Anthropic PBC), Conor Kennedy (Stanford University), Alex Aiken (Stanford University), Weston Pace (LanceDB Inc), Rain Jiang (Bytedance Inc), Huayi Zhang (Bytedance Inc), Chenyu Jiang (Bytedance Inc), and Wei Xu (Bytedance Inc)	
TDT: Tensor Based Directed Truss Decomposition	1828
Guojing Li (Wuhan University, China), Yuanyuan Zhu (Wuhan University, China), Junchao Ma (Wuhan University, China), Ming Zhong (Wuhan University, China), Tieyun Qian (Wuhan University, China), and Jeffrey Xu Yu (The Chinese University of Hong Kong, China)	
Scalable Tabular Hierarchical Metadata Classification in Heterogeneous Structured Large-Scale Datasets using Contrastive Learning	1841
Bhimesh Kandibedala (Florida State University, USA), Gyanendra Shrestha (Florida State University, USA), Anna Pyayt (University of South Florida, USA), Todor Ivanov (Florida State University, USA), and Michael Gubanov (Florida State University, USA)	

UltraWiki: Ultra-Fine-Grained Entity Set Expansion with Negative Seed Entities	1855
<i>Yangning Li (Pengcheng Laboratory; Tsinghua University), Qingsong Lv (Tsinghua University), Tianyu Yu (Tsinghua University), Yinghui Li (Tsinghua University), Xuming Hu (The Hong Kong University of Science and Technology (Guangzhou)), Wenhao Jiang (Guangdong Laboratory of Artificial Intelligence and Digital Economy (SZ)), Hai-Tao Zheng (Pengcheng Laboratory; Tsinghua University), and Hui Wang (Pengcheng Laboratory)</i>	
Understanding and Estimating Error Propagation in Neural Networks for Scientific Data Analysis	1869
<i>Weiming He (New Jersey Institute of Technology), Qi Chen (Temple University), Qian Gong (Oak Ridge National Laboratory), Jing Li (New Jersey Institute of Technology), Qing Liu (New Jersey Institute of Technology), Norbert Podhorszki (Oak Ridge National Laboratory), Scott Klasky (Oak Ridge National Laboratory), Kisung Jung (Pukyong National University), Cristian Lacey (Sandia National Laboratory), Jackie Chen (Sandia National Laboratory), and Hongjian Zhu (X-Byte Research)</i>	
Query Weak Equivalence and Its Verification in Analytical Databases	1882
<i>Jinguo You (Kunming University of Science and Technology, China), Wanting Fu (Kunming University of Science and Technology, China), Yuxuan Wang (Kunming University of Science and Technology, China), Peilei He (Kunming University of Science and Technology, China), Kaiqi Liu (Kunming University of Science and Technology, China), and Quanqing Xu (Ant Group OceanBase, China)</i>	
OSTOR: Online Scheduling Framework for Trading Continuous Queries	1895
<i>Jin Cheng (The Chinese University of Hong Kong), Ningning Ding (Hong Kong University of Science and Technology), John C.S. Lui (The Chinese University of Hong Kong), and Jianwei Huang (The Chinese University of Hong Kong)</i>	
BL-Tree: The Best of Both Worlds by Combining B+-Tree on Top and LSM-Tree on Bottom	1910
<i>Suzhen Wu (Xiamen University, China), Zuocheng Wang (Xiamen University, China), Shengzhe Wang (Xiamen University, China), Jiahong Chen (Xiamen University, China), Chunfeng Du (Xiamen University, China), Jie Zhang (Peking University, China), Ke Zhou (Huazhong University of Sci. and Tech., China), and Bo Mao (Xiamen University, China)</i>	
SIGMA: An Efficient Heterophilous Graph Neural Network with Fast Global Aggregation	1924
<i>Haoyu Liu (Nanyang Technological University), Ningyi Liao (Nanyang Technological University), and Siqiang Luo (Nanyang Technological University)</i>	
LOVO: Efficient Complex Object Query in Large-Scale Video Datasets	1938
<i>Yuxin Liu (Shanghai Jiao Tong University, China), Yuezhang Peng (Shanghai Jiao Tong University, China), Hefeng Zhou (Shanghai Jiao Tong University, China), Hongze Liu (Shanghai Jiao Tong University, China), Xinyu Lu (Shanghai Jiao Tong University, China), Jiong Lou (Shanghai Jiao Tong University, China), Chentao Wu (Shanghai Jiao Tong University, China), Wei Zhao (Shenzhen University of Advanced Technology, China), and Jie Li (Shanghai Jiao Tong University, China)</i>	

AimTS: Augmented Series and Image Contrastive Learning for Time Series Classification	1952
Yuxuan Chen (East China Normal University), Shanshan Huang (East China Normal University), Yunyao Cheng (Aalborg University), Peng Chen (East China Normal University), Zhongwen Rao (Huawei Noah's Ark Lab), Yang Shu (East China Normal University), Bin Yang (East China Normal University), Lujia Pan (Huawei Noah's Ark Lab), and Chenjuan Guo (East China Normal University)	
WAF: An Efficient WebAssembly-Based Execution Environment for User-Defined Functions	1966
Zhuo Huang (Huazhong University of Science and Technology, China), Hao Fan (Huazhong University of Science and Technology, China), Junhui Peng (Huazhong University of Science and Technology, China), Qi Wu (Huazhong University of Science and Technology, China), Song Wu (Huazhong University of Science and Technology, China), Chen Yu (Huazhong University of Science and Technology, China), Hai Jin (Huazhong University of Science and Technology, China), Qiming Liu (Alibaba Cloud Computing Co. Ltd., China), Wei Yang (Alibaba Cloud Computing Co. Ltd., China), and Shuo Yu (Alibaba Cloud Computing Co. Ltd., China)	
pFedAFM: Adaptive Feature Mixture for Data-Level Personalization in Heterogeneous Federated Learning on Mobile Edge Devices	1981
Liping Yi (Nankai University, China), Han Yu (Nanyang Technological University (NTU), Singapore), Gang Wang (Nankai University, China), Xiaoguang Liu (Nankai University, China), and Xiaoxiao Li (Nanyang Technological University (NTU), Singapore; University of British Columbia (UBC), Canada; Vector Institute, Canada)	
leSAX Index: A Learned SAX Representation Index for Time Series Similarity Search	1995
Guozhong Li (King Abdullah University of Science and Technology, Saudi Arabia), Byron Choi (Hong Kong Baptist University, Hong Kong SAR), Rundong Zuo (Hong Kong Baptist University, Hong Kong SAR), Sourav S Bhowmick (Nanyang Technological University, Singapore), and Jianliang Xu (Hong Kong Baptist University, Hong Kong SAR)	
A-DARTS: Stable Model Selection for Data Repair in Time Series	2009
Mourad Khayati (University of Fribourg, Switzerland), Guillaume Chacun (HES-SO Yverdon-Les-Bains, Switzerland), Zakhar Tymchenko (University of Fribourg, Switzerland), and Philippe Cudré-Mauroux (University of Fribourg, Switzerland)	
Hamava: Fault-Tolerant Reconfigurable Geo-Replication on Heterogeneous Clusters	2024
Tejas Mane (University of California, Riverside), Xiao Li (University of California, Riverside), Mohammad Sadoghi (University of California, Davis), and Mohsen Lesani (University of California, Santa Cruz)	
Adaptive Data and Task Joint Scheduling for Multi-Task Learning	2038
Zeyu Liu (Harbin Institute of Technology (Shenzhen), China), Heyan Chai (The Chinese University of Hong Kong, China), Chaoyang Li (Harbin Institute of Technology (Shenzhen), China; Peng Cheng Laboratory, China), Lingzhi Wang (Harbin Institute of Technology (Shenzhen), China), and Qing Liao (Harbin Institute of Technology (Shenzhen), China; Peng Cheng Laboratory, China)	

Adaptive Local Clustering over Attributed Graphs	2052
<i>Haoran Zheng (Hong Kong Baptist University, China), Renchi Yang (Hong Kong Baptist University, China), and Jianliang Xu (Hong Kong Baptist University, China)</i>	
Intervention-Driven Correlation Reduction: A Data Generation Approach for Achieving Counterfactually Fair Predictors	2066
<i>Dehua Zhou (Jinan University), Bowei Wu (Jinan University), Ke Wang (Jinan University), Qifan Yang (Jinan University), Yuhui Deng (Jinan University), and Siu-Ming Yiu (The University of Hong Kong)</i>	
Random Sampling over Spatial Range Joins	2080
<i>Daichi Amagata (The University of Osaka, Japan)</i>	
Triangle Counting over Signed Graphs with Differential Privacy	2094
<i>Zening Li (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), and Fusheng Jin (Beijing Institute of Technology, China)</i>	
DiffODE: Neural ODE with Differentiable Hidden State for Irregular Time Series Analysis	2107
<i>Yudong Zhang (University of Science and Technology of China (USTC), China), Xu Wang (University of Science and Technology of China (USTC), China), Xuan Yu (University of Science and Technology of China (USTC), China), Zhengyang Zhou (University of Science and Technology of China (USTC), China), Xing Xu (University of Science and Technology of China (USTC), China), Lei Bai (Shanghai AI Laboratory, China), and Yang Wang (University of Science and Technology of China (USTC), China)</i>	
Towards Learning on Vertically Partitioned Data with Distributed Differential Privacy	2121
<i>Ergute Bao (National University of Singapore), Fei Wei (Alibaba Group), Yin Yang (Hamad Bin Khalifa University), Xiaokui Xiao (National University of Singapore), Tianyu Pang (SEA AI Lab), and Chao Du (SEA AI Lab)</i>	
Efficient Indexing for Label-Constrained Cohesive Subgraph Queries over Large Graphs	2135
<i>Xin Deng (Hunan University, China), Peng Peng (Hunan University, China), Chuanyu Liu (Hunan University, China), Xianyan Xie (Hunan University, China), Hui Zhou (Hunan University, China), and Zheng Qin (Hunan University, China)</i>	
FEATPILOT: Automatic Feature Augmentation on Tabular Data	2148
<i>Jiaming Liang (University of Pennsylvania), Chuan Lei (Amazon Web Services), Xiao Qin (Amazon Web Services), Jiani Zhang (Amazon Web Services), Asterios Katsifodimos (Amazon Web Services), Christos Faloutsos (Amazon Web Services), and Huzefa Rangwala (Amazon Web Services)</i>	
A-Tune-Online: Efficient and QoS-Aware Online Configuration Tuning for Dynamic Workloads .	2161
<i>Yu Shen (Peking University, China), Beicheng Xu (Peking University, China), Yupeng Lu (Peking University, China), Donghui Chen (Huawei Technologies, China), Huaijun Jiang (Peking University, China), Zhipeng Xie (Huawei Technologies, China), Senbo Fu (Huawei Technologies, China), Nan Zhang (Huawei Technologies, China), Yuxin Ren (Huawei Technologies, China), Ning Jia (Huawei Technologies, China), Xinwei Hu (Huawei Technologies, China), and Bin Cui (Peking University, China)</i>	

LIFTus: An Adaptive Multi-Aspect Column Representation Learning for Table Union Search	2174
Ermu Qiu (Peking University, China), Jun Gao (Peking University, China), Yaofeng Tu (ZTE Corporation, China), and Jingru Yang (National Key Laboratory of Data Space Technology and System)	
pFSSL-D: Generalization Meets Personalization in Dual-Phase Federated Semi-Supervised Learning	2188
Yuting Li (Beijing Normal University), Wenhua Wang (Beijing Normal University; Xi'an University of Posts and Telecommunications), and Tian Wang (Beijing Normal University)	
SeSeMI: Secure Serverless Model Inference on Sensitive Data	2201
Guoyu Hu (National University of Singapore), Yuncheng Wu (Renmin University of China), Gang Chen (Zhejiang University), Tien Tuan Anh Dinh (Deakin University), and Beng Chin Ooi (National University of Singapore)	
A Translation-Based Heterogeneous Graph Neural Network for Multiple Knowledge Graphs Alignment	2215
Yaming Yang (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Zhuofeng Luo (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Zhe Wang (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Weigang Lu (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Yiheng Lu (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Ziyu Guan (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), Wei Zhao (State Key Laboratory of Integrated Services Networks, Xidian University, Xi'an, China), and Yuanhai Lv (Information Network Center, Xi'an University of Posts & Telecommunications, Xi'an, China)	
Enhancing Large-Scale Entity Alignment with Critical Structure and High-Quality Context	2227
Qian Zhou (Soochow University), Wei Chen (Soochow University), Li Zhang (Soochow University), Pengpeng Zhao (Soochow University), Jiajie Xu (Soochow University), and Lei Zhao (Soochow University)	
FedRoad: Secure and Efficient Road Network Queries over Traffic Data Federation	2240
Shuai Huang (Tsinghua University, China), Guoliang Li (Tsinghua University, China), and Wei Zhou (Xiamen University, China)	
Towards Automatic and Efficient Prediction Query Processing in Analytical Database	2253
Yuchen Peng (Zhejiang University), Zhongle Xie (Zhejiang University), Ke Chen (Zhejiang University), Gang Chen (Zhejiang University), and Lidan Shou (Zhejiang University)	

Backdoor Graph Condensation	2267
<i>Jiahao Wu (Southern University of Science and Technology, China; The Hong Kong Polytechnic University, China), Ning Lu (Southern University of Science and Technology, China; Hong Kong University of Science and Technology, China), Zeyu Dai (Southern University of Science and Technology, China; The Hong Kong Polytechnic University, China), Kun Wang (University of Science and Technology of China, China), Wenqi Fan (The Hong Kong Polytechnic University, China), Shengcai Liu (Southern University of Science and Technology, China), Qing Li (The Hong Kong Polytechnic University, China), and Ke Tang (Southern University of Science and Technology, China)</i>	
Tailoring the Shapley Value for In-Context Example Selection Towards Data Wrangling	2281
<i>Zheng Liang (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), Xiaoou Ding (Harbin Institute of Technology, China), Zhiyu Liang (Harbin Institute of Technology, China), Chen Liang (Harbin Institute of Technology, China), Yafeng Tang (Harbin Institute of Technology, China), and Jianzhong Qi (University of Melbourne, Australia)</i>	
Imputing Sparse and Noisy Labels for GNNs	2295
<i>Wenfei Fan (Beihang University; Shenzhen Institute of Computing Sciences; University of Edinburgh), Kehan Pang (Beihang University), and Chao Tian (Queen's University Belfast)</i>	
CAM: Asynchronous GPU-Initiated, CPU-Managed SSD Management for Batching Storage Access	2309
<i>Ziyu Song (Zhejiang University), Jie Zhang (Zhejiang University), Jie Sun (Zhejiang University), Mo Sun (Zhejiang University), Zihan Yang (Zhejiang University), Zheng Zhang (Purdue University), Xuzheng Chen (Zhejiang University), Fei Wu (Zhejiang University; Shanghai Institute for Advanced Study of Zhejiang University), Huajin Tang (Zhejiang University), and Zeke Wang (Zhejiang University)</i>	
PFCA: Efficient Path Filtering with Causal Analysis for Healthcare Risk Prediction	2323
<i>Hao Wang (Beijing Institute of Technology), Jiyun Shi (Beijing Institute of Technology), Yuhao Chen (Beijing Institute of Technology), Haochen Xu (Beijing Institute of Technology), Chi Zhang (Beijing Institute of Technology), Zhaojing Luo (Beijing Institute of Technology), and Meihui Zhang (Beijing Institute of Technology)</i>	
BFES: Towards Optimal Bayesian Frequency Estimation Sketches in Data-Streams	2337
<i>Francesco Da Dalt (ETH Zurich) and Adrian Perrig (ETH Zurich)</i>	
Distributed Evaluation of Graph Queries using Recursive Relational Algebra	2351
<i>Sarah Chlyyah (Tyrex team, Univ. Grenoble Alpes, CNRS, Inria, Grenoble INP, LIG 38000 Grenoble, France), Pierre Genevès (Tyrex team, Univ. Grenoble Alpes, CNRS, Inria, Grenoble INP, LIG 38000 Grenoble, France), and Nabil Layaïda (Tyrex team, Univ. Grenoble Alpes, CNRS, Inria, Grenoble INP, LIG 38000 Grenoble, France)</i>	
Efficient Frequency-Aware k-Core Query on Temporal Graphs	2366
<i>Zhongfan Du (Wuhan University, China), Ming Zhong (Wuhan University, China), Yuanyuan Zhu (Wuhan University, China), Tieyun Qian (Wuhan University, China), Mengchi Liu (South China Normal University, China), and Jeffrey Xu Yu (The Chinese University of Hong Kong, China)</i>	

Towards Accurate Distance Estimation for Distribution-Aware c-ANN Search	2380
<i>Liwei Deng (University of Electronic Science and Technology of China), Penghao Chen (University of Electronic Science and Technology of China), Ximu Zeng (University of Electronic Science and Technology of China), Yuchen Fang (University of Electronic Science and Technology of China), Jin Chen (The Hong Kong University of Science and Technology), and Yan Zhao (Shenzhen Institute for Advanced Study, University of Electronic Science and Technology of China)</i>	
HAIDES: Adaptive Approximation of Inference Queries over Unstructured Data	2394
<i>Christos C. Papadopoulos (Aalborg University, Denmark), Alkis Simitsis (Athena Research Center, Greece), and Torben Bach Pedersen (Aalborg University, Denmark)</i>	
Loom: A Deterministic Execution Framework Towards Nested Contract Transactions	2408
<i>Huan Zhang (East China Normal University), Xiaodong Qi (Nanyang Technological University), Haibo Tang (East China Normal University; Engineering Research Center of Blockchain Data Management, Ministry of Education), Zhao Zhang (East China Normal University; Engineering Research Center of Blockchain Data Management, Ministry of Education), Cheqing Jin (East China Normal University; Engineering Research Center of Blockchain Data Management, Ministry of Education), and Aoying Zhou (East China Normal University; Engineering Research Center of Blockchain Data Management, Ministry of Education)</i>	
Querying Templatized Document Collections with Large Language Models	2422
<i>Yiming Lin (UC Berkeley), Madelon Hulsebos (CWI), Ruiying Ma (Tsinghua University), Shreya Shankar (UC Berkeley), Sepanta Zeighami (UC Berkeley), Aditya G. Parameswaran (UC Berkeley), and Eugene Wu (Columbia University)</i>	
MaskSearch: Querying Image Masks at Scale	2436
<i>Dong He (University of Washington), Jieyu Zhang (University of Washington), Maureen Daum (University of Washington), Alexander Ratner (University of Washington), and Magdalena Balazinska (University of Washington)</i>	
GRACEFUL: A Learned Cost Estimator for UDFs	2450
<i>Johannes Wehrstein (Technical University of Darmstadt), Tiemo Bang (Microsoft - Gray Systems Lab), Roman Heinrich (Technical University of Darmstadt; DFKI), and Carsten Binnig (Technical University of Darmstadt; DFKI)</i>	
Fast and Exact Similarity Search in Less than a Blink of an Eye	2464
<i>Patrick Schäfer (Humboldt-Universität zu Berlin, Germany), Jakob Brand (Humboldt-Universität zu Berlin, Germany), Ulf Leser (Humboldt-Universität zu Berlin, Germany), Botao Peng (Institute of Computing Technology, Chinese Academy of Sciences, China), and Themis Palpanas (Université de Paris, France)</i>	
Indexing Labeled Property Multidigraphs in Entropy Space, with Applications	2478
<i>Hongwei Huo (Xidian University, China), Yongze Yu (Xidian University, China), Zongtao He (Xidian University, China), and Jeffrey Scott Vitter (Tulane University, USA)</i>	

On Temporal-Constraint Subgraph Matching	2493
Xiaoyu Leng (<i>Beijing Institute of Technology, China</i>), Guang Zeng (<i>Ant Group</i>), Hongchao Qin (<i>Beijing Institute of Technology, China</i>), Longlong Lin (<i>Southwest University, China</i>), and Ronghua Li (<i>Beijing Institute of Technology, China</i>)	
GCON: Differentially Private Graph Convolutional Network via Objective Perturbation	2507
Jianxin Wei (<i>National University of Singapore</i>), Yizheng Zhu (<i>National University of Singapore</i>), Xiaokui Xiao (<i>National University of Singapore</i>), Ergute Bao (<i>National University of Singapore</i>), Yin Yang (<i>Hamad Bin Khalifa University</i>), Kuntai Cai (<i>National University of Singapore</i>), and Beng Chin Ooi (<i>National University of Singapore</i>)	
Simple yet Effective Node Property Prediction on Edge Streams under Distribution Shifts	2521
Jongha Lee (<i>KAIST, Seoul, Republic of Korea</i>), Taehyung Kwon (<i>KAIST, Seoul, Republic of Korea</i>), Heechan Moon (<i>KAIST, Seoul, Republic of Korea</i>), and Kijung Shin (<i>KAIST, Seoul, Republic of Korea</i>)	
CloudyBench: A Testbed for a Comprehensive Evaluation of Cloud-Native Databases	2535
Chao Zhang (<i>Renmin University of China</i>), Guoliang Li (<i>Tsinghua University</i>), Leyao Liu (<i>Imperial College London</i>), Tao Lv (<i>China Software Testing Center</i>), and Ju Fan (<i>Renmin University of China</i>)	
MuSha: Subgraph Matching by Multilevel Sharing	2548
Hongtai Cao (<i>University of Illinois at Urbana-Champaign, USA</i>), Qihao Wang (<i>University of Illinois at Urbana-Champaign, USA</i>), Xiaodong Li (<i>The Hong Kong Polytechnic University, China</i>), Mohammad Matin Najafi (<i>University of Hong Kong, China</i>), Kevin Chen-Chuan Chang (<i>University of Illinois at Urbana-Champaign, USA</i>), and Reynold Cheng (<i>University of Hong Kong, China</i>)	
tDCDiscover: Mining Threshold Denial Constraints from Time Series Data	2562
Xiaolu Ding (<i>Harbin Institute of Technology</i>), Muyun Zhou (<i>Harbin Institute of Technology</i>), Yida Liu (<i>Harbin Institute of Technology</i>), Zekai Qian (<i>Harbin Institute of Technology</i>), Chen Wang (<i>Tsinghua University</i>), Hongzhi Wang (<i>Harbin Institute of Technology</i>), and Jianmin Wang (<i>Tsinghua University</i>)	
FedEcover: Fast and Stable Converging Model-Heterogeneous Federated Learning with Efficient-Coverage Submodel Extraction	2575
Juntao Liang (<i>University of Science and Technology of China, China</i>), Lan Zhang (<i>University of Science and Technology of China, China; Institute of Artificial Intelligence, Hefei Comprehensive National Science Center, China</i>), Xiangmou Qu (<i>Chongqing University, China</i>), and Jun Wang (<i>University of Luxembourg, Luxembourg</i>)	
Privacy-Preserving Triangle Counting in Directed Graphs	2588
Ziyao Wei (<i>Zhejiang University</i>), Qing Liu (<i>Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing</i>), Zhikun Zhang (<i>Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing</i>), Shouling Ji (<i>Zhejiang University</i>), and Yunjun Gao (<i>Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing</i>)	

The Most Influenced Community Search on Social Networks	2601
<i>Xueqin Chang (Zhejiang University), Qing Liu (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), Yunjun Gao (Zhejiang University; Zhejiang Key Laboratory of Big Data Intelligent Computing), Baihua Zheng (Singapore Management University), Yi Cai (South China University of Technology), and Qing Li (The Hong Kong Polytechnic University)</i>	
Orthrus: Accelerating Multi-BFT Consensus through Concurrent Partial Ordering of Transactions	2615
<i>Hanzheng Lyu (University of British Columbia), Shaokang Xie (University of California), Jianyu Niu (Southern University of Science and Technology), Ivan Beschastnikh (University of British Columbia), Yinqian Zhang (Southern University of Science and Technology), Mohammad Sadoghi (University of California), and Chen Feng (University of British Columbia)</i>	
Efficient k-Truss Breaking and Minimization	2628
<i>Ruicheng Zhu (Shanghai Jiao Tong University), Xintong Wang (Zhejiang University), Kai Wang (Shanghai Jiao Tong University), Fan Zhang (Guangzhou University), Zhengping Qian (Alibaba Cloud), and Long Yuan (Wuhan University of Technology)</i>	
Towards Online Spatio-Temporal Prediction: A Knowledge Distillation Driven Continual Learning Approach	2642
<i>Tinghui Luo (Zhejiang University, China), Ziquan Fang (Zhejiang University, China), Kaixuan Duan (Zhejiang University, China), Lu Chen (Zhejiang University, China), Panpan Feng (iQIYI Inc, China), and Mingfan Lu (iQIYI Inc, China)</i>	
Defending against Attribute Inference Attacks in Post-Training of Recommendation Systems via Unlearning	2656
<i>Wenhan Wu (Wuhan University, China), Yili Gong (Wuhan University, China), Jiawei Jiang (Wuhan University, China), Chuang Hu (University of Macau, Macau SAR), Xiaobo Zhou (University of Macau, Macau SAR), and Dazhao Cheng (Wuhan University, China)</i>	
Truss Decomposition under Edge Local Differential Privacy	2670
<i>Yuting Zhang (University of New South Wales; CSIRO), Wei Ni (CSIRO), Kai Wang (Shanghai Jiao Tong University), Yizhang He (University of New South Wales), and Conggai Li (CSIRO)</i>	
Boosting with Fewer Tokens: Multi-Query Optimization for LLMs using Node Text and Neighbor Cues	2684
<i>Yujie Fang (Beijing Institute of Technology, China), Xin Li (Beijing Institute of Technology, China), Yuangang Pan (Agency for Science, Technology and Research, Singapore), Xin Huang (Hong Kong Baptist University, China), and Ivor W. Tsang (Agency for Science, Technology and Research, Singapore)</i>	

Fast Private Retrieval on Key-Value Store with Multiple Values per Key	2698
<i>Fangming Dong (MOE KLINNS Lab, Xi'an Jiaotong University, Xi'an, China), Pinghui Wang (MOE KLINNS Lab, Xi'an Jiaotong University, Xi'an, China), Yuance Wang (MOE KLINNS Lab, Xi'an Jiaotong University, Xi'an, China), Chen Zhang (Zhejiang CreateLink Technology, Hangzhou, China), and lizhen Cui (School of Software, Shandong University, Jinan, China)</i>	
Sustainability-Oriented Task Recommendation in Spatial Crowdsourcing	2712
<i>Jinwen Chen (University of Electronic Science and Technology of China, China), Hao Miao (Aalborg University, Denmark), Dazhuo Qiu (Aalborg University, Denmark), Jiannan Guo (Software Technology Co., Ltd., China), Yawen Li (Beijing University of Posts and Telecommunications, China), and Yan Zhao (University of Electronic Science and Technology of China, China)</i>	
FeVisQA: Free-Form Question Answering over Data Visualizations	2726
<i>Yuanfeng Song (WeBank AI, China), Jinwei Lu (Shenzhen University, China), Yuanwei Song (Huawei, China), Caleb Chen Cao (HKUST, China), Raymond Chi-Wing Wong (HKUST, China), and Haodi Zhang (Shenzhen University, China; HKUST-GZ, China)</i>	
Interpretable Video Based Stress Detection with Self-Refine Chain Reasoning	2740
<i>Yi Dai (Tsinghua University, China; Beijing Normal University, China), Yang Ding (Tsinghua University, China; Beijing Normal University, China), Lei Cao (Tsinghua University, China; Beijing Normal University, China), Kaisheng Zeng (Tsinghua University, China; Beijing Normal University, China), Junrui Tian (Tsinghua University, China; Beijing Normal University, China), Zexi Lin (Tsinghua University, China; Beijing Normal University, China), and Ling Feng (Tsinghua University, China; Beijing Normal University, China)</i>	
Efficient Execution of SPARQL Queries with OPTIONAL and UNION Expressions	2755
<i>Yue Pang (Peking University, China), Lei Zou (Peking University, China), M. Tamer Özsu (University of Waterloo, Canada), and Jiaqi Chen (Peking University, China)</i>	
Federated Data Analytics with Differentially Private Density Estimation Model	2768
<i>Jiayi Wang (Tsinghua University), Lei Cao (University of Arizona/ MIT CSAIL), Chengliang Chai (Beijing Institute of Technology), and Guoliang Li (Tsinghua University)</i>	
Indexing Strings with Utilities	2782
<i>Giulia Bernardini (University of Trieste, Italy), Huiping Chen (University of Birmingham, UK), Alessio Conte (University of Pisa, Italy), Roberto Grossi (University of Pisa, Italy), Veronica Guerrini (University of Pisa, Italy), Grigorios Loukides (King's College London, UK), Nadia Pisanti (University of Pisa, Italy), and Solon P. Pissis (CWI & Vrije Universiteit, The Netherlands)</i>	
FedSDP: Federated Self-Derived Prototypes for Personalized Federated Learning	2796
<i>Jihoon Moon (Seoul National University of Science and Technology, South Korea), Ling Liu (Georgia Institute of Technology, USA), and Hyuk-Yoon Kwon (Seoul National University of Science and Technology, South Korea)</i>	

Hounding Data Diversity: Towards Participant Selection in Vertical Federated Learning	2810
<i>Xiaokai Zhou (Wuhan University), Xiao Yan (Centre for Perceptual and Interactive Intelligence), Fangcheng Fu (Peking University), Xinyan Li (Wuhan University), Hao Huang (Wuhan University), Quanqing Xu (OceanBase, Ant Group), Chuanhui Yang (OceanBase, Ant Group), Bo Du (Wuhan University), Tieyun Qian (Wuhan University), and Jiawei Jiang (Wuhan University)</i>	
Autumn: A Scalable Read Optimized LSM-Tree Based Key-Value Stores with Fast Point and Range Reads	2824
<i>Fuheng Zhao (UC Santa Barbara), Zach Miller (UC Santa Barbara), Leron Reznikov (UC Santa Barbara), Divyakant Agrawal (UC Santa Barbara), and Amr El Abbadi (UC Santa Barbara)</i>	
Optimizing Multi-Center Collaboration for Task Assignment in Spatial Crowdsourcing	2838
<i>Ximu Zeng (University of Electronic Science and Technology of China, China), Jianxing Lin (University of Electronic Science and Technology of China, China), Liwei Deng (University of Electronic Science and Technology of China, China), Yuchen Fang (University of Electronic Science and Technology of China, China), Yan Zhao (University of Electronic Science and Technology of China, China), and Kai Zheng (University of Electronic Science and Technology of China, China; University of Electronic Science and Technology of China, China)</i>	
KnowTrans: Boosting Transferability of Data Preparation LLMs via Knowledge Augmentation ...	2852
<i>Yuhang Ge (Zhejiang University, China), Fengyu Li (Zhejiang University, China), Yuren Mao (Zhejiang University, China), Yanbo Yang (Zhejiang University, China), Congcong Ge (Zhejiang University, China), Zhaoqiang Chen (Huawei Cloud Computing Technologies Co., Ltd, China), Jiang Long (Zhejiang University, China), and Yunjun Gao (Zhejiang University, China)</i>	
No Rule is Forever: Datalog Reasoning with Rule Amendments	2867
<i>Weiqin Xu (LIGM Univ Gustave Eiffel, CNRS, France), Riccardo Tommasini (LIRIS, INSA, France), and Olivier Curé (LIGM Univ Gustave Eiffel, CNRS, France)</i>	
White-Box Micro-Adaptive Query Processing	2880
<i>Jack Pearce (Imperial College London), Hubert Mohr-Daurat (Imperial College London), and Holger Pirk (Imperial College London)</i>	
TrajEdge: An Efficient and Lightweight Trajectory Data Analysis Framework in Edge Environments	2894
<i>Changhao He (Zhejiang University, China), Ziquan Fang (Zhejiang University, China), Linsen Li (Hikvision Research Institute, China), and Yunjun Gao (Zhejiang University, China)</i>	
CaliEX: A Disk-Based Large-Scale GNN Training System with Joint Design of Caching and Execution	2908
<i>Can Su (Peking University), Haipeng Zhang (Peking University), Hanyu Zhao (Alibaba Cloud Computing), Wenting Shen (Alibaba Cloud Computing), Baole Ai (Alibaba Cloud Computing), Yong Li (Alibaba Cloud Computing), Kaigui Bian (Peking University), and Bin Cui (Peking University)</i>	

Efficient Data Valuation Approximation in Federated Learning: A Sampling-Based Approach	2922
Wei Shuyue (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (City University of Hong Kong, China), Tianran He (Beihang University, China), and Yi Xu (Beihang University, China)	
CrossST: An Efficient Pre-Training Framework for Cross-District Pattern Generalization in Urban Spatio-Temporal Forecasting	2935
Aoyu Liu (Tongji University, China) and Yaying Zhang (Tongji University, China)	
A Zero-Training Error Correction System with Large Language Models	2949
Yangyang Wu (Zhejiang University, China), Chen Yang (Zhejiang University, China), Mengying Zhu (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Wei Ni (Zhejiang University, China; City University of Hong Kong, China), Meng Xi (Zhejiang University, China), Xinkui Zhao (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)	
CHAINSFORMER: Numerical Reasoning on Knowledge Graphs from a Chain Perspective	2963
Ze Zhao (Shanghai Jiao Tong University, China), Bin Lu (Shanghai Jiao Tong University, China), Xiaoying Gan (Shanghai Jiao Tong University, China), Gu Tang (Shanghai Jiao Tong University, China), Luoyi Fu (Shanghai Jiao Tong University, China), and Xinbing Wang (Shanghai Jiao Tong University, China)	
Local-to-Cloud Database Synchronization via Fine-Grained Hybrid Compression	2977
Guoying Zhu (Nanjing University), Haipeng Dai (Nanjing University), Kang Yuan (Alibaba Cloud Computing), Qian Wang (Nanjing University), Lida Chen (Alibaba Cloud Computing), Zhenghong Luo (Nanjing University), Meng Li (Nanjing University), Rong Gu (Nanjing University), Xizi Ni (Alibaba Cloud Computing), Hua Fan (Alibaba Cloud Computing), Dachao Fu (Alibaba Cloud Computing), and Wenchao Zhou (Alibaba Cloud Computing)	
TardySketch: A Framework for Cardinality Estimation Adaptable to Sliding Windows	2990
Xuyang Jing (Xidian University, China), Qinghua Cao (Xidian university, China), Chenhao Zhang (Xidian University, China), Zheng Yan (Xidian University, China), Wenxiu Ding (Xidian University, China), Witold Pedrycz (University of Alberta, Canada), and Pu Wang (Chinese Academy of Cyberspace Studies, China)	
A Sketch Propagation Framework for Hub Queries on Unmaterialized Relational Graphs	3003
Yudong Niu (Singapore Management University, Singapore), Yuchen Li (Singapore Management University, Singapore), Panagiotis Karras (University of Copenhagen, Denmark), and Yanhao Wang (East China Normal University, China)	
Privacy-Preserving Approximate Nearest Neighbor Search on High-Dimensional Data	3017
Yingfan Liu (Xidian University), Yandi Zhang (Xidian University), Jiadong Xie (The Chinese University of Hong Kong), Hui Li (Xidian University), Jeffrey Xu Yu (The Chinese University of Hong Kong), and Jiangtao Cui (Xidian University)	

Hypersistent Sketch: Enhanced Persistence Estimation via Fast Item Separation	3030
<i>Lu Cao (Harbin Institute of Technology; Peng Cheng Lab), Qilong Shi (Tsinghua University), Weiqiang Xiao (Harbin Institute of Technology), Nianfu Wang (Harbin Institute of Technology; Peng Cheng Lab), Wenjun Li (Peng Cheng Lab), Zhijun Li (Harbin Institute of Technology; Peng Cheng Lab), Weizhe Zhang (Harbin Institute of Technology; Peng Cheng Lab), and Mingwei Xu (Tsinghua University)</i>	
Timestamp Approximate Nearest Neighbor Search over High-Dimensional Vector Data	3043
<i>Yuxiang Wang (Beihang University, China), Ziyuan He (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (City University of Hong Kong, China), and Yiman Zhong (Beihang University, China)</i>	
Accurate and Efficient Multivariate Time Series Forecasting via Offline Clustering	3056
<i>Yiming Niu (State Key Laboratory of Complex & Critical Software Environment, Beijing Advanced Innovation Center for Future Blockchain and Privacy Computing, Beihang University, China), Jinliang Deng (HKGAI, Hong Kong University of Science and Technology, China; Research Institute of Trustworthy Autonomous Systems, Southern University of Science and Technology, China), Lulu Zhang (State Key Laboratory of Complex & Critical Software Environment, Beijing Advanced Innovation Center for Future Blockchain and Privacy Computing, Beihang University, China), Zimu Zhou (City University of Hong Kong, China), and Yongxin Tong (State Key Laboratory of Complex & Critical Software Environment, Beijing Advanced Innovation Center for Future Blockchain and Privacy Computing, Beihang University, China)</i>	
MultiRAG: A Knowledge-Guided Framework for Mitigating Hallucination in Multi-Source Retrieval Augmented Generation	3070
<i>Wenlong Wu (Nanjing University of Aeronautics and Astronautics), Haofen Wang (Tongji University), Bohan Li (Nanjing University of Aeronautics and Astronautics; Ministry of Industry and Information Technology; Collaborative Innovation Center of Novel Software Technology and Industrialization), Peixuan Huang (Nanjing University of Aeronautics and Astronautics), Xinzhe Zhao (Nanjing University of Aeronautics and Astronautics), and Lei Liang (Ant Group Knowledge Graph Team)</i>	
Interactive Learning for Diverse Top-k Set	3084
<i>Weicheng Wang (Hong Kong University of Science and Technology), Raymond Chi-Wing Wong (Hong Kong University of Science and Technology), Jinyang Li (University of Michigan), and H.V. Jagadish (University of Michigan)</i>	
Efficient Maximum Balanced K-Biplex Search over Bipartite Graphs	3098
<i>Long Yuan (Wuhan University of Technology, China), Junyue Xu (Nanjing University of Science and Technology, China), Zi Chen (Wuhan University of Technology, China), Chuan Ma (Chonqing University, China), Jianqiu Xu (Nanjing University of Aeronautics and Astronautics, China), and Lu Qin (The University of Technology Sydney, Australia)</i>	

MARIOH: Multiplicity-Aware Hypergraph Reconstruction	3113
<i>Kyuhan Lee (KAIST, Republic of Korea; GraphAI, Republic of Korea), Geon Lee (KAIST, Republic of Korea), and Kijung Shin (KAIST, Republic of Korea)</i>	
ZeroED: Hybrid Zero-shot Error Detection through Large Language Model Reasoning	3126
<i>Wei Ni (Zhejiang University, China; City University of Hong Kong, China), Kaihang Zhang (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Xiangyu Zhao (City University of Hong Kong, China), Yangyang Wu (Zhejiang University, China), Yaoshu Wang (Shenzhen Institute of Computing Sciences, China), and Jianwei Yin (Zhejiang University, China)</i>	
On Scalable Query Pricing in Data Marketplaces	3140
<i>Huanhuan Peng (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Yicheng Fu (Zhejiang University, China), Jinshan Zhang (Zhejiang University, China), Shuiguang Deng (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)</i>	
The SpaceSaving \pm Family of Algorithms for Data Streams with Bounded Deletions	3153
<i>Fuheng Zhao (UC Santa Barbara), Divyakant Agrawal (UC Santa Barbara), Amr El Abbadi (UC Santa Barbara), Claire Mathieu (CNRS and IRIF), Ahmed Metwally (Uber Inc.), and Michel de Rougemont (University Paris II and IRIF)</i>	
Efficient Multivariate Time Series Forecasting via Calibrated Language Models with Privileged Knowledge Distillation	3165
<i>Chenxi Liu (Nanyang Technological University, Singapore), Hao Miao (Aalborg University, Denmark), Qianxiong Xu (Nanyang Technological University, Singapore), Shaowen Zhou (Nanyang Technological University, Singapore), Cheng Long (Nanyang Technological University, Singapore), Yan Zhao (Aalborg University, Denmark), Ziyue Li (University of Cologne, Germany), and Rui Zhao (SenseTime Research, China)</i>	
Historically Relevant Event Structuring for Temporal Knowledge Graph Reasoning	3179
<i>Jinchuan Zhang (University of Electronic Science and Technology of China, China), Ming Sun (University of Electronic Science and Technology of China, China), Chong Mu (University of Electronic Science and Technology of China, China), Jinhao Zhang (University of Electronic Science and Technology of China, China), Quanjiang Guo (University of Electronic Science and Technology of China, China), and Ling Tian (University of Electronic Science and Technology of China, China)</i>	
NRP: An Efficient Index for Stochastic Routing in Road Networks	3193
<i>Libin Wang (Northwestern Polytechnical University, China) and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, China)</i>	

A Just-In-Time Framework for Routing-Oriented Traffic Prediction	3206
<i>Jing Zhao (The Hong Kong University of Science and Technology, Hong Kong, China), Lei Li (The Hong Kong University of Science and Technology (Guang Zhou), China; The Hong Kong University of Science and Technology, Hong Kong, China), Mengxuan Zhang (Australian National University, Australia), Haolun Ma (Hong Kong University of Science and Technology (Guang Zhou), China), and Xiaofang Zhou (The Hong Kong University of Science and Technology (Guang Zhou), China; The Hong Kong University of Science and Technology, Hong Kong, China)</i>	
Fast Maximization of Current Flow Group Closeness Centrality	3220
<i>Haisong Xia (Fudan University, China) and Zhongzhi Zhang (Fudan University, China)</i>	
Towards Robust Trajectory Embedding for Similarity Computation: When Triangle Inequality Violations in Distance Metrics Matter	3234
<i>Jianing Si (BUPT, China; Beiyou Shenzhen Institute, China), Haitao Yuan (NTU, Singapore), Nan Jiang (BUPT, China), Minxiao Chen (BUPT, China), Xiao Ma (BUPT, China), and Shangguang Wang (BUPT, China)</i>	
Clique Comparator: A Fundamental Operator for Finding a Concise Clique Summary	3248
<i>Xiaofan Li (Nanyang Technological University, Singapore), Rui Zhou (Swinburne University of Technology, Australia), Lu Chen (Swinburne University of Technology, Australia), and Chengfei Liu (Swinburne University of Technology, Australia)</i>	
Differentially Private Triangle Counting Assisted by k-Anonymity in Two-Party Models	3261
<i>Tingxuan Han (Nanjing University, China), Wei Tong (Nanjing University, China), and Sheng Zhong (Nanjing University, China)</i>	
Towards a Unified Query Plan Representation	3274
<i>Jinsheng Ba (ETH Zurich) and Manuel Rigger (National University of Singapore)</i>	
Ultra-Flexible, Explainable, and Scalable Traffic Prediction with Dynamic Future Routes	3288
<i>Zizhuo Xu (The Hong Kong University of Science and Technology, Hong Kong SAR, China), Lei Li (The Hong Kong University of Science and Technology (Guangzhou), China; The Hong Kong University of Science and Technology, Hong Kong SAR, China), Mengxuan Zhang (The Australian National University, Australia), Yehong Xu (The Hong Kong University of Science and Technology, Hong Kong SAR, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology (Guangzhou), China; The Hong Kong University of Science and Technology, Hong Kong SAR, China)</i>	
CLEAR: A Parser-Independent Disambiguation Framework for NL2SQL	3302
<i>Meng Zhang (National University of Defense Technology, China), Kexin Ma (National University of Defense Technology, China), Liyang Xu (National University of Defense Technology, China), Kedi Zhang (National University of Defense Technology, China), Yuanxi Peng (National University of Defense Technology, China), and Ruochun Jin (National University of Defense Technology, China)</i>	

Finding Near-Optimal Maximum Set of Disjoint k-Cliques in Real-World Social Networks	3316
<i>Xin Chen (The Chinese University of Hong Kong, China), Wenqing Lin (Tencent, China), Haoxuan Xie (Nanyang Technological University, Singapore), Sibo Wang (The Chinese University of Hong Kong, China), and Siqiang Luo (Nanyang Technological University, Singapore)</i>	
Hybrid DRAM-NVM R-Trees with Consistency Guarantee	3329
<i>Kaiqi Zhang (Harbin Institute of Technology, China; Chongqing Research Institute of HIT, China), Chengyou Shen (Harbin Institute of Technology, China), Siyuan Zhang (Harbin Institute of Technology, China), Shengfei Shi (Harbin Institute of Technology, China), Hong Gao (Zhejiang Normal University, China), Yaofeng Tu (ZTE Corporation, China; Nanjing University of Aeronautics and Astronautics, China), and Jianzhong Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China; Harbin Institute of Technology, China)</i>	
Leveraging Heterogeneous Experts with Advantageous Pattern Memory Learning for Traffic Prediction	3342
<i>Yueyang Yao (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xingyuan Dai (Chinese Academy of Sciences, China), and Yisheng Lv (Chinese Academy of Sciences, China)</i>	
Structure and Position-Aware Graph Modeling for Trajectory Similarity Computation over Road Networks	3356
<i>Peilun Yang (Zhejiang Lab, China), Hanchen Wang (University of Technology Sydney, Australia), Zhangyi Xu (Zhejiang Gongshang University, China), Zhengping Qian (Alibaba Group, China), Yongheng Wang (Zhejiang Lab, China), and Ying Zhang (Zhejiang Gongshang University, China)</i>	
OMeGa: Boosting Large-Scale Graph Embeddings with Heterogeneous Memory Processing	3369
<i>Peng Fang (Huazhong University of Science and Technology, China), Siqiang Luo (Nanyang Technological University, Singapore), Fang Wang (Huazhong University of Science and Technology, China), Bolong Zheng (Huazhong University of Science and Technology, China), Hong Jiang (University of Texas at Arlington, USA), Dan Feng (Huazhong University of Science and Technology, China), Hechang Pan (Huazhong University of Science and Technology, China), and Xingyu Wan (Huazhong University of Science and Technology, China)</i>	
Enhance Stability of Network by Edge Anchor	3384
<i>Hongbo Qiu (Zhejiang Gongshang University, China), Renjie Sun (Zhejiang Gongshang University, China), Chen Chen (University of Wollongong, Australia), and Xiaoyang Wang (The University of New South Wales, Australia)</i>	
Machine Learning Inference Pipeline Execution using Pure SQL Based on Operator Fusion	3397
<i>Qingfeng Pan (East China Normal University; PingCAP), Jiahe Zhi (East China Normal University), Chenyang Zhang (East China Normal University), Chen Xu (East China Normal University), Zhao Zhang (East China Normal University), Anita Shao (PingCAP), Guanglei Bao (PingCAP), Qiu Cui (PingCAP), Xiaowei Chen (PingCAP), and Aoying Zhou (East China Normal University)</i>	

Space-Efficient Compact Representations for Graph Analytics	3411
<i>Boyu Yang (Fudan University, China), Weiguo Zheng (Fudan University, China), Xiang Lian (Kent State University, USA), and Lingfei Zheng (Fudan University, China)</i>	
KARMAD: KAN-Based Adversarial Robust Model for Anomaly Detection	3425
<i>Fangke Chen (Zhejiang University, China), Xiaotian Qiu (Zhejiang University, China), Yihan Ye (Zhejiang University, China), Ruyue Jing (Zhejiang University, China), Yining Chen (Zhejiang University, China), and Dawei Gao (Zhejiang ICsprout Semiconductor Co., Ltd., China)</i>	
Analyzing and Optimizing Perturbation of DP-SGD Geometrically	3439
<i>Jiawei Duan (The Hong Kong Polytechnic University), Haibo Hu (The Hong Kong Polytechnic University), Qingqing Ye (The Hong Kong Polytechnic University), and Xinyue Sun (Harbin Institute of Technology)</i>	
FrontOrder: Frontier-Guided Graph Reordering	3453
<i>Xinmiao Zhang (CAS, China; University of Chinese Academy of Sciences, China), Cheng Liu (CAS, China; University of Chinese Academy of Sciences, China), Shengwen Liang (CAS, China; University of Chinese Academy of Sciences, China), Chenwei Xiong (CAS, China; University of Chinese Academy of Sciences, China), Yu Zhang (Huazhong University of Science and Technology, China), Lei Zhang (CAS, China; University of Chinese Academy of Sciences, China), Huawei Li (CAS, China; University of Chinese Academy of Sciences, China), and Xiaowei Li (CAS, China; University of Chinese Academy of Sciences, China)</i>	
PrivIM: Differentially Private Graph Neural Networks for Influence Maximization	3467
<i>Renxuan Hou (The Hong Kong Polytechnic University), Qingqing Ye (Hong Kong Polytechnic University), Xun Ran (The Hong Kong Polytechnic University), Sen Zhang (The Hong Kong Polytechnic University), and Haibo Hu (Hong Kong Polytechnic University)</i>	
Efficient Structural Clustering over Hypergraphs	3480
<i>Dong Pan (Hunan University, China), Xu Zhou (Hunan University, China), Lingwei Li (Hunan University, China), Quanqing Xu (OceanBase, Ant Group, China), Chuanhui Yang (OceanBase, Ant Group, China), Chenhao Ma (The Chinese University of Hong Kong, China), and KenLi Li (Hunan University, China)</i>	
AdvSGM: Differentially Private Graph Learning via Adversarial Skip-Gram Model	3494
<i>Sen Zhang (The Hong Kong Polytechnic University, Hong Kong SAR), Qingqing Ye (The Hong Kong Polytechnic University, Hong Kong SAR), Haibo Hu (The Hong Kong Polytechnic University, Hong Kong SAR), and Jianliang Xu (Hong Kong Baptist University, Hong Kong SAR)</i>	
Accelerating Shortest Path Counting on Road Networks	3508
<i>Zebin Chen (University of New South Wales, Australia), Kaiyu Chen (University of New South Wales, Australia), Dong Wen (University of New South Wales, Australia), Zhengyi Yang (University of New South Wales, Australia), Wentao Li (University of Leicester, United Kingdom), and Ying Zhang (University of Technology Sydney, Australia)</i>	

Dual Utilization of Perturbation for Stream Data Publication under Local Differential Privacy	3522
<i>Rong Du (The Hong Kong Polytechnic University), Qingqing Ye (The Hong Kong Polytechnic University), Yixin Xiao (The Hong Kong Polytechnic University), Liantong Yu (The Hong Kong Polytechnic University), Yue Fu (The Hong Kong Polytechnic University), and Haibo Hu (The Hong Kong Polytechnic University)</i>	
Learning from the Past: Adaptive Parallelism Tuning for Stream Processing Systems	3535
<i>Yuxing Han (ByteDance Inc.), Lixiang Chen (ByteDance Inc.; East China Normal University), Haoyu Wang (ByteDance Inc.), Zhanghao Chen (ByteDance Inc.), Yifan Zhang (ByteDance Inc.), Chengcheng Yang (East China Normal University), Kongzhang Hao (University of New South Wales), and Zhengyi Yang (University of New South Wales)</i>	
Multi-Class Item Mining under Local Differential Privacy	3549
<i>Yulian Mao (Southern University of Science and Technology; The Hong Kong Polytechnic University), Qingqing Ye (The Hong Kong Polytechnic University), Rong Du (The Hong Kong Polytechnic University), Qi Wang (Southern University of Science and Technology), Kai Huang (Macau University of Science and Technology), and Haibo Hu (The Hong Kong Polytechnic University)</i>	
Joint Dependency and Conflicting Task Allocation in Collaboration-Aware Spatial Crowdsourcing	3562
<i>Jiajun Yao (Hong Kong University of Science and Technology (Guangzhou), China), Lei Yang (South China University of Technology, China), Hao Liu (Hong Kong University of Science and Technology (Guangzhou), China), and Hui Xiong (Hong Kong University of Science and Technology (Guangzhou), China; The Hong Kong University of Science and Technology, China)</i>	
LSM-Community: A Graph Storage System Exploiting Community Structure in Social Networks	3575
<i>Songyao Wang (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Fang Niu (Tsinghua University, China), and Cheng Wu (Tsinghua University, China)</i>	
Efficient Temporal Simple Path Graph Generation	3589
<i>Zhiyang Tang (Zhejiang Gongshang University, China), Yaping Wu (University of Technology Sydney, Australia), Xiangjun Zai (The University of New South Wales, Australia), Chen Chen (University of Wollongong, Australia), Xiaoyang Wang (The University of New South Wales, Australia), and Ying Zhang (Zhejiang Gongshang University, China)</i>	
VGQ: Enabling Verifiable Graph Queries on Blockchain Systems	3602
<i>Zhongming Yao (Northeastern University, China), Tianyi Li (Aalborg University, Denmark), Junchang Xin (Northeastern University, China), Yushuai Li (Aalborg University, Denmark), Chenxu Wang (Xi'an Jiaotong University, China), Zhiqiong Wang (Northeastern University, China), Divesh Srivastava (AT&T Chief Data Office), and Christian S. Jensen (Aalborg University, Denmark)</i>	

Birds of a Feather: Enhancing Multimodal Fake News Detection via Multi-Element Retrieval	3615
Xueqin Chen (<i>Southwestern University of Finance and Economics, China</i> ; <i>Kash Institute of Electronics and Information Industry, China</i>), Xiaoyu Huang (<i>Southwestern University of Finance and Economics, China</i>), Qiang Gao (<i>Southwestern University of Finance and Economics, China</i> ; <i>Engineering Research Center of Intelligent Finance, Ministry of Education, China</i>), Li Huang (<i>Southwestern University of Finance and Economics, China</i> ; <i>Engineering Research Center of Intelligent Finance, Ministry of Education, China</i>), Jiajing Yu (<i>Southwestern University of Finance and Economics, China</i>), and Guisong Liu (<i>Southwestern University of Finance and Economics, China</i> ; <i>Engineering Research Center of Intelligent Finance, Ministry of Education, China</i> ; <i>Kash Institute of Electronics and Information Industry, China</i>)	
Catch Me If You Can: A Multi-Agent Synthetic Fraud Detection Framework for Complex Networks	3629
Qianyu Wang (<i>Beihang University, China</i>), Wei-Tek Tsai (<i>Arizona State University, USA</i>), Tianyu Shi (<i>University of Toronto, Canada</i>), Zhuang Liu (<i>Dongbei University of Finance & Economics, China</i>), and Bowen Du (<i>Beihang University, China</i>)	
Tag-Filtered Approximate Nearest Neighbor Search	3642
Jiarui Luo (<i>Rutgers University</i>), Miao Qiao (<i>The University of Auckland</i>), Chaoji Zuo (<i>Rutgers University</i>), and Dong Deng (<i>Rutgers University</i>)	
AdaMove: Efficient Test-Time Adaptation for Human Mobility Prediction	3655
Huaxu Han (<i>Beijing Institute of Technology, China</i>), Shuliang Wang (<i>Beijing Institute of Technology, China</i>), Sijie Ruan (<i>Beijing Institute of Technology, China</i>), Qianyu Yang (<i>Beijing Institute of Technology, China</i>), Yuxuan Liang (<i>HKUST (GZ), China</i>), Ziqiang Yuan (<i>Beijing Institute of Technology, China</i>), Cheng Long (<i>Nanyang Technological University, Singapore</i>), Hanning Yuan (<i>Beijing Institute of Technology, China</i>), and Yu Zheng (<i>JD Technology, China</i> ; <i>JD Intelligent Cities Research, China</i>)	
Optimizing Queries with Many-to-Many Joins	3668
Hasara Kalumini (<i>University of Maryland, USA</i>) and Amol Deshpande (<i>University of Maryland, USA</i>)	
TspSZ: An Efficient Parallel Error-Bounded Lossy Compressor for Topological Skeleton Preservation	3682
Mingze Xia (<i>University of Kentucky, USA</i>), Bei Wang (<i>University of Utah, USA</i>), Yuxiao Li (<i>The Ohio State University, USA</i>), Pu Jiao (<i>University of Kentucky, USA</i>), Xin Liang (<i>University of Kentucky, USA</i>), and Hanqi Guo (<i>The Ohio State University, USA</i>)	
TopK-BC: Efficient Maintenance of Top k (p, q)-Bicliques over Streaming Bipartite Graphs	3696
Xin Deng (<i>Hunan University, China</i>), Zheng Qin (<i>Hunan University, China</i>), Peng Peng (<i>Hunan University, China</i>), and Hui Zhou (<i>Hunan University, China</i>)	
Identifying Maximum Defective Bicliques in Large Bipartite Graphs	3710
Zhiyi Wang (<i>The University of Sydney, Australia</i>), Lijun Chang (<i>The University of Sydney, Australia</i>), and Jeffrey Xu Yu (<i>The Chinese University of Hong Kong, China</i>)	

UMGAD: Unsupervised Multiplex Graph Anomaly Detection	3724
Xiang Li (Ocean University of China, China), Jianpeng Qi (Ocean University of China, China), Zhongying Zhao (Shandong University of Science and Technology, China), Guanjie Zheng (Shanghai Jiao Tong University, China), Lei Cao (The University of Arizona, USA), Junyu Dong (Ocean University of China, China), and Yanwei Yu (Ocean University of China, China)	
Online Timestamp-Based Transactional Isolation Checking of Database Systems	3738
Hexu Li (Nanjing University, China), Hengfeng Wei (Nanjing University, China), Hongrong Ouyang (Ant Group, China), Yuxing Chen (Tencent Inc., China), Na Yang (Nanjing University, China), Ruohao Zhang (The Chinese University of Hong Kong, China), and Anqun Pan (Tencent Inc., China)	
Privacy-Preserving Screening for Record Linkage	3751
Chenyu Huang (Tencent Inc), Fan Zhang (Tencent Inc), Huangxun Chen (Hong Kong University of Science and Technology (GZ)), Yongjun Zhao (Independent Researcher), Huaming Rao (Tencent Inc), Peng Chen (Tencent Inc), and Danqing Huang (Tencent Inc)	
Real-Time Single-Source Personalized PageRank over Evolving Social Networks	3765
Sujun Shuai (University of Electronic Science and Technology of China), Xuan Rao (University of Electronic Science and Technology of China), Lisi Chen (University of Electronic Science and Technology of China), Shuo Shang (University of Electronic Science and Technology of China), and Shen Gao (University of Electronic Science and Technology of China)	
Consistency-Aware Scalable and Authenticated Learned Index for Range Query	3778
Ningning Cui (Chang'an University), Dong Wang (Chang'an University), Huaijie Zhu (Sun Yat-sen University), Mo Li (Liaoning University), Jingxian Cheng (Chang'an University), Jianxin Li (Edith Cowan University), and Xiaochun Yang (Northeastern University)	
Towards Unsupervised Entity Alignment for Highly Heterogeneous Knowledge Graphs	3792
Runhao Zhao (National University of Defense Technology, China), Weixin Zeng (National University of Defense Technology, China), Jiuyang Tang (National University of Defense Technology, China), Yawen Li (Beijing University of Posts and Telecommunications, China), Guanhua Ye (Beijing University of Posts and Telecommunications, China), Junping Du (Beijing University of Posts and Telecommunications, China), and Xiang Zhao (National University of Defense Technology, China)	
Rabbit: Retrieval-Augmented Generation Enables Better Automatic Database Knob Tuning	3807
Wenwen Sun (East China Normal University; Ministry of Education), Zhicheng Pan (East China Normal University; Ministry of Education), Zirui Hu (East China Normal University; Ministry of Education), Yu Liu (East China Normal University; Ministry of Education), Chengcheng Yang (East China Normal University; Ministry of Education), Rong Zhang (East China Normal University; Ministry of Education), and Xuan Zhou (East China Normal University; Ministry of Education)	

Fairness-Aware Active Online Learning with Changing Environments	3821
<i>Sadaf MD Halim (The University of Texas at Dallas, Texas), Chen Zhao (Baylor University, Texas), Xintao Wu (University of Arkansas, Arkansas), Latifur Khan (The University of Texas at Dallas, Texas), Christian Earl Grant (University of Florida, Florida), and Feng Chen (The University of Texas at Dallas, Texas)</i>	
Towards Fine-Grained Scalability for Stateful Stream Processing Systems	3835
<i>Yunfan Qing (Shanghai Jiao Tong University, China) and Wenli Zheng (Shanghai Jiao Tong University, China)</i>	
Synthesizing Scoring Functions for Rankings using Symbolic Gradient Descent	3849
<i>Zixuan Chen (Northeastern University, USA), Panagiotis Manolios (Northeastern University, USA), and Mirek Riedewald (Northeastern University, USA)</i>	
Efficient Integration of Multi-View Attributed Graphs for Clustering and Embedding	3863
<i>Yiran Li (The Hong Kong Polytechnic University), Gongyao Guo (The Hong Kong Polytechnic University), Jieming Shi (The Hong Kong Polytechnic University), Sibo Wang (The Chinese University of Hong Kong), and Qing Li (The Hong Kong Polytechnic University)</i>	
MemQ: A Graph-Based Query Memory Prediction Framework for Effective Workload Scheduling	3876
<i>Yang Wu (Tsinghua University, China), Xuanhe Zhou (Shanghai Jiao Tong University, China), Xiaoguang Li (Business-intelligence of Oriental Nations Corporation Ltd., China), Jinhui Kang (Business-intelligence of Oriental Nations Corporation Ltd., China), Chunxiao Xing (Beijing National Research Center for Information Science and Technology, China), Tongliang Li (Alibaba Group, China), Xinjun Yang (Alibaba Group, China), Wenchao Zhou (Alibaba Group, China), Feifei Li (Alibaba Group, China), and Yong Zhang (Beijing National Research Center for Information Science and Technology, China)</i>	
E^3FS: Efficient, Secure, and Verifiable Fuzzy Search with Data Updates in Hybrid-Storage Blockchains	3890
<i>Pengcheng Sun (University of Science and Technology of China, China), Lan Zhang (University of Science and Technology of China, China; Institute of Artificial Intelligence, Hefei Comprehensive National Science Center, China), Jiandong Liu (University of Science and Technology of China, China), Chen Tang (University of Science and Technology of China, China), and Jialiang Wang (University of Science and Technology of China, China)</i>	
Efficient Core Propagation Based Hierarchical Graph Clustering	3904
<i>Jinbin Huang (Hong Kong Baptist University), Zihan Jia (Hong Kong Baptist University), and Xin Huang (Hong Kong Baptist University)</i>	

GraphPrompter: Multi-Stage Adaptive Prompt Optimization for Graph In-Context Learning	3917
Rui Lv (University of Science and Technology of China), Zaixi Zhang (University of Science and Technology of China), Kai Zhang (University of Science and Technology of China), Qi Liu (University of Science and Technology of China), Weibo Gao (University of Science and Technology of China), Jiawei Liu (University of Science and Technology of China), Jiaxian Yan (University of Science and Technology of China), Linan Yue (University of Science and Technology of China), and Fangzhou Yao (University of Science and Technology of China)	
Proving Cypher Query Equivalence	3931
Lei Tang (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing), Wensheng Dou (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Nanjing; Nanjing Institute of Software Technology), Yingying Zheng (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing), Lijie Xu (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing), Wei Wang (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Nanjing; Nanjing Institute of Software Technology), Jun Wei (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Nanjing; Nanjing Institute of Software Technology), and Tao Huang (Chinese Academy of Sciences; University of Chinese Academy of Sciences, Beijing)	
AID-SQL: Adaptive In-Context Learning of Text-to-SQL with Difficulty-Aware Instruction and Retrieval-Augmented Generation	3945
Xiuwen Li (East China Normal University, China), Qifeng Cai (East China Normal University, China), Yang Shu (East China Normal University, China), Chenjuan Guo (East China Normal University, China), and Bin Yang (East China Normal University, China)	
Approximate Borderline Sampling using Granular-Ball for Classification Tasks	3958
Qin Xie (Chongqing University of Posts and Telecommunications, China), Qinghua Zhang (Chongqing University of Posts and Telecommunications, China), and Shuyin Xia (Chongqing University of Posts and Telecommunications, China)	
With Anchors or Not: Fairness-Aware Truss-Based Community Search on Attributed Graphs	3971
Xinrui Wang (Shandong University), Zilong Liu (Shandong University), Shixin Ye (Shandong University), Xin Huang (Hong Kong Baptist University), Hong Gao (Zhejiang Normal University), Xiuzhen Cheng (Shandong University), and Dongxiao Yu (Shandong University)	
Finding a Summary for All Maximal Bicliques	3984
Xintong Yu (Swinburne University of Technology, Australia), Rui Zhou (Swinburne University of Technology, Australia), Xiaofan Li (Nanyang Technological University, Singapore), Lu Chen (Swinburne University of Technology, Australia), and Chengfei Liu (Swinburne University of Technology, Australia)	

Boosting End-to-End Database Isolation Checking via Mini-Transactions	3998
<i>Hengfeng Wei (State Key Laboratory for Novel Software Technology, Nanjing University, China), Jiang Xiao (State Key Laboratory for Novel Software Technology, Nanjing University, China), Na Yang (State Key Laboratory for Novel Software Technology, Nanjing University, China), Si Liu (ETH Zurich, Switzerland), Zijing Yin (ETH Zurich, Switzerland), Yuxing Chen (Tencent Inc., China), and Anqun Pan (Tencent Inc., China)</i>	
Effective and Scalable Heterogeneous Graph Neural Network Framework with Convolution-Oriented Attention	4011
<i>Ziqian Zhang (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Shuwen Zheng (Tsinghua University, China), Cheng Wu (Tsinghua University, China), Ziyang Liu (Tsinghua University, China), and Hao Feng (Tsinghua University, China)</i>	
EPAS: Efficient Online Log Parsing via Asynchronous Scheduling of LLM Queries	4025
<i>Xiaolei Chen (Fudan University, China), Jia Chen (Fudan University, China), Jie Shi (Fudan University, China), Peng Wang (Fudan University, China), and Wei Wang (Fudan University, China)</i>	
Efficient Mixed Precision Quantization in Graph Neural Networks	4038
<i>Samir Moustafa (University of Vienna, Austria), Nils Kriege (University of Vienna, Austria), and Wilfried N. Gansterer (University of Vienna, Austria)</i>	
Anomaly Diagnosis with Siamese Discrepancy Networks in Distributed Cloud Databases	4053
<i>Lingsen Yan (Huazhong University of Science and Technology, China), Bolong Zheng (Huazhong University of Science and Technology, China), Junjie Qing (Huazhong University of Science and Technology, China), Wenlong You (Huazhong University of Science and Technology, China), Tingyang Chen (Huazhong University of Science and Technology, China), Zhi Xu (Huawei, China), Shuncheng Liu (Huawei, China), Kai Zeng (Huawei, China), Tao Ye (Huawei, China), and Xiaofang Zhou (Hong Kong University of Science and Technology, China)</i>	
Compatible Unsupervised Anomaly Detection with Multi-Perspective Spatio-Temporal Learning	4066
<i>Tingyang Chen (Huazhong University of Science and Technology, China), Bolong Zheng (Huazhong University of Science and Technology, China), Shuncheng Liu (Huawei, China), Zhujiong Fan (Huazhong University of Science and Technology, China), Zhi Xu (Huawei, China), Lingsen Yan (Huazhong University of Science and Technology, China), Kai Zeng (Huawei, China), Tao Ye (Huawei, China), and Xiaofang Zhou (Hong Kong University of Science and Technology, China)</i>	
OptMatch: An Efficient and Generic Neural Network-Assisted Subgraph Matching Approach	4079
<i>Wenzhe Hou (National University of Defense Technology, China), Xiang Zhao (National University of Defense Technology, China), and Bo Tang (Southern University of Science and Technology, China)</i>	

Personalized Multi-Interest Modeling for Cross-Domain Recommendation to Cold-Start Users	4092
<i>Xiaodong Li (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Jiawei Sheng (Chinese Academy of Sciences, China), Jiangxia Cao (Kuaishou Technology, China), Xinghua Zhang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Wenyuan Zhang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yong Sun (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Shirui Pan (Griffith University, Australia), Zhihong Tian (Guangzhou University, China; Guangdong Key Laboratory of Industrial Control System Security, China; Huangpu Research School of Guangzhou University, China), and Tingwen Liu (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	
Pseudo-Label-Based Unsupervised Granular-Ball Division and Fast Spectral Clustering for High-Dimensional Data	4106
<i>Dongdong Cheng (Yangtze Normal University, China), Xiaocui Jiang (Chongqing University of Posts and Telecommunications, China), Shuyin Xia (Chongqing University of Posts and Telecommunications, China), and Guoyin Wang (Chongqing Normal University, China)</i>	
FastFT: Accelerating Reinforced Feature Transformation via Advanced Exploration Strategies....	4120
<i>Tianqi He (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Xiaohan Huang (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yi Du (Chinese Academy of Sciences, China), Qingqing Long (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Ziyue Qiao (Great Bay University, China), Min Wu (Agency for Science, Technology and Research (A*STAR), Singapore), Yanjie Fu (Arizona State University, USA), Yuanchun Zhou (Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Meng Xiao (Chinese Academy of Sciences, China)</i>	

Industry and Application Papers

MLKV: Efficiently Scaling up Large Embedding Model Training with Disk-Based Key-Value Storage	4134
<i>Yongjun He (ETH Zürich), Roger Waleffe (University of Wisconsin-Madison), Zhichao Han (eBay), Johnu George (Nutanix), Binhang Yuan (HKUST), Zitao Zhang (eBay), Yinan Shan (eBay), Yang Zhao (eBay), Debojyoti Dutta (Nutanix), Theodoros Rekatsinas (ETH Zürich), and Ce Zhang (University of Chicago)</i>	
A Bilateral Perspective for Modeling Real-Time Traffic Trends in Live-Streaming Recommendation	4142
<i>Rui Li (Douyin Group, China), Pengyuan Gao (Douyin Group, China), Haihan Li (Douyin Group, China), Ling Chai (Douyin Group, China), Shaohao Huang (Douyin Group, China), and Ting Xie (Douyin Group, China)</i>	

CDMap: Complementarity and Disparity-Aware Map Inference Quality Enhancement	4156
Wenyu Wu (East China Normal University, China), Jiali Mao (East China Normal University, China; Shanghai Engineering Research Center of Big Data Management), Jiafan Liu (East China Normal University, China), Yixiao Tong (East China Normal University, China), Lisheng Zhao (DiDi Chuxing, China), Shaosheng Cao (DiDi Chuxing, China), Jilin Hu (East China Normal University, China), Aoying Zhou (East China Normal University, China; Shanghai Engineering Research Center of Big Data Management), and Lin Zhou (DiDi Chuxing, China)	
Stability is not Downtime: Comprehensive Stability Evaluation for Large-Scale Cloud Servers in Alibaba Cloud	4169
Haoyu Wang (Alibaba Cloud Computing, China), Zhicheng Liu (Alibaba Cloud Computing, China), Yeliang Qiu (Alibaba Cloud Computing, China), Haozhe Li (Alibaba Cloud Computing, China), Hongke Guo (Alibaba Cloud Computing, China), Zhaoliang Zhu (Alibaba Cloud Computing, China), You Zhang (Alibaba Cloud Computing, China), Yu Zhou (Alibaba Cloud Computing, China), and Xudong Zheng (Alibaba Cloud Computing, China)	
OceanBase Unitization: Building the Next Generation of Online Map Applications	4183
Quanqing Xu (Ant Group), Wei Sun (Alibaba), Chuanhui Yang (Ant Group), Jinlong Liu (Alibaba), Ziyun Wei (Cornell University), Fusheng Han (Ant Group), Liang Wang (Alibaba), and Xiaowei Zhai (Alibaba)	
PAS: Plug-and-Play Prompt Augmentation System	4197
Miao Zheng (Baichuan Inc., China), Hao Liang (Peking University, China), Fan Yang (Baichuan Inc., China), Bin Cui (Peking University, China), Zenan Zhou (Baichuan Inc., China), and Wentao Zhang (Peking University, China)	
Scaling and Hardening XLOG: the SQL Azure Hyperscale Log Service	4211
Jack Hu (Microsoft, USA), Eric Lee (Microsoft, USA), Prashanth Purnananda (Microsoft, USA), and Hanuma Kodavalla (Microsoft, USA)	
Hyperscale Resilient Buffer Pool Extension in Azure SQL Database	4222
Rogerio Ramos (Microsoft Corporation, USA), Prashanth Purnananda (Microsoft Corporation, USA), Hanuma Kodavalla (Microsoft Corporation, USA), Chaitanya Gottipati (Microsoft Corporation, India), Harshil Ambagade (Microsoft Corporation, India), Ankit Anvesh (Microsoft Corporation, India), and Srikanth Sampath (Microsoft Corporation, India)	
DataSculpt: A Holistic Data Management Framework for Long-Context LLMs Training	4234
Keer Lu (Peking University), Xiaonan Nie (Peking University), Zheng Liang (Baichuan Inc.), Da Pan (Baichuan Inc.), Shusen Zhang (Baichuan Inc.), Keshi Zhao (Peking University), Weipeng Chen (Baichuan Inc.), Zenan Zhou (Baichuan Inc.), Guosheng Dong (Baichuan Inc.), Bin Cui (Peking University), and Wentao Zhang (Peking University)	
BBS: Batch-Based Snapshot for the Cloud Database Backup	4248
Xiaoshuang Peng (East China Normal University), Xiaopeng Fan (East China Normal University), Shi Cheng (Alibaba Group), Lingbin Meng (Alibaba Group), Cuiyun Fu (Alibaba Group), Wenchao Zhou (Alibaba Group), and Chuliang Weng (East China Normal University)	

FlowFill: A Fast and Energy-Efficient Streaming Framework for Recovering Missing Values in Industrial Sensor Data	4262
<i>Hao Huang (GE Vernova Advanced Research, USA) and Scott Evans (GE Vernova Advanced Research, USA)</i>	
GEX: Guiding Expert Tuning with eXplainable AI	4269
<i>Andrew Chai (York University, CA; IBM CAS, CA), Alexander Bianchi (York University, CA; IBM CAS, CA), Vincent Corvinelli (IBM Canada Ltd.), Parke Godfrey (York University, CA; IBM CAS, CA), Jarek Szlichta (York University, CA; IBM CAS, CA), and Calisto Zuzarte (IBM Canada Ltd.)</i>	
Enabling Light-Weight Reasoning via Cypher Triggers	4277
<i>Davide Magnanini (Banca d'Italia & Politecnico di Milano, Italy), Andrea Colombo (Politecnico di Milano, Italy), Luigi Bellomarini (Banca d'Italia, Italy), Anna Bernasconi (Politecnico di Milano, Italy), Stefano Ceri (Politecnico di Milano, Italy), and Davide Martinenghi (Politecnico di Milano, Italy)</i>	
Advancing Cloud-Native Cyber Threat Detection with Graph-Based Feature Engineering	4291
<i>Tailai Song (Politecnico di Torino, Italy), Mukharbek Organokov (Cisco Systems Inc., France), Lennart Gulikers (Cisco Systems Inc., France), Giulio Grassi (Cisco Systems Inc., France), Giovanna Carofiglio (Cisco Systems Inc., France), and Michela Meo (Politecnico di Torino, Italy)</i>	
MSPR: A Multi-Scenario Player Recommendation Framework for Online Gaming	4298
<i>Minghao Chen (Tencent, China), Haodong Chen (Kuaishou Technology, China), Yi Zeng (Tencent, China), and Zhenfeng Liang (Tencent, China)</i>	
Effectively PAIRing LLMs with Online Marketing via Progressive Prompting Augmentation	4311
<i>Chunjing Gan (Ant Group, China), Dan Yang (Ant Group, China), Binbin Hu (Ant Group, China), Ziqi Liu (Ant Group, China), Yue Shen (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Jinjie Gu (Ant Group, China), Jun Zhou (Ant Group, China), and Guannan Zhang (Ant Group, China)</i>	
Model-Accuracy Aware Query Routing for Smart Logistics Service	4319
<i>Shanshan Huang (East China Normal University), Zhiwei Ye (China Mobile Communications Corporation), Peng Cai (East China Normal University), and Qiwen Dong (East China Normal University)</i>	
BlendHouse: A Cloud-Native Vector Database System in ByteHouse	4332
<i>Zhaojie Niu (ByteDance Inc), Xinhui Tian (ByteDance Inc), Xindong Peng (ByteDance Inc), and Xing Chen (ByteDance Inc)</i>	

DataLab: A Unified Platform for LLM-Powered Business Intelligence	4346
<i>Luoxuan Weng (State Key Lab of CAD&CG, Zhejiang University; Tencent Inc.), Yinghao Tang (State Key Lab of CAD&CG, Zhejiang University), Yingchaojie Feng (State Key Lab of CAD&CG, Zhejiang University), Zhuo Chang (Peking University; Tencent Inc.), Ruiqin Chen (Tencent Inc.), Haozhe Feng (Tencent Inc.), Chen Hou (Tencent Inc.), Danqing Huang (Tencent Inc.), Yang Li (Tencent Inc.), Huaming Rao (Tencent Inc.), Haonan Wang (Tencent Inc.), Canshi Wei (Tencent Inc.), Xiaofeng Yang (Tencent Inc.), Yuhui Zhang (Tencent Inc.), Yifeng Zheng (Tencent Inc.), Xiuqi Huang (Zhejiang University), Minfeng Zhu (State Key Lab of CAD&CG, Zhejiang University), Yuxin Ma (Southern University of Science and Technology), Bin Cui (Peking University), Peng Chen (Tencent Inc.), and Wei Chen (State Key Lab of CAD&CG, Zhejiang University)</i>	
SylphDB: An Active and Adaptive LSM Engine for Update-Intensive Workloads	4360
<i>Jun-Peng Zhu (East China Normal University; PingCAP), Zhiwei Ye (China Mobile (Suzhou) Software Technology Co., Ltd), Xiaolong He (East China Normal University), Peng Cai (East China Normal University), Xuan Zhou (East China Normal University), Aoying Zhou (East China Normal University), Dunbo Cai (China Mobile (Suzhou) Software Technology Co., Ltd), Ling Qian (China Mobile (Suzhou) Software Technology Co., Ltd), Kai Xu (PingCAP), Liu Tang (PingCAP), and Qi Liu (PingCAP)</i>	
Scalable Machine Learning for Real-Time Fault Diagnosis in Industrial IoT Cooling Roller Systems	4373
<i>Dandan Zhao (Huazhong University of Science and Technology, China), Karthick Sharma (University of Sri Jayewardenepura), Yuxin Qi (Shanghai Jiao Tong University), Qixun Liu (CISDI Information Technology (Chongqing) Co., Ltd.), and Shuhao Zhang (Huazhong University of Science and Technology, China)</i>	
Few Labels are All You Need: A Weakly Supervised Framework for Appliance Localization in Smart-Meter Series	4386
<i>Adrien Petralia (EDF R&D - Université Paris Cité), Paul Boniol (Inria, ENS, PSL, CNRS), Philippe Charpentier (EDF R&D), and Themis Palpanas (Université Paris Cité - IUF)</i>	
GraphEx: A Graph-Based Extraction Method for Advertiser Keyphrase Recommendation	4400
<i>Ashirbad Mishra (Pennsylvania State University, USA), Soumik Dey (eBay Inc., USA), Hansi Wu (eBay Inc., USA), Jinyu Zhao (eBay Inc., USA), He Yu (eBay Inc., USA), Kaichen Ni (eBay Inc., USA), Binbin Li (eBay Inc., USA), and Kamesh Madduri (Pennsylvania State University, USA)</i>	
Bridging the Gap: LLM-Powered Transfer Learning for Log Anomaly Detection in New Software Systems	4414
<i>Yicheng Sui (Nankai University, China), Xiaotian Wang (Nankai University, China), Tainyu Cui (Nankai University, China), Tong Xiao (Tsinghua University, China), Chenghao He (Nankai University, China), Shenglin Zhang (Nankai University, China), Yuzhi Zhang (Nankai University, China), Xiao Yang (China Mobile Communications Corporation, China), Yongqian Sun (Nankai University, China), and Dan Pei (Tsinghua University, China)</i>	

mAP: Abandoned Property Detection using Multifaceted Urban Service Data	4428
<i>Liangkai Zhou (Department of Electrical and Computer Engineering, Stony Brook University), Agbonlahor Edomwonyi (Office of Information Technology, City of Newark), and Shan Lin (Department of Electrical and Computer Engineering, Stony Brook University)</i>	
M2oERank: Multi-Objective Mixture-of-Experts Enhanced Ranking for Satisfaction-Oriented Web Search	4441
<i>Yuchen Li (Baidu Inc., China), Hao Zhang (Baidu Inc., China), Yongqi Zhang (The Hong Kong University of Science and Technology (GZ), China), Xinyu Ma (Baidu Inc., China), Wenwen Ye (Baidu Inc., China), Naifei Song (Baidu Inc., China), Shuaiqiang Wang (Baidu Inc., China), Haoyi Xiong (Baidu Inc., China), Dawei Yin (Baidu Inc., China), and Lei Chen (The Hong Kong University of Science and Technology (GZ), China)</i>	
BIGCity: A Universal Spatiotemporal Model for Unified Trajectory and Traffic State Data Analysis	4455
<i>Xie Yu (Beihang University, China), Jingyuan Wang (Beihang University, China), Yifan Yang (Beihang University, China), Qian Huang (Huawei Technologies Co., Ltd, China), and Ke Qu (Huawei Technologies Co., Ltd, China)</i>	
GalaxyView: Property Graph Transformation for Materialized View Generation	4470
<i>Bing Tong (CreateLink Technology (Zhejiang Chuanglin Technology Co., Ltd.); The Hong Kong University of Science and Technology (Guangzhou)), Jianheng Tang (The Hong Kong University of Science and Technology (Guangzhou)), Yan Zhou (CreateLink Technology (Zhejiang Chuanglin Technology Co., Ltd.)), Chen Zhang (CreateLink Technology (Zhejiang Chuanglin Technology Co., Ltd.)), Jia Li (The Hong Kong University of Science and Technology (Guangzhou)), and Lei Chen (The Hong Kong University of Science and Technology (Guangzhou))</i>	

Tutorials

Large-Scale Private Computation for Real-World Applications via Trusted Hardware and Obliviousness	4483
<i>Ioannis Demertzis (University of California)</i>	
How to Answer Secure and Private SQL Queries?	4486
<i>Qiyao Luo (OceanBase, Ant Group), Quanqing Xu (OceanBase, Ant Group), and Chuanhui Yang (OceanBase, Ant Group)</i>	
A Unified Narrative for Query Processing in Graph Databases	4492
<i>Yue Pang (Peking University, China), Lei Zou (Peking University, China), and M. Tamer Özsu (University of Waterloo, Canada)</i>	
An Overview of Path Queries on Graphs	4497
<i>Wentao Li (University of Leicester, Leicester, United Kingdom; Hong Kong University of Science and Technology, China), Dong Wen (University of New South Wales, Australia), Lu Qin (University of Technology Sydney, Australia), and Ying Zhang (University of Technology Sydney, Australia)</i>	

AIGC for Graphs: Current Techniques and Future Trends	4504
<i>Hanchen Wang (University of New South Wales, Australia), Dawei Cheng (Tongji University, China), Ying Zhang (Zhejiang Gongshang University, China), and Wenjie Zhang (University of New South Wales, Australia)</i>	
Towards Retrieval-Augmented Large Language Models: Data Management and System Design ..	4509
<i>Wenqi Fan (The Hong Kong Polytechnic University), Pangjing Wu (The Hong Kong Polytechnic University), Yujuan Ding (The Hong Kong Polytechnic University), Liangbo Ning (The Hong Kong Polytechnic University), Shijie Wang (The Hong Kong Polytechnic University), and Qing Li (The Hong Kong Polytechnic University)</i>	
Machine Learning on the Fly: A Hands-On Tutorial for Streaming Data	4513
<i>Heitor Murilo Gomes (Victoria University of Wellington, New Zealand), Nuwan Gunasekara (Halmstad University, Sweden), and Yibin Sun (University of Waikato, New Zealand)</i>	
Data Driven Decision Making with Time Series and Spatio-Temporal Data	4517
<i>Bin Yang (East China Normal University, China), Yuxuan Liang (Hong Kong University of Science and Technology (Guangzhou), China), Chenjuan Guo (East China Normal University, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Navigating Data Errors in Machine Learning Pipelines: Identify, Debug, and Learn	4523
<i>Bojan Karlaš (Harvard University), Babak Salimi (University of California, San Diego), and Sebastian Schelter (BIFOLD & TU Berlin)</i>	
DBMS with CXL Memory: What's New and What's Next	4530
<i>Yunyan Guo (Tsinghua University, China), Zhuopeng Li (Tsinghua University, China), and Guoliang Li (Tsinghua University, China)</i>	

Demonstrations

DATAMORPHER: Automatic Data Transformation using LLM-Based Zero-Shot Code Generation	4536
<i>Ankita Sharma (Arizona State University), Jaykumar Tandel (Arizona State University), Xuanmao Li (Arizona State University), Lanjun Wang (Tianjin University), Anna Fariha (University of Utah), Liang Zhang (University of Arizona), Syed Arsalan Ahmed Naqvi (Mayo Clinic-Arizona), Irbaz Bin Riaz (Mayo Clinic-Arizona), Lei Cao (University of Arizona), and Jia Zou (Arizona State University)</i>	
Db2une: Tuning IBM Db2 with Deep Learning	4540
<i>Alexander Bianchi (York University, CA; IBM CAS, CA), Rafael Dolores (York University, CA; IBM CAS, CA), Andrew Chai (York University, CA; IBM CAS, CA), Vincent Corvinelli (IBM Canada Ltd.), Parke Godfrey (York University, CA; IBM CAS, CA), Jarek Szlichta (York University, CA; IBM CAS, CA), and Calisto Zuzarte (IBM Canada Ltd.)</i>	

DreamCreek: AI for Battery Formation and Grading	4544
<i>Wenfei Fan (Shenzhen Institute of Computing Sciences; University of Edinburgh; Beihang University), Yang Leng (Shenzhen Institute of Computing Sciences), Daji Li (Shenzhen Institute of Computing Sciences), Shuhao Liu (Shenzhen Institute of Computing Sciences), Mingliang Ouyang (Shenzhen Institute of Computing Sciences), Yaoshu Wang (Shenzhen Institute of Computing Sciences), Min Xie (Shenzhen Institute of Computing Sciences), and Qiang Yuan (Shenzhen Institute of Computing Sciences)</i>	
BitTuner: A Toolbox for Automatically Configuring Learned Data Compressors	4548
<i>Qiyu Liu (Southwest University), Yuxin Luo (Southwest University), Mengke Cui (Southwest University), Siyuan Han (HKUST), Jingshu Peng (ByteDance), Jin Li (Harvard University), and Lei Chen (HKUST (GZ))</i>	
DeviceScope: An Interactive App to Detect and Localize Appliance Patterns in Electricity Consumption Time Series	4552
<i>Adrien Petralia (EDF R&D - Université Paris Cité), Paul Boniol (Inria, ENS, PSL, CNRS), Philippe Charpentier (EDF R&D), and Themis Palpanas (Université Paris Cité - IUF)</i>	
Towards On-Database Contextual Model Explanation	4556
<i>Shuai An (University of Edinburgh & Beijing Jiaotong University) and Yang Cao (University of Edinburgh)</i>	
scRAG: An Efficient Retrieval Augmented Generation System for scRNA-seq Data Analysis	4560
<i>Yuren Mao (Zhejiang University; The Key Lab of Big Data Intelligent Computing of Zhejiang Province), Yifan Zhu (Zhejiang University; The Key Lab of Big Data Intelligent Computing of Zhejiang Province), Qing Liu (Zhejiang University; The Key Lab of Big Data Intelligent Computing of Zhejiang Province), Peigen Liu (Zhejiang University), Haoran Yu (Zhejiang University), and Yunjun Gao (Zhejiang University; The Key Lab of Big Data Intelligent Computing of Zhejiang Province)</i>	
EasyTime: Time Series Forecasting Made Easy	4564
<i>Xiangfei Qiu (East China Normal University, China), Xiuwen Li (East China Normal University, China), Ruiyang Pang (East China Normal University, China), Zhicheng Pan (East China Normal University, China), Xingjian Wu (East China Normal University, China), Liu Yang (East China Normal University, China), Jilin Hu (East China Normal University, China), Yang Shu (East China Normal University, China), Xuesong Lu (East China Normal University, China), Chengcheng Yang (East China Normal University, China), Chenjuan Guo (East China Normal University, China), Aoying Zhou (East China Normal University, China), Christian S. Jensen (Aalborg University, Denmark), and Bin Yang (East China Normal University, China)</i>	
Data Backup System with No Impact on Business Processing Utilizing Storage and Container Technologies	4568
<i>Satoru Watanabe (Hitachi, Ltd. Research & Development Division, Japan)</i>	

SwiftDP: An Efficient Framework for Automated Data Preparation Pipeline Generation	4572
Liangwei Li (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Yiyi Zhang (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), and Ning Wang (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China)	
MITra: Populating Graph Traversal Algorithms	4576
Wenyue Zhao (University of Edinburgh), Jia Li (Huawei), Yang Cao (University of Edinburgh), and Nikos Ntarmos (Huawei)	
Graphint: Graph-Based Time Series Clustering Visualisation Tool	4580
Paul Boniol (Inria, ENS, PSL, CNRS), Donato Tiano (Università di Modena), Angela Bonifati (Lyon 1 University, IUF, Liris CNRS), and Themis Palpanas (Université Paris Cité - IUF)	
HRLMS: A Data-Driven Hierarchical Reinforcement Learning System for Interactive Rule Intervention and Visualization	4584
Haodi Zhang (Shenzhen U., China; HKUST-GZ, China), Xiangyu Zeng (Shenzhen U., China), Chen Zhang (PolyU, China), Yuanfeng Song (WeBank, China), and Kaishun Wu (HKUST-GZ, China)	
EAST: An Interpretable Knob Estimation System for Cloud Database	4588
Yu Yan (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology, China), Jian Geng (Harbin Institute of Technology, China), Zixuan Wang (Harbin Institute of Technology, China), Xingyan Li (Harbin Institute of Technology, China), and Tianqing Wang (HUAWEI, China)	
HiVQ: A Real-Time Interactive Visual Query System on Geospatial Big Data	4592
Zebang Liu (National University of Defense Technology, China), Anran Yang (National University of Defense Technology, China), Mengyu Ma (National University of Defense Technology, China), Luo Chen (National University of Defense Technology, China), Jiali Zhou (National University of Defense Technology, China), and Ning Jing (National University of Defense Technology, China)	
Popper: A Dataflow System for In-Flight Error Handling in Machine Learning Workflows	4596
Adnan Shakeel Ahmed (Indian Institute of Technology Delhi, India), Abhilash Jindal (Indian Institute of Technology Delhi, India), and Kaustubh Beedkar (Indian Institute of Technology Delhi, India)	
UniClean: A Multi-Signal Fusion Pipeline for Optimizing Data Cleaning Workflow	4600
Xiaoou Ding (Harbin Institute of Technology), Zekai Qian (Harbin Institute of Technology), Hongzhi Wang (Harbin Institute of Technology), Zhe Sun (Harbin Institute of Technology), Siying Chen (Harbin Institute of Technology), Hongbin Su (Harbin Institute of Technology), and Huan Hu (Huawei Cloud Computing Technologies Co., Ltd.)	
LINEAGEX: A Column Lineage Extraction System for SQL	4604
Shi Heng Zhang (Simon Fraser University, Canada), Zhengjie Miao (Simon Fraser University, Canada), and Jiannan Wang (Simon Fraser University, Canada)	

CSKQS: A Query System for Collective Spatial Keyword Queries	4608
<i>Harry Kai-Ho Chan (University of Sheffield, United Kingdom)</i>	
PixelsDB: Serverless and NL-Aided Data Analytics with Flexible Service Levels and Prices	4612
<i>Haoqiong Bian (Renmin University of China), Dongyang Geng (Renmin University of China), Haoyang Li (Renmin University of China), Yunpeng Chai (Renmin University of China), and Anastasia Ailamaki (EPFL)</i>	
RAISIN: A Parallel Subgraph Matching Tool Exploiting Community Structures in Social Networks	4616
<i>Songyao Wang (Tsinghua University, China) and Chaokun Wang (Tsinghua University, China)</i>	
Chat2DB: Chatting to the Database with Interactive Agent Assisted Language Models	4620
<i>Boyan Xu (Guangdong University of Technology, China), Yuyuan Cai (Guangdong University of Technology, China), Shaobin Shi (Guangdong University of Technology, China), Zhifeng Hao (Guangdong University of Technology, China; Shantou University, China), and Ruichu Cai (Guangdong University of Technology, China)</i>	
ARAG: Analysis and Retrieval Augmented Generation for Comprehensive Reasoning over Socioeconomic Data	4624
<i>Yixiong Xiao (Baidu Research, China), Jingjia Cao (Baidu Research, China), Yangxin Jiang (Baidu Research, China), and Jingbo Zhou (Baidu Research, China)</i>	
Artemis: A Customizable Workload Generation Toolkit for Benchmarking Cardinality Estimation	4628
<i>Zirui Hu (East China Normal University; Ministry of Education), Rong Zhang (East China Normal University; Ministry of Education), Chengcheng Yang (East China Normal University; Ministry of Education), Xuan Zhou (East China Normal University; Ministry of Education), Quanqing Xu (OceanBase, Ant Group), and Chuanhui Yang (OceanBase, Ant Group)</i>	
IKGA: An Interactive Visualization Tool for Knowledge Graph Alignment	4632
<i>Weixin Zeng (Laboratory for Big Data and Decision, National University of Defense Technology, China), Shiqi Zhang (National Key Laboratory of Information Systems Engineering, National University of Defense Technology, China), Huang Peng (Laboratory for Big Data and Decision, National University of Defense Technology, China), Zhen Tan (National Key Laboratory of Information Systems Engineering, National University of Defense Technology, China), Weidong Xiao (National Key Laboratory of Information Systems Engineering, National University of Defense Technology, China), and Xiang Zhao (Laboratory for Big Data and Decision, National University of Defense Technology, China)</i>	
CBAClean: A Comprehensive System for Recommending Data Cleaning Solutions through Cost-Benefit Analysis in Data Quality Management	4636
<i>Xiaoou Ding (Harbin Institute of Technology), Hongbin Su (Harbin Institute of Technology), Zekai Qian (Harbin Institute of Technology), Wenxuan Cui (Harbin Institute of Technology), Siying Chen (Harbin Institute of Technology), Zheng Liang (Harbin Institute of Technology), Chen Wang (Tsinghua University), and Hongzhi Wang (Harbin Institute of Technology)</i>	

Future Technologies

Training Data Distribution Estimation for Optimized Pre-Training Data Management	4640
<i>Hao Liang (Peking University, China), Keshi Zhao (Peking University, China), Yajie Yang (Beijing University of Posts and Telecommunications, Beijing), Bin Cui (Peking University, China), Zenan Zhou (Baichuan Inc., China), and Wentao Zhang (Peking University, China)</i>	
Beyond Bandwidth Doubling: Embrace Bit-Flips and Unlock Processing-in-NAND	4649
<i>Maximilian Berens (TU Dortmund University, Germany), Yun-Chih Chen (TU Dortmund University, Germany), Jian-Jia Chen (TU Dortmund University, Germany; Lamarr Institute for Machine Learning and Artificial Intelligence, Germany), and Jens Teubner (TU Dortmund University, Germany; Lamarr Institute for Machine Learning and Artificial Intelligence, Germany)</i>	
Unify: An Unstructured Data Analytics System	4662
<i>Jiayi Wang (Tsinghua University) and Jianhua Feng (Tsinghua University)</i>	

Ph.D. Symposium

Optimizing Cloud Data Lake Queries by Minimizing the Query Coverage Set	4675
<i>Grisha Weintraub (Ben-Gurion University of the Negev, Israel)</i>	
MetaLoRA: Tensor-Enhanced Adaptive Low-Rank Fine-Tuning	4680
<i>Maolin Wang (City University of Hong Kong, China)</i>	
Leveraging LLMs for Diffusion Prediction in Social Networks: A Fused Attention-Aware Model..	4685
<i>Wenbo Shang (Hong Kong Baptist University, China)</i>	
Simplifying Data Integration: SLM-Driven Systems for Unified Semantic Queries Across Heterogeneous Databases	4690
<i>Teng Lin (HKUST(GZ))</i>	
StreamSC: A Learning-Based Framework for Efficient Subgraph Counting in Stream Graphs	4694
<i>Zhen Xie (National University of Defense Technology, China)</i>	
Explore the Disentanglement Mechanism for Deep Learning	4699
<i>Haiquan Qiu (Tsinghua University)</i>	

TKDE Poster Papers

$\mathcal{O}(1)$ -Time Complexity for Fixed Sliding-Window Aggregation Over Out-of-Order Data Streams (Extended Abstract)	4704
<i>Savong Bou (University of Tsukuba), Toshiyuki Amagasa (University of Tsukuba), and Hiroyuki Kitagawa (University of Tsukuba; AIST)</i>	

Efficient Unsupervised Graph Embedding with Attributed Graph Reduction and Dual-Level Loss (Extended Abstract)	4706
<i>Ziyang Liu (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Hao Feng (Tsinghua University, China), and Ziyang Chen (Tsinghua University, China)</i>	
SkipNode: On Alleviating Performance Degradation for Deep Graph Convolutional Networks (Extended Abstract)	4708
<i>Weigang Lu (Xidian University), Yibing Zhan (JD Explore Academy), Binbin Lin (Zhejiang University), Ziyu Guan (Xidian University), Liu Liu (the University of Sydney), Baosheng Yu (the University of Sydney), Wei Zhao (Xidian University), Yaming Yang (Xidian University), and Dacheng Tao (Nanyang Technological University)</i>	
Natural Language Interfaces for Tabular Data Querying and Visualization: A Survey (Extended Abstract)	4710
<i>Weixu Zhang (International Digital Economy Academy (IDEA); Xi'an Jiaotong University), Yifei Wang (International Digital Economy Academy (IDEA); University of Toronto), Yuanfeng Song (WeBank Co., Ltd.), Victor Junqiu Wei (Hong Kong University of Science and Technology), Yuxing Tian (International Digital Economy Academy (IDEA); Xidian University), Yiyan Qi (International Digital Economy Academy (IDEA)), Jonathan H. Chan (King Mongkut's University of Technology Thonburi), Raymond Chi-Wing Wong (Hong Kong University of Science and Technology), and Haiqin Yang (International Digital Economy Academy (IDEA))</i>	
Kairos: Enabling Prompt Monitoring of Information Diffusion Over Temporal Networks (Extended Abstract)	4712
<i>Haifa Gaza (Sejong University, South Korea) and Jaewook Byun (Sejong University, South Korea)</i>	
CausalFormer: An Interpretable Transformer for Temporal Causal Discovery (Extended Abstract)	4714
<i>Lingbai Kong (Tongji University, China), Wengen Li (Tongji University, China), Hanchen Yang (Tongji University, China), Yichao Zhang (Tongji University, China), Jihong Guan (Tongji University, China), and Shuigeng Zhou (Fudan University, China)</i>	
Condensing Pre-Augmented Recommendation Data via Lightweight Policy Gradient Estimation (Extended Abstract)	4716
<i>Jiahao Wu (Southern University of Science and Technology, China; The Hong Kong Polytechnic University, China), Wenqi Fan (The Hong Kong Polytechnic University, China), Jingfan Chen (The Hong Kong Polytechnic University, China), Shengcui Liu (Southern University of Science and Technology, China), Qijiong Liu (The Hong Kong Polytechnic University, China), Rui He (Southern University of Science and Technology, China), Qing Li (The Hong Kong Polytechnic University, China), and Ke Tang (Southern University of Science and Technology, China)</i>	

Interrelated Dense Pattern Detection in Multilayer Networks (Extended Abstract)	4718
Wenjie Feng (University of Science and Technology of China, China; National University of Singapore, Singapore), Li Wang (Chinese Academy of Sciences, China), Bryan Hooi (National University of Singapore, Singapore), See-Kiong Ng (National University of Singapore, Singapore), and Shenghua Liu (Chinese Academy of Sciences, China)	
BGAE: Auto-Encoding Multi-View Bipartite Graph Clustering (Extended Abstract)	4720
Liang Li (National University of Defense Technology, China), Yuangang Pan (A*STAR, Singapore), Jie Liu (National University of Defense Technology, China), Yue Liu (National University of Defense Technology, China), Xinwang Liu (National University of Defense Technology, China), Kenli Li (Hunan University, China), Ivor W. Tsang (A*STAR, Singapore), and Keqin Li (State University of New York, USA)	
A Novel Key Point Based MLCS Algorithm for Big Sequences Mining (Extended Abstract)	4722
Yanni Li (Xidian University, China), Bing Liu (University of Illinois Chicago, USA), Tihua Duan (Shanghai Yushang Information Technology Co., LTD, China), Zhi Wang (Xidian University, China), Hui Li (Xidian University, China), and Jiantao Cui (Xidian University, China)	
MC ² LS: Towards Efficient Collective Location Selection in Competition (Extended Abstract).....	4724
Meng Wang (Xi'an Polytechnic University, China), Mengfei Zhao (Xi'an Polytechnic University, China), Hui Li (Xidian University, China; Shanghai Yunxi Technology, China), Jiantao Cui (Xidian University, China), Bo Yang (Xi'an Polytechnic University, China), and Tao Xue (Xi'an Polytechnic University, China)	
FELight: Fairness-Aware Traffic Signal Control via Sample-Efficient Reinforcement Learning (Extended Abstract)	4726
Xinqi Du (Dalian University of Technology, China), Ziyue Li (University of Cologne, Germany), Cheng Long (Nanyang Technological University, Singapore), Yongheng Xing (Dalian Maritime University, China), Philip S. Yu (University of Illinois at Chicago, USA), and Hechang Chen (Jilin University, China)	
BiTDB: Constructing a Built-in TEE Secure Database for Embedded Systems (Extended Abstract)	4728
Chengyan Ma (Xidian University), Di Lu (Xidian University), Chaoyue Lv (Xidian University), Ning Xi (Xidian University), Xiaohong Jiang (Future University Hakodate), Yulong Shen (Xidian University), and Jianfeng Ma (Xidian University)	
Generalized Measure-Biased Sampling and Priority Sampling (Extended Abstract)	4730
Zhao Chang (Xidian University, China), Feifei Li (Alibaba Group, China), and Yulong Shen (Xidian University, China)	
Characterizing Submanifold Region for Out-of-Distribution Detection (Extended Abstract)	4732
Xuhui Li (Zhejiang University, China), Zhen Fang (University of Technology Sydney, Australia), Yonggang Zhang (Hong Kong Baptist University, China), Ning Ma (Zhejiang University, China), Jiajun Bu (Zhejiang University, China), Bo Han (Hong Kong Baptist University, China), and Haishuai Wang (Zhejiang University, China)	

Learning Prioritized Node-Wise Message Propagation in Graph Neural Networks (Extended Abstract)	4734
<i>Yao Cheng (East China Normal University, China), Minjie Chen (East China Normal University, China), Caihua Shan (Microsoft Research Asia, China), and Xiang Li (East China Normal University, China)</i>	
Smoothing Outlier Scores is All You Need to Improve Outlier Detectors (Extended Abstract)	4736
<i>Jiawei Yang (University of Turku, Finland), Susanto Rahardja (Singapore Institute of Technology, Singapore), and Pasi Fränti (University of Eastern Finland, Finland)</i>	
HAQJSK: Hierarchical-Aligned Quantum Jensen-Shannon Kernels for Graph Classification (Extended Abstract)	4738
<i>Lu Bai (Beijing Normal University, China), Lixin Cui (Central University of Finance and Economics, China), Yue Wang (Central University of Finance and Economics, China), Ming Li (Zhejiang Normal University, China), Jing Li (Central University of Finance and Economics, China), Philip S. Yu (University of Illinois at Chicago, US), and Edwin R. Hancock (University of York, UK)</i>	
AEGK: Aligned Entropic Graph Kernels through Continuous-Time Quantum Walks (Extended Abstract)	4740
<i>Lu Bai (Beijing Normal University, China), Lixin Cui (Central University of Finance and Economics, China), Ming Li (Zhejiang Normal University, China), Peng Ren (China University of Petroleum (East China), China), Yue Wang (Central University of Finance and Economics, China), Lichi Zhang (Shanghai Jiao Tong University, China), Philip S. Yu (University of Illinois at Chicago, USA), and Edwin R. Hancock (University of York, UK)</i>	
Robust and Consistent Anchor Graph Learning for Multi-View Clustering (Extended Abstract) ...	4742
<i>Suyuan Liu (National University of Defense Technology, China), Qing Liao (Harbin Institute of Technology, China), Siwei Wang (Intelligent Game and Decision Lab, China), Xinwang Liu (National University of Defense Technology, China), and En Zhu (National University of Defense Technology, China)</i>	
Hyperedge Graph Contrastive Learning (Extended Abstract)	4744
<i>Junfeng Zhang (National University of Defense Technology, China), Weixin Zeng (National University of Defense Technology, China), Jiuyang Tang (National University of Defense Technology, China), and Xiang Zhao (National University of Defense Technology, China)</i>	
Online Feature Selection with Varying Feature Spaces (Extended Abstract)	4746
<i>Shengda Zhuo (Jinan University, China), Jinjie Qiu (Jinan University, China), Changdong Wang (Sun Yat-sen University, China), and Shuqiang Huang (Jinan University, China)</i>	
Efficient Projection-Based Algorithms for Tip Decomposition on Dynamic Bipartite Graphs (Extended Abstract)	4748
<i>Tongfeng Weng (National University of Singapore), Yumeng Liu (Chinese Academy of Sciences), Mo Sha (Alibaba Cloud), Xinyuan Chen (Nanjing University of Aeronautics and Astronautics), Xu Zhou (Hunan University), Kenli Li (Hunan University), and Kian Lee Tan (National University of Singapore)</i>	

Efficient Skyline Frequent-Utility Itemset Mining Algorithm on Massive Data (Extended Abstract)	4750
<i>Jingxuan He (Harbin Institute of Technology, China), Xixian Han (Harbin Institute of Technology, China), Xiaolong Wan (Harbin Institute of Technology, China), and Jinbao Wang (Harbin Institute of Technology, China)</i>	

Author Index