

2025 IEEE MTT-S International Wireless Symposium (IWS 2025)

**Xi'an, China
19-22 May 2025**

Pages 1-538



**IEEE Catalog Number: CFP25IWW-POD
ISBN: 979-8-3315-3802-6**

**Copyright © 2025 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP25IWW-POD |
| ISBN (Print-On-Demand): | 979-8-3315-3802-6 |
| ISBN (Online): | 979-8-3315-3801-9 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|---|----|
| Terahertz On-Chip Unit and Array Antenna Based on Glass Substrate..... | 1 |
| <i>Xusheng Zhao, Xiao Fang, Yuming Wu, Weidong Hu, Juan Liu, Lei Wang</i> | |
| Broadband Multi-Beam Array Based on CTS with $\pm 60^\circ$ Beam Coverage..... | 4 |
| <i>Lili Wu, Zezhong Yang, Tengyang Zhu, Yang You, Yunlong Lu, Jifu Huang</i> | |
| Design of Dielectric Resonator Array Antenna with Flat-Topped Beamforming..... | 7 |
| <i>Huan Luo, Xianyi Zeng, Wei Li, Liying Sun, Lingguo Min, Yunlong Lu, Yang You, Jifu Huang</i> | |
| A Millimeter-Wave Low-Profile Wideband Dual-Polarization Antenna with Enhanced Polarization Isolation for 5G/6G Applications..... | 10 |
| <i>Qingqing Lin, Jun Xu, Wei Hong</i> | |
| A Novel and Precise Array Synthesis Method Based on Multiport Network for Reconfigurable Array Antennas..... | 13 |
| <i>Yuxin Mo, Min Li, Kaixue Ma</i> | |
| A Planar Wideband Dual-Circularly Polarized Antenna Design | 16 |
| <i>Di Wu, Junze Liang, Lei Ge</i> | |
| An Electro-Thermal Co-Designed and Wideband Circularly Polarized Archimedean Spiral Antenna | 19 |
| <i>Liudan Chen, Yu-Xiang Sun</i> | |
| Design of a Broadband Circularly Polarized Magnetolectric Dipole Antenna for 5G Millimeter-Wave Applications..... | 22 |
| <i>Xingyu Guo, Ruina Lian, Haotian Liu, Shuai Liu, Mian Qin</i> | |
| RCS Reduction of Waveguide Slot Antenna Array Utilizing Slotted Hollow Cylindrical Structures | 25 |
| <i>Wen-Yi Xiao, Qiang Zhang, Yongtao Jia, Gelu Ma, Yunfei Sun, Chengwei Yuan, Ying Liu</i> | |
| Two-Layer Balanced Low-Pass Filter with Multiple Transmission Zeros Using Microstrip-To-Microstrip Vertical Transitions | 28 |
| <i>Li Yang, Zekai Luo, Xi Zhu, Roberto Gómez-García</i> | |
| Low Loss Metal Integrated Suspended Line (MISL) Circuits for RF and Millimeter-Wave Applications (Invited)..... | 31 |
| <i>Yongqiang Wang</i> | |
| Planar Transversal-Signal-Interference Triple-Band Bandpass Filter with Multiple Transmission Zeros and Extended Upper Stopband | 32 |
| <i>Mohamed Malki, Li Yang, Roberto Gómez-García</i> | |
| Miniaturized Substrate Integrated Waveguide Filtering Crossover with Distinct Frequencies for Dual Channels | 35 |
| <i>Shuhao Shen, Kang Zhou</i> | |
| Average Power Handling Capability of Metal Integrated Suspended Lines Considering Self-Heating Effects | 38 |
| <i>Yundong Ma, Kaixue Ma, Yongqiang Wang</i> | |
| A Transmission-Type 2-Bit Wideband Phase Shifter Based on Reconfigurable Microstrip Lines..... | 41 |
| <i>Fengyuan Guo, Yonggeng Zhu, Yongxin Hou, Mengmeng Li, Dazhi Ding</i> | |

| | |
|--|----|
| A Reconfigurable Reflectarray Based on Programmable Multifunctional Metasurface with Low Cross-Polarization Levels..... | 44 |
| <i>Qi Hu, Ke Chen, Yijun Feng</i> | |
| A Frequency Selective Resorber with Two Wide Passband and an Absorption Band Based on Polarization Converter..... | 47 |
| <i>Pei Zhang, Da Li, Di Gao, Hongchao Wang, Er-Ping Li</i> | |
| A Dual-Band Bandpass Frequency Selective Surface Based on the Lorentz-Dispersive Metamaterials | 50 |
| <i>Fanfan Hu, Xiang Li, Wenhai Zhang, Yilin Zheng</i> | |
| An X-Band Mixer-First Receiver with Two-Stage Automatic Gain Control in 40-Nm CMOS | 53 |
| <i>Qingxian Li, Bingzheng Yang, Jiahao Li, Yiyang Shu, Jie Zhou, Xun Luo</i> | |
| A Ku/K/Ka Band Passive Double-Balanced Frequency Doubler with >40dBc Fundamental Rejection in 0.1 μ m GaAs pHEMT Technology..... | 56 |
| <i>Long Shi, Ruoxuan Wang, Tao Shi, Siyuan Tang, Peigen Zhou, Wei Hong</i> | |
| CMA-Assisted Deployment of a Broadband Monopole Array on a Vivaldi Array | 59 |
| <i>Di Wang, Zitong Wang, Peng Liu, Qi Wu</i> | |
| A 290- μ W 2.4-GHz Noise-Canceling LNA with 3.3-DB NF for Ultra-Low-Power Radios | 62 |
| <i>Hui Zhang, Keping Wang</i> | |
| Ultra-Low Power Temperature Sensing Node Powered by Low RF Power Harvesting for Long-Range Communication | 65 |
| <i>Mengxi Yan, Lei Guo, Ke Wu</i> | |
| A Wireless Data and Power Transfer System Based on Load Modulation | 68 |
| <i>Yihuan Niu, Yun Fang, Chongqing Lu, Xiongchuan Huang, Yang Liu, Xiaoyang Zeng, Hao Gao</i> | |
| High-Gain Silicon-Integrated Metalens Antenna for THz Detectors..... | 71 |
| <i>Chengcheng Zheng, Wan Chen Yang, Zhuo Dong, Kai Zhang, Shilong Pan</i> | |
| Design of a Multilayer Frequency Selective Surface Structure with Air Gaps..... | 74 |
| <i>Weihao Wang, Shukun He, Xi Wang, Xuechao Duan, Hongyu Shi</i> | |
| Broadband Dual Polarized Filtenna for 5G Millimeter Wave Application | 77 |
| <i>Kai Huang, Yao Zhang</i> | |
| Dielectric Waveguide-Integrated Rydberg Superheterodyne Receiver for Omnidirectional Electrometry | 80 |
| <i>Xu Li, Yi-Ming Zhang, Lei Hu</i> | |
| Frequency Selective Surface Enabled Dual-Wideband Dual-Polarized Reflectarray Antenna with a Large Frequency Ratio | 83 |
| <i>Hao-Lin Dong, Xiaolu He, Chu Qi, Tayyab Ali Khan, Yixiang Li, Alex M. H. Wong</i> | |
| Decoupling of a Tri-Band Shared-Aperture Patch Array Using an Unified Tri-Band Decoupling Network (UTDN) | 86 |
| <i>Xichen Wang, Can Ding, Shiyong Li, Guoqiang Zhao, Houjun Sun</i> | |
| Accurate Infant Respiratory Monitoring and Apnea Detection System with Time-Domain Enhancement Technique Based on FMCW Radar..... | 89 |
| <i>Yiyan Cao, Jiayu Zhang, Changzhan Gu, Junfa Mao</i> | |

| | |
|--|-----|
| A Minimum Rényi Entropy Autofocus for Automotive SAR Imaging | 92 |
| <i>Chenxiao Yin, Kun Deng, Lu Zhang, Xinran Tian, Zhanye Chen, Yan Huang</i> | |
| Wideband, Wide-Angle Scanning Active Reconfigurable Intelligent Surface | 95 |
| <i>Fanfei Yang, Kaixue Ma, Min Li</i> | |
| Kirigami Metasurface for Dynamic RCS Switching: Retroreflective Enhancement to Broadband Stealth..... | 98 |
| <i>Qingqing Zhang, Xiaobei Bian, Zheng Shuai, Xinyang Mao, Dongfang Guan</i> | |
| A High-Efficiency Optically Transparent Reflectarray Antenna Based on Frequency Selective Surfaces | 101 |
| <i>Jianjing Zhou, Jiahao Shi, Longzhu Cai, Yongxiang Geng, Zhi Hao Jiang, Wei Hong</i> | |
| Recent Advances in Mesh Space Mapping Approaches to EM Optimization | 104 |
| <i>Mutian Li, Feng Feng, Shaochang Liu, Jianguo Xue, Jianan Zhang, Kaixue Ma, Qi-Jun Zhang</i> | |
| A DC-18GHz High Isolation Asymmetric Frequency Division Single Pole Seven Throw Switch..... | 107 |
| <i>Shangsong Ye, Pei-Ling Chi, Junzhi Zhang, Xianle Zhang, Tao Yang</i> | |
| A Novel Non-Volatile RF Switch Using Resistive Random-Access Memory Device | 110 |
| <i>Xinyu Chen, Jiahao Huang, Guangxu Shen</i> | |
| A Generative Adversarial Network-Based Wireless Channel Model for Tunnel Propagation..... | 113 |
| <i>Haochang Wu, Shiqi Wang, Siyi Huang, Siteng Ma, Xingqi Zhang, Xinyue Zhang</i> | |
| Gain-Enhanced Dual Circularly Polarized Magnetolectric Dipole Phased Array Antenna with 3D- Printed Dielectric Lens for 1D Beam Scanning..... | 116 |
| <i>Zhichao Sun, Xiaojing Lv, Jiexin Lai, Yang Yang</i> | |
| Numerical Aspects of Exhaustive Synthesis Framework of Bandpass Filters with Arbitrary Topology for All Real-Valued Solutions..... | 119 |
| <i>Junyi Liu, Ke-Li Wu</i> | |
| Microwave Angular Displacement Sensor Using Cross-Shaped Coupled-Line Resonator..... | 122 |
| <i>Zhuowei Zhang, Kam-Weng Tam, Gang Zhang, Chi-Hou Chio, Cheng Teng</i> | |
| A Millimeter-Wave Concurrent Dual-Band LNA in 28-Nm Bulk CMOS for 5G Application..... | 125 |
| <i>Wen Rao, Li Gao, Wen Yang, Xiu Yin Zhang</i> | |
| Modulation Recognition Based on Multi-Modal Fusion of ResNet and Traditional Signal Processing..... | 128 |
| <i>Haoqi Lai, Xufei Su, Tao Yang, Xinyan Zhou, Shuxin Du, Cuicui Zhang, Anxue Zhang</i> | |
| Compact 1.4-2.2-GHz Reconfigurable Bandpass-To-Bandstop Filter with Wide Stopband Using Tunable SIDGS Resonators..... | 131 |
| <i>Lingzhi Du, Qiqi Luo, Jie Zhou, Xun Luo</i> | |
| Reconfigurable Polarization Wideband SIW Cavity-Backed Slot Antenna with Differential Feeding Strategy..... | 134 |
| <i>Chao Wang, Xiao-Chun Li, David Keezer</i> | |
| Spoof Surface Plasmon Polaritons Leaky-Wave Antenna with Endfire and Beam Scanning Mode | 137 |
| <i>Zhi-Jie Wei, Zheng-Gang Yan, Wen-Zhong Lu, Xiao-Chuan Wang</i> | |

| | |
|---|-----|
| A Channel Capacity Calculation Method for Two-Dimensional Antenna Arrays Without Receivers | 140 |
| <i>Tianchi Ma, Da Li, Ruifeng Li, Jinyan Ma, Er-Ping Li</i> | |
| Miniaturized Dual-Band Bandstop Filter Based on Parallel Connected SAW Resonators..... | 143 |
| <i>Junhong Cai, Hanyu Tian, Yuandan Dong</i> | |
| Prior Knowledge Informed Neural Network for Scanning Beam Synthesis of Subarrayed Phased Array Antenna | 146 |
| <i>Lun Wei Mou, Yu Jian Cheng</i> | |
| Broadband Low-Profile and Flexible Metasurface for Enhancing Signal Transmission Through Glass Curtain Walls | 149 |
| <i>Jiale Du, Yuchen Suo, Zhongtao Li, Nan Wang, Fengyuan Yang</i> | |
| Simultaneous Transmit and Receive Antenna Systems with High Isolation | 152 |
| <i>Yangyang He, Kaixue Ma, Min Li</i> | |
| An Optically Transparent Low-Profile Dual-Band MIMO Antenna for WLAN System | 155 |
| <i>Youan Xu, Ruijie Wu, Xin-Yao Luo, Guowen Ding, Shenyun Wang</i> | |
| A K-/Ka-Band LNA with 3.5 ± 0.15 dB Noise Figure Using Triple-Coupled Transformer Matching Network in 65-Nm CMOS | 158 |
| <i>Sijia Bai, Hai Ye, Fanyi Meng</i> | |
| Enhanced Full-Wave Inverse Scattering Solver Using FDTD-Equivalent CNNs | 161 |
| <i>Yu Cheng, Siyi Huang, Shunchuan Yang, Xingqi Zhang, Xinyue Zhang</i> | |
| An Outphasing Power Amplifier Design Based on Transistor Load-Pull Data | 164 |
| <i>Jinhao Zhang, Haode Li, Yuxiu Tong, Zehao Zhu, Jiangtao Su</i> | |
| Enhanced Large-Angle Stability in Frequency Selective Surface Through Evanescent Mode Cancellation..... | 167 |
| <i>Yaojia Yang, Fan Yang, Shenheng Xu, Maokun Li</i> | |
| An Adaptive Weighted Bisection Algorithm Based End-To-End Automatic Design Scheme for Wideband Low-Noise Amplifiers..... | 170 |
| <i>Xuanyu He, Hang Lu, Nayu Li, Botao Yang, Xiaokang Qi, Chunyi Song, Zhiwei Xu</i> | |
| AI-Driven Pixelated Matching Network Design with Automated Impedance Clustering Constraints for Power Amplifiers | 173 |
| <i>Jingyun Bi, Xinyu Zhou, Jing Xia, Wenjie Feng, Yanze Wang, Wing Shing Chan</i> | |
| Quadruple-Band Tunable Filtering Attenuator Based on GSS Integrated Dual-Mode Microstrip Resonators | 176 |
| <i>Guangyuan Zhao, Yunxi Li, Tao Su, Bian Wu</i> | |
| A Machine Learning-Assisted Multi-Port Antenna Isolation Enhancement Method Based on a Novel Intelligent Surface for In-Band Full-Duplex Systems | 179 |
| <i>Mengkai Xi, Luyu Zhao</i> | |
| A Leaky-Wave Antenna Array Fed by Multi-Mode Substrate Integrated Waveguide Coupler | 182 |
| <i>Yanyu Wu, Gan Wang, Junxian Zhao, Guyu Wang, Yan Zhang</i> | |
| An Enhanced TRL Calibration Method for On-Wafer Leaky Systems Using a 10-Term Error Model..... | 185 |
| <i>Jiachen Shen, Longzhu Cai, Zhi Hao Jiang, Wei Hong</i> | |

| | |
|---|-----|
| Frequency-Tunable CNN Model for Radio Wave Propagation in Tunnel Environments..... | 188 |
| <i>Shuwen Yang, Siyi Huang, Hao Qin, Shunchuan Yang, Xinyue Zhang, Xingqi Zhang</i> | |
| A 2-14 GHz Switchless PA/LNA with Simultaneous Bidirectional Impedance/Noise/Power Matching in SiGe 0.18- μm BiCMOS | 191 |
| <i>Jianbing Liu, Fanyi Meng</i> | |
| A Q-Band Hard-Soft Gap Waveguide Antenna Array with Hybrid Integrated Feeding Network | 194 |
| <i>Hanchen Chi, Jiaxin Zhao, Dongquan Sun, Xiang Chen</i> | |
| A Compact Low Noise 7bits Variable-Gain Phase Shifter Utilizing Distributed Attenuation Scheme with Minimum 0.34° Phase Error..... | 197 |
| <i>Congrui Li, Yan Wang, Lei Zhang</i> | |
| An 85-To-105 GHz Vector Modulator Phase Shifter Using Optimized Passive Devices with <0.93dB/3.5° RMS Gain/Phase Error in 0.13- μm SiGe BiCMOS | 200 |
| <i>Nengxu Zhu, Jinxin Li, Yiting Zhang, Kaixue Ma, Fanyi Meng</i> | |
| A Frequency-Reconfigurable Bow-Tie Antenna Operating in the X/Ku Band Based on a De-Inductor Bias Scheme..... | 203 |
| <i>Xiaoqiao Deng, Xiaolong Li, Zhengyan Zhang, Weijia Huang</i> | |
| A 24.5pJ/Bit OOK/BFSK/QPSK RF Transmitter Employing Injection Locking by MEMS-Based RF Oscillator | 206 |
| <i>Dong Liang, Keping Wang</i> | |
| A Design of 2-Bit Absorptive Filtering Reconfigurable Intelligent Structure Element with Predictable Reflection Response | 209 |
| <i>De Yin, Lei Zhu</i> | |
| Multi-Frequency and Multi-Polarization Circular Airy Beams Generation Based on Reflective-Tensor Impedance Metasurface | 212 |
| <i>Hui-Fen Huang, Xiao-Mei Lei</i> | |
| A Design Method for Arbitrary Three-Dimensional Conformal Metasurfaces | 215 |
| <i>Huifen Huang, Jianyuan Wang</i> | |
| Direction-Of-Arrival Estimation Method Based on Asynchronous Control Reconfigurable Intelligent Surface | 218 |
| <i>Yuze Guo, Zhenyao Zhang, Liang Jin, Xiaoming Xu, Shuaiyin Wang, Boming Li</i> | |
| A High-Power Spherical Radome Based on Frequency Selective Surface for RCS Reduction | 221 |
| <i>Xuan Liu, Qiang Zhang, Wen-Yi Xiao, Yunfei Sun, Chengwei Yuan, Ying Liu</i> | |
| A Compact Dual-Band Dual-Polarized Antenna Array Based on Metasurface for Wi-Fi Communication | 224 |
| <i>Peng Xu, Xiao Cai</i> | |
| A SRF Network for Circularly Polarized Phased Arrays..... | 227 |
| <i>Peiqi Jin, Shuang Zheng, Zhenshuai Fu, Meicheng Liu, Yuefeng Hou, Kaixue Ma</i> | |
| Wide Angle Beam Steering Leaky Wave Antenna Based on Substrate Integrated Waveguide | 230 |
| <i>Cong Liu, Hao Ni, Peng Jiang, Leilei Liu</i> | |
| A 65nm CMOS 60GHz Quadrature Signal Generator for Low-Phase-Noise Millimeter-Wave Synthesis..... | 233 |
| <i>Chinghsiang Shen, Wanqing Wu, Xinyi Zhang, Xi Zhu, Haigang Feng</i> | |

| | |
|---|-----|
| A 24.3~42 GHz Low Noise Amplifier with Bandwidth-Enhanced T-Coil Load in 0.13- μm SiGe-BiCMOS | 236 |
| <i>Chen Deng, Wenhua Gong, Hao Su, Yatao Peng, Hou Ian, Jun Yin, Rui P. Martins, Pui-In Mak</i> | |
| A S-Band Single Balanced Mixer Based on the Microstrip Structure | 239 |
| <i>Xiuqi Xue, Rui Chen, Junliang Wang, Jihong Gu, Yang Xu, Dazhi Ding</i> | |
| An Ultra-Wideband Low Noise Amplifier Based on SISL Platform..... | 242 |
| <i>Yuhao Hu, Kaixue Ma, Yongqiang Wang</i> | |
| Optimization of Reconfigurable Metasurface Design Based on Machine Learning | 245 |
| <i>Chang Su, Jin Yang</i> | |
| Grating Lobe-Free Design and Array Layout Optimization of Array Fed Reflector Antenna..... | 248 |
| <i>Siyao Zhang, Jinwen Shi, Xingang Zhang, Ruixiang Liang</i> | |
| Digital Multi-Polarization Modulation and Its Self-Reconstruction for Resisting Nonlinear Amplification..... | 251 |
| <i>Min Fan, Cheng Yi, Guoxing Duan, Bensheng Yang, Wei Xu, Haiming Wang, Xiaohu You</i> | |
| A Complete Physical Layer Receiver Solution for High Throughput MIMO-OFDM System..... | 254 |
| <i>Xinyan Zhou, Cuicui Zhang, Zifeng Tang, Shuxin Du, Zhensheng Shi, Anxue Zhang</i> | |
| A Shape-Context Descriptor-Based Approach for Key Area Identification in Ship Detection by Passive Interferometric Microwave Sensor | 257 |
| <i>Jiale Min, Dong Zhu, Fei Hu</i> | |
| A High-Gain Magnetolectric Dipole Antenna Array for D-Band Applications | 260 |
| <i>Jinghe Zhang, Kaixue Ma, Ningning Yan</i> | |
| A Compact Dual-Polarized Antenna for Dielectric Logging Instruments | 263 |
| <i>Wenxuan Wu, Qiuli He, Yang Zhe, Chunli Lu, Qiling Sun, Qintao Sun, Yuanxi Cao</i> | |
| A Dual-Polarized Multi-Spacing Antenna Array for Dielectric Logging | 266 |
| <i>Wenxuan Wu, Qiuli He, Yang Zhe, Chunli Lu, Qiling Sun, Qintao Sun, Yuanxi Cao</i> | |
| A Compact 22 to 41 GHz Power Amplifier with Tri-Stack Transformer in 28-Nm CMOS Technology | 269 |
| <i>Jinghe Zhang, Kaixue Ma, Xv Wang, Kejie Hu, Yongqiang Wang</i> | |
| Large-Spacing Phased Array Antenna Based on Passive Overlapped Mapping Feeding Network | 272 |
| <i>Zhicheng Huang, Xiaoling Xu, Shaowei Liao</i> | |
| A Compact Microstrip Dual-Band Filter Based on Stub-Embedded Hairpin-Ring Resonators | 275 |
| <i>Xueyu Huang, Wenjie Feng, Yunfei Cao, Kun Tang, Quan Xue, Wenquan Che</i> | |
| A Folded Bandpass Filter Based on Metal Integrated Suspended Line Technology | 278 |
| <i>Yahong He, Yi Wu, Kaixue Ma, Shixiong Liang</i> | |
| A 300-GHz Broadband High-Output-Power Terahertz Source Based on Low-Q Colpitts Injection-Locked Oscillator | 281 |
| <i>Kaiyuan Du, Peng Wu, Zhongjun Yu</i> | |
| A 50-GHz Low-Conversion-Loss Subharmonic Mixer Based on HISL Platform..... | 284 |
| <i>Huiquan Geng, Kaixue Ma, Yi Wu</i> | |

| | |
|--|-----|
| A 24.25-43.5 GHz Variable Gain Amplifier with Low Phase Shift in 40-Nm CMOS | 287 |
| <i>Xingyu Ru, Kaixue Ma, Xu Wang, Yuefeng Hou</i> | |
| A Metamaterial Wireless Sensor on High-Loss Substrate | 290 |
| <i>Huanran Peng, Yujie Hua, Wenxuan Tang</i> | |
| Performance Analysis of Multi-UAV Aided Integrated Sensing and Communication in Network-Assisted Full-Duplex Cell-Free RAN..... | 293 |
| <i>Qijun Pan, Bairun Nie, Jianquan Liu, Xiaoxing Cheng</i> | |
| A Compact BJT-Less Temperature Sensor with Dual-Output with a High-Precision SAR ADC..... | 296 |
| <i>Man Zhang, Xin Zhang, Kaixue Ma</i> | |
| High-Power E-Band Surface-Mount Power Amplifier Module Using Multi-Chip Power Combining | 299 |
| <i>Huanhuan Guan, Zhenbei Li, Nan Guo, Meng Zhao, Jian Zhang</i> | |
| A 0.003 mm ² 4-To-7.5 GHz Multi-Phase Clock Generator Incorporating Low-Noise OTA and Digital PD Achieving 61.2 Fs and -255.9 dB FoM..... | 302 |
| <i>Haoyu Wen, Ya Zhao, Lingao Huang, Chao Fan</i> | |
| An E-Band Manifold-Coupled Four-Channel Multiplexer..... | 305 |
| <i>Tao Xiu, Zhi Li, Yongchao Huang, Lijie Fu, Peng Lin</i> | |
| A Compact Ultra-Wideband Loaded Bowtie Antenna for Handheld GPR..... | 308 |
| <i>Changbin Liu, Li Wang, Anxue Zhang</i> | |
| A 13-15.5GHz High-Linearity Single-Pole Double-Throw Switch in 65-Nm CMOS..... | 311 |
| <i>Cong Yao, Yiming Yu, Chenxi Zhao, Huihua Liu, Yunqiu Wu, Kai Kang</i> | |
| Delta Length Expansion of Outphasing Power Amplifier Combiner Based on Non-Commensurate Transmission Line | 314 |
| <i>Chunyu Hu, Weimin Shi</i> | |
| A 280 W Asymmetric Doherty Power Amplifier with Back-Off Efficiency Enhancement Using a Modified Load Modulation Network for 5G Base Station | 317 |
| <i>Yuanjun Chai, Kaixue Ma, Yongqiang Wang</i> | |
| A Dual-Mode Reconfigurable Intermediate Frequency Variable Gain Amplifier in 40 nm CMOS Technology | 320 |
| <i>Kunze Jia, Xu Wang, Kaixue Ma</i> | |
| A Ka-Band Two-Channel High-Accuracy Compact GaAs Multifunction Chip with Improved Controlling Circuit | 323 |
| <i>Qunfei Han, Sanming Hu, Tianyu Zhang, Hongqi Tao, Fangjie Cheng, Weibo Wang, Lanfeng Lin</i> | |
| A 58-64 GHz Low-Noise Amplifier (LNA) MMIC Designed and Manufactured Using GaN Technology | 326 |
| <i>Fan Yang, Weibo Wang, Yongping Peng, Zhongfei Chen, Yan Chen, Sihao Yuan</i> | |
| Small Chip Size and High-Power Capacity SPDT for X-Band Radar System Applications..... | 329 |
| <i>Zhenxing Gao, Yongle Wu, Jinchun Gao, Xiaopan Chen, Xuejie Bai, Weimin Wang</i> | |
| Analysis of Scattering Mechanism of Dual-Port Antennas and a Low-RCS Array Design..... | 332 |
| <i>Xin Yue, Jinbo Liu, Qingxin Guo, Zengrui Li</i> | |

| | |
|---|-----|
| A Compact Wide-Angle Scanning Antenna Array for U6G Massive MIMO Base Station..... | 335 |
| <i>Yunke Mo, Fangfang Fan, Xinyi Zhao</i> | |
| Novel IGPSO Algorithm for RCS Reduction Pixelate Metasurface Design | 338 |
| <i>Hanyu Shan, Tao Jiang</i> | |
| Low Voltage and High Speed Operation Non-Volatile RF Switch Based on Metal Oxide Memristor..... | 341 |
| <i>Yang Song, Gang-Yi Zhu</i> | |
| Segment-Matched Modulation Design for Multistate Broadband Microwave Absorber | 344 |
| <i>Yunfei Xia, Zhaowang Cao, Peiliang Wang, Zhuo Cheng, Han Zhang, Jianjun Jiang</i> | |
| Virtual Magnetic Walls and Its Application in Quarter-Mode Cavity Resonators..... | 347 |
| <i>Zhengjun Du, Jin Pan</i> | |
| Intelligent Optimization Method for RF Connection Networks Based on Insertion Loss Constraints..... | 350 |
| <i>Jinye Shao, Guangbao Shan, Guoliang Li</i> | |
| A Novel Windshield Antenna with Horizontal Forward Wide-Azimuth Coverage for V2X Communications..... | 353 |
| <i>Wenjun Zhou, Zhixing Chen, Shao Zhang, Huafeng Su, Xiuyin Zhang</i> | |
| Super-Resolution Method for Radio Wave Propagation in Tunnels: A Comparison of Data Processing Strategies in Modeling | 356 |
| <i>Siyi Huang, Shiqi Wang, Shunchuan Yang, Xinyue Zhang, Xingqi Zhang</i> | |
| The λ - κ - μ Composite Fading Model Under Multiplicative Shadowing Environments..... | 359 |
| <i>Huan Wang, Junliang Liu, Cheng Zhang, Yunyao Li, Guanjun Xu</i> | |
| Split-Step Parabolic Equation Driven CNN Model for Radio Wave Propagation Over Complex Terrain | 362 |
| <i>Shuwen Yang, Siyi Huang, Hao Qin, Xinyue Zhang, Xingqi Zhang</i> | |
| A Temporal Attention Unit-Based Machine Learning Model for Efficient Radio Wave Propagation Prediction in Tunnels..... | 365 |
| <i>Hengyuan Xu, Junqiao Wang, Kunyu Wu, Qiushi Zhao, Hao Qin, Xinyue Zhang, Xingqi Zhang</i> | |
| Analysis of the Antenna Conformal Effects on Human Breast with the Cage-Based Deformation | 368 |
| <i>Peiqiao Yang, Lingnan Song, Fei Dai</i> | |
| Utilizing Biomedical Radar in Clinical Doppler Cardiographic Detection of Atrial Arrhythmias | 371 |
| <i>Li Wen, Jie Cao, Zi Zeng, Qing Cao, Kang Chen, Changzhan Gu</i> | |
| Design of a High-Isolation Antenna with Shared-Branched for 4G LTE and 5G NR Bands in Metal- Bezel Smartphones with 0.5-Mm Clearance | 374 |
| <i>Xiaomeng Li, Yan Wang, Feng Xu</i> | |
| Asymmetric Tri-Band Self-Multipath Decoupled Antenna Pair for Mobile Terminals..... | 377 |
| <i>Aofang Zhang, Xiaoming Chen</i> | |
| Broadband Antenna with a Small Bezel Area for Terminal Applications..... | 380 |
| <i>Feixue Zhang, Yujian Li, Junhong Wang</i> | |
| Design of Wide-Beam End-Fire Handset Antenna for Satellite Communication Based on Multiport Network Theory..... | 383 |
| <i>Yilin Huang, Yan Shi, Haohuan Wang, Yunlai Yang, Wenrui Zheng, Hui Li</i> | |

| | |
|--|-----|
| A Compact Slot-Based Antenna with Pattern Diversity for FTTR Applications..... | 386 |
| <i>Zetao Huang, Zhan Wang, Xinyu Zhou, Yuandan Dong</i> | |
| A Wideband Reconfigurable Bandstop Frequency Selective Surface with Fast Roll-Off Characteristic..... | 389 |
| <i>Xiang Li, Fanfan Hu, Yilin Zheng</i> | |
| Wideband RCS Reduction Based on Metasurfaces of Patterned Resistive Film..... | 392 |
| <i>Xiaomei Wen, Ke Chen, Tian Jiang, Junming Zhao, Yijun Feng</i> | |
| Polarization-Insensitive Camouflage Enabled by a Time-Modulated Metasurface..... | 395 |
| <i>Yuanhao Liu, Yuqing Xiong, Xiaoyi Wang, Yunjing Zhang, Linghui Kong</i> | |
| A Novel Dual-Band Dual-Polarized Folded Reflectarray Antenna with Polarization Reconfigurable Metasurface | 398 |
| <i>Qian Chen, Xiaopeng Zhang, Qingxin Guo, Zengrui Li</i> | |
| A Circularly Polarized Metasurface Antenna Based on Chiral Magnetolectric Dipole Elements | 401 |
| <i>Xiaopeng Zhang, Qian Chen, Qingxin Guo, Zengrui Li</i> | |
| Ultra-Wideband Microwave Absorbers Utilizing Luneburg-Inspired Additively-Manufactured Impedance-Matching Protector | 404 |
| <i>Xiaojing Lv, Zhichao Sun, Zhenxi Liang, Zhen Luo, Yang Yang</i> | |
| An E-Band Broadband Transceiver for Integrated Sensing and Communication Applications in 65- Nm CMOS..... | 407 |
| <i>Quanyong Li, Jingwen Xu, Wenyan Zhao, Bing Ruan, Lujia Wu, Nayu Li, Gaopeng Chen, Xiaokang Qi, Chunyi Song, Zhiwei Xu</i> | |
| Research Progress of Millimeter-Wave Bidirectional Transceiver Circuits and Systems | 410 |
| <i>Jialong Wan, Xiang Yi, Songlin Xu, Pei Qin, Haoshen Zhu</i> | |
| A 28-GHz Transformer-Based Oscillator with Implicit Third-Harmonic Extraction in 65nm CMOS..... | 413 |
| <i>Shuo Tian, Xiaolong Liu</i> | |
| A K-Band CMOS Variable Gain Amplifier for Phased Array Applications | 416 |
| <i>Yi Zhong, Jian Pei Dong, Wen Zhu Zhang, Li Cheng Zhang, Jiang Luo</i> | |
| Design of a High Linearity and High Efficiency Power Amplifier in Ka-Band for CMOS Process..... | 419 |
| <i>Xiaoyu Yue, Siyuan Yao, Wenying Ma, Xiaoxue Hu, Chen-Chen Yang, Dandan Jiang, Tiedi Zhang, Yongxiang Weng, Song Ye</i> | |
| A Miniaturized Patch Antenna Designed for Weighted-Polarization MIMO System Used for Human-Centric Communication..... | 422 |
| <i>Hongda Xu, Kun Li, Xiaolong Wang</i> | |
| A Deep Learning Framework for Breast Cancer Detection from RF Microwave Data..... | 425 |
| <i>Xinyue Song, Fei Yang, Juan Chen, Sen Yan</i> | |
| A Dual-Stream CNN-LSTM Model for Human Activity Recognition Using Orthogonal Frequency Division Multiplexing Signals..... | 428 |
| <i>Muneeb Ullah, Nan Zhao, Xiaodong Yang</i> | |

| | |
|---|-----|
| Design of a Four-Chip-Cascaded 80-GHz Single-Board 4D Millimeter-Wave Radar for Highway Traffic Surveillance | 431 |
| <i>Wogong Zhang, Min Wang, Nannan Li, Dongdong Dong, Jianting Qi, Cheng Wang, Weipeng Li, Lulu Wang, Dongsheng Wang, Jialin Yao, Congzhi Li, Qi Wang, Yu Fang, Gang Yu, Jinzhong Yu, Erich Kasper</i> | |
| Regional Clustering-Based Object Detection in Passive Millimeter-Wave Imaging..... | 434 |
| <i>Feng Wang, Dong Zhu, Fei Hu</i> | |
| Pulse Doppler Radar System Based on RFSoc..... | 437 |
| <i>Yihan Mou, Binhan Zhu, Zhuoxin Dong, Jie Zhang, Yang Meng, Guoping Chen</i> | |
| Millimeter-Wave Emissivity of Seawater Foam at W-Band..... | 440 |
| <i>Huimin Xiong, Yayun Cheng, Zixiang Xu, Yan Fang, Jiaran Qi, Jinghui Qiu</i> | |
| Passive Millimeter Wave Concealed Objects Detection Network Using Multi-Polarization Information..... | 443 |
| <i>Li Zhang, Yayun Cheng, Jiaran Qi, Jinghui Qiu</i> | |
| A Dual-Wideband Monopolar Patch Antenna Optimized with Deep Learning Assistance | 446 |
| <i>Zhixin Zhao, Lei Li, Yuan Zhou</i> | |
| Dual Polarization and Dual Beam Elliptical Waveguide Leaky Wave Antenna | 449 |
| <i>Longlong Lin, Xu Shi, Jian-Xin Chen</i> | |
| Faulty Passive Intermodulation Source Localization Based on Neural Network | 452 |
| <i>Ruizhe Liu, Qiuyan Jin, Hafiz Muhammad Bilal</i> | |
| A Passive Intermodulation Amplitude-Phase Synchronization Testing Method | 455 |
| <i>Zhiyuan Feng, Xiong Chen, Guiming Cao, Qianwen Chen, Yubin Peng, Yuxin Zhang, Yongning He</i> | |
| Research on Vibration Detection Based on PIFA Antenna | 458 |
| <i>Fei Li, Haolin Shi, Ming Ye</i> | |
| The Nonlinear Properties of Microwave Cold Atmospheric Plasma Jet | 461 |
| <i>Yubin Peng, Xiong Chen, Yuxin Zhang, Xiaolong Zhao, Yongning He</i> | |
| A CGAN Channel Model of Magnetic Induction Communications for Deep Learning End-To-End Optimization..... | 464 |
| <i>Xiaotian Liang, Qiji Ze</i> | |
| Broadband Reconfigurable One-Bit Phase-Coded Metamaterial for Electromagnetic Scattering Manipulation | 467 |
| <i>Weizhi Chen, Jiawei Liu, Xin Xiu, Kun Tang, Wenjie Feng, Zhiwei Liu, Wenquan Che</i> | |
| Quantitative Analysis of Microwave Discharge Power Conversion Based on an Electromagnetic-Optical Integrated Platform | 470 |
| <i>Zisong Guo, Fei Dai, Xingye Chen</i> | |
| Nonlinear Effect Analysis Under Different Signal Modulations Based on Adaptive DPD Verification | 473 |
| <i>Yuxin Zhang, Xiong Chen, Yubin Peng, Xiaolong Zhao, Yongning He</i> | |
| Design of a Wideband 49-79 GHz Low Noise Amplifier in 0.1 μm GaAs Process | 476 |
| <i>Ruoxuan Wang, Tao Shi, Long Shi, Zichun Zheng, Peigen Zhou, Wei Hong</i> | |

| | |
|---|-----|
| Improved Reinforcement Learning-Based Design of Impedance Matching Networks for RFIC Applications..... | 479 |
| <i>Shiqi Wang, Yang Liu, Jinwei Zhang, Min Lan, Kaiyuan Jin, Kai Yi, Chenxi Zhao, Yunqiu Wu, Wenyan Yin, Yun Li, Qingfeng Zhang, Kai Kang</i> | |
| Analysis of Aperture-Type Frequency Selective Surface Based on Multimodal Network Method..... | 482 |
| <i>Yaojia Yang, Fan Yang, Shenheng Xu, Maokun Li</i> | |
| Kinetic Human Torso Ray Tracing Model for Vital Signs Extraction | 485 |
| <i>Gaomin Xue, Jingtiao Liu, Changzhan Gu</i> | |
| Schottky Diode-Based T-Shaped Phase Shifter MMIC in Aligned Carbon Nanotube Array Technology | 488 |
| <i>Hongrong Qiu, Murong Zhuo, Haitao Li, Li Ding, Defu Wang</i> | |
| An IPD-Based High-Selectivity Bandpass Filter Using Phase Inversion Technique for 5G Millimeter-Wave Application | 491 |
| <i>Na Ji, Guangxu Shen, Wenjie Feng, Quan Xue, Wenquan Che</i> | |
| A Dual-Polarized Pattern-Reconfigurable Antenna for UAV Communication..... | 494 |
| <i>Rong Ting Jin, De Hao Xu, Yao Zhang</i> | |
| A Stability Enhancement Distributed Power Amplifier with Capacitive Resonance Technique in CMOS..... | 497 |
| <i>Qun Zhang, Siyuan Yao, Wenying Ma, Xiaoxue Hu, Chen-Chen Yang, Dandan Jiang, Tiedi Zhang, Yongxiang Weng, Song Ye</i> | |
| Design and Implementation of a Passive Intermodulation Test Platform for Micro Samples | 500 |
| <i>Keyue Zhang, Keyan Li, Wanzhao Cui</i> | |
| Spin-Selective Reconfigurable Reflective Metamaterial Based on Shape Memory Alloy | 503 |
| <i>Zihui Liu, Huanran Qiu, Zheyuan Tian, Hao Xue, Ying Li, Rui Xi, Long Li</i> | |
| Near-Field Beamforming with Quantum Inspired Optimization | 506 |
| <i>Yitong Jiang, Shuai S. A. Yuan, Wei E. I. Sha</i> | |
| Coarse-Fine Mesh Space Mapping Assisted with Mesh Deformation for a Four-Pole Waveguide Filter | 509 |
| <i>Zimeng Wang, Feng Feng, Mutian Li, Jianan Zhang, Qi-Jun Zhang, Kaixue Ma</i> | |
| A Fully Integrated GaN Doherty Power Amplifier Using Compact Short-Circuited Coupler Inverter | 512 |
| <i>Shun Wan, Wenhua Chen, Zhenghe Feng</i> | |
| A Ku-Band Watt-Level 32-Way CMOS SOI Power Amplifier | 515 |
| <i>Yiting Zhang, Nengxu Zhu, Fanyi Meng, Kaixue Ma</i> | |
| A 200GHz Power Amplifier with 15.3-DBm Psat Utilizing Gm-Boosting and Multi-Coupled-Line Balun Combining in 130-Nm SiGe BiCMOS | 518 |
| <i>Qianqi Meng, Peigen Zhou, Zeyuan Chen, Zutong Ye, Jiayang Yu, Jixin Chen, Wei Hong</i> | |
| A Novel Wafer-Level Glass-Based Dual-Polarized Filter-In-Antenna (FiA) Design..... | 521 |
| <i>Zhenyao Qian, Lei Ge, Junfa Mao</i> | |
| Ultra-Compact Tunable POI-SAW Magnetolectric Antenna for Satellite Navigation Systems on Chip (SoCs) | 524 |
| <i>Yifan Fu, Ynuo Song, Du Li, Junru Li, Jiangwei Sui, Xiangwei Zhu</i> | |

| | |
|---|-----|
| Design Method for Band-Absorptive Energy Selective Surface Based on Magnetic Material and Lossy Layer | 527 |
| <i>Yi Du, Yongqi Zhang, Weiliang Yu, Guo Qing Luo</i> | |
| Dynamic Control of Non-Diffractive Range of a Bessel Beam Using Moiré Cascaded Metasurface..... | 530 |
| <i>Ganyu Liu, Can Ding, Mengzhe He, Hailiang Zhu, Li-Zhao Song, Adam Narbudowicz</i> | |
| Design of a Programmable Metasurface Unit with Independently Tunable Amplitude / Phase Based on Time Encoding | 533 |
| <i>Shaofeng Zhang, Xiangjin Ma, Qifan Li, Jiaqi Han, Haixia Liu, Long Li</i> | |
| Novel High-Efficiency Broadband Microwave Rectifier Design Based on Adaptive Harmonic Control..... | 536 |
| <i>Haoming He, Xiang Pu, Zhongqi He, Liping Yan, Changjun Liu</i> | |
| Power Transmitter Based on Phased Oscillator Chain Technique for Millimeter-Wave Wireless Power Transfer Application | 539 |
| <i>Qizhou Che, Quan Xue, Wenquan Che</i> | |
| Displacement Motion Detection Based on Accurate Phase Accumulation Technique with Reduced Sampling Rate | 542 |
| <i>Jie Cao, Jingtao Liu, Keke Zheng, Changzhan Gu</i> | |
| Signal Analysis Based on Time-Frequency Transformation and Deep Learning | 545 |
| <i>Yiyun Hu, Fei Dai, Shuang Li, Xingye Chen</i> | |
| Homotopy-Based Synthesis for Microwave Filter with Acoustic Wave Resonators: Preserving Key Features Using Pseudo-BVD Elements | 548 |
| <i>Xiaoxin Li, Shangru Li, Qiuyi Wu, Yimin Yang, Ming Yu</i> | |
| Accurate and Unified Parametric Calibration and Extraction Method for Frequency-Selective Surface Relied on Full-Wave Simulation Modelling..... | 551 |
| <i>Jin Wan, Jiaqi Li, Zheng Ping, Wanping Zhang, Bo Li, Lei Zhu</i> | |
| Novel Distributed Antenna Concept with the Merits of Small Clearance, Wideband, and Low SAR for Mobile Terminal Applications | 554 |
| <i>Shan Gao, Le Chang, Anxue Zhang</i> | |
| LTE/Sub-6GHz/MMW Antenna Co-Design for Mobile Phones with Front-Side Direction MMW Beam Switching Based on Chassis Surface Waves | 557 |
| <i>Xiaoting Ma, Yan Wang, Feng Xu</i> | |
| A D-Band CMOS On-Chip Antenna with High Gain and Miniaturization | 560 |
| <i>Yalun Li, Qingfeng Zhang, Hongyan Tang, Yujie Yang, Yunqiu Wu, Kai Kang</i> | |
| Synthesis and Design of 3-D Microwave Absorbers with 75° Angular Stability | 563 |
| <i>Yi-Wen Gao, Tian-Xi Feng, Hui Li</i> | |
| Self-Powered Meta-Device for Detecting and Shielding High-Power Stray Microwaves | 566 |
| <i>Xiong Bin Wu, Yong Jin Zhou</i> | |
| Emulating Nonmagnetic Faraday Rotation with Time-Modulated Metasurface | 569 |
| <i>Yifei Li, Ke Chen, Yijun Feng</i> | |
| An Effective EMI/SI Co-Analysis and Co-Design Method for Pin Map of System-In-Package | 572 |
| <i>Ruifeng Xu, Da Li, Ruyi Song, Er-Ping Li</i> | |

| | |
|---|-----|
| Geometric Analysis and Systematic Design of Reflective-Type Phase Shifters with Wide Bandwidth and Low Phase Error..... | 575 |
| <i>Yun-Peng Lyu, Qian Jiang, Lei Zhu</i> | |
| Composite Absorptive Stubs and Their Applications in Balanced Reflectionless Filters..... | 578 |
| <i>Jiaqian Cui, Lei Zhu</i> | |
| Guided-Wave Characteristics of Periodic Rectangular Coaxial Transmission Line with Low-Cost Additive Manufacturing Insulator Support..... | 581 |
| <i>Xuzhou Yu, Lei Zhu</i> | |
| A Low-Complexity Beamforming Network with Simplified Coupler Configuration for Precise Beam Steering and Sidelobe Control..... | 584 |
| <i>Yu-Chen Lu, Yun-Peng Lyu, Lei Zhu</i> | |
| Wideband Out-Of-Phase Filtering Power Divider Using Slotlines | 587 |
| <i>Lei Liu, Lei Zhu, Zheng-Bin Wang, Yong Cheng, Yuan-Jian Liu</i> | |
| A 60-90GHz Tripler with 16.6dBm Peak Output Power Using 100-Nm GaAs pHEMT Technology..... | 590 |
| <i>Ziyuan Wang, Zichun Zheng, Jipeng Chen, Zhe Chen, Peng Chen, Jixin Chen, Chao Yu, Wei Hong</i> | |
| Audio Recovery by a 120-GHz Superheterodyne Doppler Radar | 593 |
| <i>Tianhao Lu, Ruoxi Cai, Tianzhuo Yang, Lixin Ran</i> | |
| A Broadband Multimode Substrate Integrated Cavity Antenna with High-Gain and Low Cross-Polarization..... | 596 |
| <i>Yu-Bing Li, Zheng-Gang Yan, Wen-Zhong Lu, Xiao-Chuan Wang</i> | |
| A Novel Curtain-Shaped Antenna Array with Improved Aperture Efficiency for W-Band Applications..... | 599 |
| <i>Kaiyuan Jin, Jingwei Zhang, Wei Zhun, Wenyan Yin, Guanghui Xu</i> | |
| A Wideband and Optically Transparent U-Slot Microstrip Antenna Array for K-Band Application..... | 602 |
| <i>Jiahao Shi, Jianjing Zhou, Longzhu Cai, Yongxiang Geng, Zhi Hao Jiang, Wei Hong</i> | |
| Circular-Polarized Truncated Elliptical Luneburg Lens Antenna with Wide-Angle Beam Scanning | 605 |
| <i>Weiran Xu, Jinyang Cai, Xiaochuan Wang, Wenzhong Lv</i> | |
| A Novel 1-Bit Circularly Polarized Reconfigurable Reflectarray Antenna | 608 |
| <i>Xiaoyu Yang, Jianing Yang, Mei Li, Ming-Chun Tang</i> | |
| A Wideband SISL Circularly Polarized Antenna..... | 611 |
| <i>Sha'Awanatu Aminu, Ningning Yan, Yu Luo, Kaixue Ma, Isah Bello</i> | |
| Ku-Band Low-Profile Wide-Angle Scanning Microstrip Circularly Polarized Phased Array Antenna | 613 |
| <i>Chengpeng Yuan, Xubing Su, Nengwu Liu</i> | |
| Ku-Band High-Gain Conformal Array Antenna with Phase Compensation for Radome Applications..... | 616 |
| <i>Huidong Xu, Changjiang Deng</i> | |
| Ultra-Wideband and Miniaturized Endfire Antenna Utilizing SSPPs Mode and Vivaldi Mode..... | 619 |
| <i>Ruixue Zhang, Yiping Ren, Jingwei Zhang, Hao-Ran Zu</i> | |
| Miniaturized Multi-Octave Power Amplifiers Based on SSPPs..... | 622 |
| <i>Jiong Zhang, Jun Wang, Yue Wang, Ruo Feng Xu, Lei Zhao</i> | |

| | |
|---|-----|
| A Tunable Cut-Off Frequency Band-Pass Filter Based on SSPPs..... | 625 |
| <i>Wen Xiu Liu, Jun Wang, Yue Wang, Ruo Feng Xu, Lei Zhao</i> | |
| Design of Multi-Octave RF PA Based on Novel Spoof Surface Plasmon Polaritons..... | 628 |
| <i>Maojia Geng, Jialin Cai</i> | |
| Millimeter-Wave Shared-Aperture Phased Array | 631 |
| <i>Shi-Wei Qu, Han-Jie Xu</i> | |
| Broadband RCS Reduction Using X-Shaped Polarization Conversion Metasurface | 633 |
| <i>Cuiqin Zhao, Dongya Shen, Yanming Duan, Yuting Wang, Huihui Xiao, Longxiang Luo</i> | |
| Millimeter-Wave Broadband Dual-Polarized Sub-Wavelength Patch Array Fed by E-Shaped Patches..... | 636 |
| <i>Yuqi Cong, Yiwei Geng, Yan Zhang</i> | |
| A Synthesis Technique for Dual-Band Bandpass Frequency-Selective Surfaces Via Shielded Stepped Impedance Resonators | 639 |
| <i>Jiixin Kuang, Lei Zhu</i> | |
| Filtering Rat-Race Coupler with Arbitrary Power Division Ratio Using Monoblock Dielectric Waveguide Resonator | 642 |
| <i>Zuoyu Xu, Yongle Wu, Wei Zhao, Weimin Wang</i> | |
| Wideband High-Gain Circularly Polarized Substrate Integrated Cavity Antenna for X-Band Applications..... | 645 |
| <i>Zheng-Gang Yan, Peng Lei, Wen-Zhong Lu, Xiao-Chuan Wang</i> | |
| Design of Beamforming Antenna Based on Photonic Topological Insulators..... | 648 |
| <i>Shuanbao Zhou, Xin Zhao, Ying Xiong, Lina Zhu</i> | |
| Wideband Multi-Polarization 1-Bit Electrically Reconfigurable Reflectarray Antenna..... | 651 |
| <i>Hui Wang, Yimeng Sun, Yichen Zhong, Ying Liu</i> | |
| A Broadband 1-Bit Reconfigurable Metasurface Element Based on Stacked Layers | 654 |
| <i>Lihao Zhu, Yajie Mu, Zhe Zheng, Guoliang Luo, Rui Li, Jiaqi Han, Hao Xue, Long Li</i> | |
| Dual-Polarized Frequency-Selective Absorber with Two Tunable Notch Reflections | 657 |
| <i>Junbo Chen, Yuchang Chen, Yi Du, Weiliang Yu, Guo Qing Luo</i> | |
| Suppressing RIS Sidelobe Via Spatial Quantization and Phase Quantization Approach..... | 660 |
| <i>Xiaocun Zong, Borui Zhang, Fan Yang, Shenheng Xu, Maokun Li</i> | |
| Millimeter-Wave-Dominated Tri-Modal Wireless Synchronous System for Cardiopulmonary Physiological Monitoring | 663 |
| <i>Huansheng Yi, Shengzhi Jin, Miaoyang Hu, Zhao Li, Fugui Qi</i> | |
| A Weighted Signal Reconstruction Method for Time-Domain Vital Sign Detection | 667 |
| <i>Shengchao Zeng, Yujie Liu, Qinyi Lv, Li Li</i> | |
| Point Cloud-Based Through-The-Wall Human Activity Recognition Using IR-UWB Radar..... | 670 |
| <i>Lele Qu, Jiaqi Cong, Tianhong Yang, Lili Zhang</i> | |
| An Analog Baseband Quadrature Demodulator Based on the MDACM for High-Precision Phase Extraction | 673 |
| <i>Junchao Qian, Xin Gao, Heng Zhao, Shuaiming Huang, Chuanwei Ding, Biao Xue, Hong Hong</i> | |

| | |
|--|-----|
| Sleep Stage Classification Through LSTM Model Based on Unique Spectrum Features from CW Radar Signal | 676 |
| <i>Hao Wu, Shuqin Dong, Changzhan Gu</i> | |
| High-Efficiency L-Band Rectifier Featuring GaN Diode with Low Turn-On Voltage..... | 679 |
| <i>Xiaochen Yu, Xiantao Yang, Furong Yang, Yejun He, Chaoyun Song, Haiwen Liu, Jiafeng Zhou</i> | |
| Simultaneous Near-Field and Far-Field Wireless Power Transfer Using Single Antenna..... | 682 |
| <i>Chao Zhang, Zhen-Guo Liu</i> | |
| Retro-Directive System Based on 2nd Harmonic Pilot Signal | 685 |
| <i>Bo Yang, Naoki Shinohara, Hengming Hsu</i> | |
| A Novel Four-Band Rectifier for Low-Power Energy Harvesting with Improved Conversion Efficiency | 688 |
| <i>Yuchao Wang, Shihao Sun, Cheng Zhang</i> | |
| X-Band Reconfigurable Rectifier Based on 3-DB Hybrid Coupler for Wireless Power Transfer..... | 691 |
| <i>Huai-Yu Wang, Fei Cheng, Han-Ping Li, Chao Gu</i> | |
| A Neural Network-Based Approach for Predicting Antenna Performance Variation Due to Deformation Using Curvature Radius | 694 |
| <i>Jiayu Chen, Wen Wang, Xinhuai Wang, Yin Xu, Kejiang Li, Yiteng Li</i> | |
| Thermal Effect Analysis of Biological Tissue Under Pulsed Electric Field Based on Deep Learning..... | 697 |
| <i>Haoying Yang, Xingyue Guo, Dehua Kong, Mingyao Xia, Yuan'An Liu</i> | |
| Neural Network Assisted Nonlinear Distortion Evaluation..... | 700 |
| <i>Han Yu, Xiong Chen, Guiming Cao, Qianwen Chen, Yuxin Zhang, Yubin Peng, Yongning He</i> | |
| Design and Optimization of a Broadband RF PA Using Cuckoo Search Algorithm | 703 |
| <i>Yunguang Hong, Jialin Cai</i> | |
| DocHMET: Synergizing Document Intelligence and Multi-Agent Work-Flows for Automated HMET Model Generation..... | 706 |
| <i>Yuyang Peng, Jiarui Zhong, Hong Cai Chen</i> | |
| Experimental Verification of D-Plane Performance in a 1024-Element SATCOM Phased-Array Transmitter | 709 |
| <i>Hao Jiang, Quan Xue</i> | |
| E-Band High Efficiency Power Amplifier in 0.10- μm GaAs-PHEMT Process | 712 |
| <i>Zhenbei Li, Nan Guo, Huanhuan Guan, Lei Wang, Jian Zhang</i> | |
| A Novel Filtering Crossover Based on Ridged Substrate Integrated Circular Cavity with Flexibly Allocated Channel Frequencies | 715 |
| <i>Dong Xiong</i> | |
| An Asymmetric Coupled Line In-Phase Gysel Power Divider with One Single Isolation Resistor and Ultra-High Power Division Ratio | 718 |
| <i>Yan Zhang, Bin Xia, Jun-Fa Mao</i> | |
| Miniaturized MISL-Based BPFs Using Slow-Wave Meander Line Resonators | 721 |
| <i>Hui Liu, Yi Wu, Kaixue Ma, Shixiong Liang</i> | |

| | |
|--|-----|
| Two-Stage GaAs Power Amplifier Featuring On-Chip Harmonic Pulse Injection and Miniaturized Class-J Matching Network | 724 |
| <i>Ke Liu, Zhengxin Yang, Zhicong Ye, Linqi Zeng, Zhihao Zhang, Gary Zhang</i> | |
| Ultra-Wideband Millimeter-Wave Reconfigurable Intelligent Surface | 727 |
| <i>Qunqiang Hu, Huiping Yang, Yufan Rao, Xiu Yin Zhang</i> | |
| An Improved SBR-PO Hybrid Method Based on Region Division for Fast RCS Prediction | 730 |
| <i>Kaiji Wang, Haitian An, Yao He, Le Xu</i> | |
| A Sequence-Generator-Based Low-Complexity Frequency Domain Multiplexing Multi-Beam Receiving Front End..... | 733 |
| <i>Bowen Xia, Yudi Yang, Yiping Shangguan, Hao Wang, Li Yang, Dianwei Zhang, Wu Wen, Zongmin Wang, Huailin Liao, Wenhua Chen</i> | |
| Measurement and Computation Fusion Methods for Electromagnetic Environment Analysis in Urban Areas..... | 736 |
| <i>Jiewen Deng, Yidi Hu, Jiahui Wu</i> | |
| Improved Equivalent Circuit Model of BGA and RDL Combined Interconnection for 3D Packaging | 739 |
| <i>Yiwen Liu, Huanpeng Wang, Jun Li, Yunqiu Wu, Jie Liu, Huihua Liu, Yiming Yu, Chenxi Zhao, Qingfeng Zhang, Kai Kang</i> | |
| Efficient Ultra-Wideband Balanced Power Amplifier Design for 0.7~2.5GHz Based on ECCB/J Mode..... | 742 |
| <i>Haoran Gong, Jingchang Nan</i> | |
| Tunable Notch Filter Based on Carbon Nanotube Transistor | 745 |
| <i>Zhiyuan Wang, Jiang Wu, Murong Zhuo, Siming He, Yanwen Wu, Defu Wang</i> | |
| A Highly Selective Frequency Selective Surface with Extended Out-Of-Band Suppression..... | 748 |
| <i>Hao Jiang, Quan Xue</i> | |
| Design of a Circularly Polarized Metantenna with Low Radar Cross Section..... | 751 |
| <i>Huachen Zhao, Zengrui Li, Haonan Zhang</i> | |
| A 120-GHz 16-Way Power Amplifier with 23.4dBm Psat and 30dB Power Gain in 55-Nm Bulk CMOS..... | 754 |
| <i>Yuanjun Chai, Kaixue Ma</i> | |
| Design of Miniaturized Electric Field Enhancement Structure for Shortwave Application Based on Atomic Receiver..... | 757 |
| <i>Lu Lin, Yi Lin, Ruiqi Mao, Aojie Zhou, Yunqi Fu</i> | |
| A DC-50GHz 6-Bit Passive Attenuator with Dual-Path Capacitor Compensation Bandwidth Extension Technique for 5G Millimeter-Wave Applications..... | 760 |
| <i>Zehao Liu, Kaixue Ma</i> | |
| A Ku Band 8-Channel Dual-Domain Reconfigurable Wideband Beamforming Transmitter IC with Polarization/Beam Control | 763 |
| <i>Bo Huang, Zhuoheng Xie, Zihan Zhang, Yue Feng, Bo Yuan</i> | |
| A Ka-Band Miniaturized Differential Stacked Power Amplifier with High Output Power and High PAE in 65-Nm CMOS Technology..... | 766 |
| <i>Zhaonan Peng, Zongming Duan, Zhixiang Huang, Xueshi Hou, Zhipeng Chen</i> | |

| | |
|---|-----|
| Design of a Planar Ultrawideband Modular Antenna with Resistance-Loading and Metasurfaces..... | 769 |
| <i>Jixiang Ye, Jianyin Cao, Yan Wang, Hao Wang</i> | |
| Design of Low-Profile Tightly Coupled Dipole Array Based on Planar Balun and AMC | 772 |
| <i>Hang Zhu, Jianyin Cao, Yan Wang, Hao Wang</i> | |
| Direction Janus Metasurface for Full-Space Asymmetric Circularly Polarized Beams Manipulation | 775 |
| <i>Lijun Bu, Yang Cai, Sen Li, Hong Ma, Siyu Qi, Yu Tian, Tao Wu</i> | |
| Microwave Coincident Imaging for Cardiac Morphology Reconstruction | 779 |
| <i>Chenming Li, Shilie Zheng, Xiaonan Hui, Xianmin Zhang</i> | |
| A Microwave Temperature Sensor Based on Complementary Finger Split-Ring Resonator Near-Field Resonance Induction | 782 |
| <i>Huajiang Peng, Pengpeng Sha, Nan Cao, Benlin Lai, Yingxue Song, Shan Tian, Xiaoqing Yang</i> | |
| WiFi Signal LoS/NLoS Identification System Based on SVDD | 785 |
| <i>Le Liu, Yue Jin, Yiwen Wang, Zengshan Tian, Lingxia Li</i> | |
| A Tanh-Based Weighted Iterative Hard Thresholding Algorithm for One-Bit SAR Imaging | 788 |
| <i>Jiaqian Wang, Ruirui Wu, Falin Liu</i> | |
| A Wideband Magnetolectric Dipole Array Based on Hybrid Integrated Suspended Line Technology | 791 |
| <i>Ruipeng Liu, Kaixue Ma, Ningning Yan, Yi Wu, Yu Zhan</i> | |
| A High Efficiency Cognitive-Driven Generative Design Method for Frequency Selective Surface..... | 794 |
| <i>Haibiao Chen, Zeming Wu, Rui Zhang, Lixiao Wang, Xiao-Chun Li, Qing Huo Liu</i> | |
| A High Efficiency and Wideband Rectifier for RF Energy Harvesting Application | 797 |
| <i>Tong Qin, Zhaolin Wang, Xinzhi Shi, Linglong Meng, Shoushan Liu, Jiawei Zang</i> | |
| PPSAR: A Partially Distributed Framework for Privacy-Preserving Synthetic Aperture Radar Target Recognition | 800 |
| <i>Jing Jin, Feng Wang</i> | |
| Research on Dual-Polarized Channel Models for Satellite Communication | 803 |
| <i>Xueyan Li, Ning Chen, Dechun Guo, Luyun Fu</i> | |
| Broadband Doherty Power Amplifier Design for 5G NR Mobile Terminals Based Reconfigurable Parallel Plate Coupler..... | 806 |
| <i>Yongle Li, Zhaohui Wu, Hao Zhang, Bin Li, Qiang Su, Haochuan Qiu, Dajie Dai</i> | |
| A High-Efficiency Sequential Load Modulated Balanced Amplifier Using Elliptic Low-Pass Filtering Matching Networks..... | 809 |
| <i>Zetao Zhan, Jipeng Chen, Zichun Zheng, Luqi Yu, Yingsong Zhang, Nianzu Zhang, Peng Chen, Xiao-Wei Zhu, Chao Yu</i> | |
| Varactor-Based Tunable High-Pass Filter with Symmetrically Cascaded Quasi-Elliptic Sub-Filters | 812 |
| <i>Hang-Qi Chen, Zhang-Cheng Hao</i> | |
| C-Band Amplifier MMIC for Radar Network Application..... | 815 |
| <i>Jing Zhang, Bowen Sun, Diantang Ma, Hao Liu, Jia Cao</i> | |
| A 2-Bit Metasurface-Based Transmit Array for Millimeter-Wave Application | 818 |
| <i>Huanyue Song, Minjian Ao, Yajin Wang</i> | |

| | |
|---|-----|
| A Reflectionless Circularly Polarized Microstrip Antenna Array Based on 90 Degree Hybrid Coupler | 821 |
| <i>Sikuo Tian, Chao-Yang Zhao, Hao-Chen Li, Gang Zhang, Shiyang Wang</i> | |
| A Method for Visible Light Communication Channel Impulse Response Solution and Layout Optimization Under Complex Scenarios | 824 |
| <i>Junhao Zhang, Fei Dai, Xingye Chen</i> | |
| A Low-Profile Broadband Monopulse Microstrip Array Antenna..... | 827 |
| <i>Wenlong Hu, Haohui Sun, Yimin Liu, Shufeng Zheng, Jianzhong Chen</i> | |
| A Novel Latching System Applied to R-Type Waveguide Switch of W-Band | 830 |
| <i>Jian Rong Yuan, Fei Yang, Xu Tang, Jun Yang</i> | |
| A W-Band Broadband BCB-Air Cavity-Backed Stacked Patch Antenna in Silicon Wafer Level Package..... | 833 |
| <i>Yinshan Huang, Shang Zhang, Liang Zhou</i> | |
| High-Performance S-Band Lumped-Element Filters Based on Multilayer PCB Technology | 836 |
| <i>Haojia Lin, Minjie Shu, Shiqi Zhang, Liwei Jiang</i> | |
| A Planar OAM Filtenna•Based on a Compact Integration of the Incomplete UCA and the SSPPs | 839 |
| <i>Si-Wen Zhang, Jun Hu, Xiang Wang, Huang-Yan Li, Xiao-Wen Gong</i> | |
| A Low Power Fully Integrated CMOS Transceiver for 802.11 WLAN Applications | 842 |
| <i>Po-Chih Chiu, Ze Hao, Haoyu Dong, Shaohui Pan, Haigang Feng</i> | |
| Ka-Band Substrate Integrated Cavity Antenna for Wide-Angle Beam-Scanning Phased Array | 845 |
| <i>Lin-Feng Liu, Zheng-Gang Yan, Peng Lei, Jin-Yang Cai, Xiao-Chuan Wang, Wen-Zhong Lu</i> | |
| Grating Lobe Suppression of Octave-Band Low-Profile Frequency Reconfigurable Antenna Array Based on Dual-Band EBG Reflector | 848 |
| <i>Xiaoqiao Deng, Xiaolong Li, Weijia Huang, Zhengyan Zhang</i> | |
| Millimeter-Wave Series-Fed Microstrip Phased Array Antenna for λ_0 Channel Spacing with Low Grating Lobes..... | 851 |
| <i>Zhicheng Huang, Shaowei Liao, Haoshen Zhu</i> | |
| A Planar Omnidirectional Tri-Band Co-Aperture Array with High Isolation..... | 854 |
| <i>Ke-Lin Yu, Wenjie Feng, Yuehui Cui, Yunfei Cao, Kun Tang, Wenquan Che, Quan Xue</i> | |
| Millimeter-Wave Wideband Wide-Angle Scanning Tightly Coupled Monopole Reflectarray with Simplified Structure..... | 857 |
| <i>Youpeng Bao, Shaowei Liao, Xue Ren, Kun Tang</i> | |
| A Novel Broadband All-Digital Transmitters Architecture Based on State Switching..... | 860 |
| <i>Haoyang Fu, Qiang Zhou, Lei Zhu, Yutong Liu, Zhang Chen, Zhihu Wei</i> | |
| An Implantable Epicardial Biopotential Monitoring System with Wireless Data and Power Telemetry..... | 863 |
| <i>Junfu Ding, Lingnan Song, Fei Dai</i> | |
| Design of Millimeter Wave Mixer Based on Carbon Nanotube Schottky Diode | 866 |
| <i>Simin He, Murong Zhuo, Ni Zhang, Xiaolei Sun, Li Ding, Defu Wang</i> | |

| | |
|---|-----|
| A Statistical Analysis Method for Electromagnetic Sensitivity Effects Based on Kernel Density Estimation and Gaussian Copula Model..... | 869 |
| <i>Yuntao Jin, Fei Dai</i> | |
| Precise Evaluation of In-Band Nonlinear Response of Single Modulated Signals in RF Receiving Units Based on Spectrum Correlation Optimization | 872 |
| <i>Dasen Yan, Fei Dai, Hengxu Zhou, Lingnan Song</i> | |
| A Compact Bandpass Filter Based on a Dual-Mode Folded Substrate Integrated Rectangular Cavity | 875 |
| <i>Haowei Xie, Kang Zhou, Yi Liu, Kexue Sun</i> | |
| LCSA-IDNet: A Lightweight Channel-Spatial Attention Network for Automotive FMCW Radar Interference Detection | 878 |
| <i>Yongqing Chen, Yuan Mao, Jiale Chen, Kaihang Zheng, Hao Sun, Xutao Yu, Yan Huang</i> | |
| Application of Cubic Spline Interpolation and Near-Field to Near-Field Transformation in Spherical Near-Field Undersampled Measurement | 881 |
| <i>Ding Yu, Haoyi Liu, Shixu Chen, Longfei Wang, Zhiya Zhang</i> | |
| A 1-Bit Reconfigurable Transmit-Reflect Unit Cell Applied to Satellite Communications in C-Band..... | 884 |
| <i>Jincheng Liang, Zihang Zhou, Junhao Wu, Yu Xiao</i> | |
| Synthesis of Prephased Programmable 1-Bit Array Based on AEP-GA Hybrid Method | 887 |
| <i>Jinxi Deng, Zena Liu, Zhiying Huang, Yu Xiao</i> | |
| Ultra-Wideband Pattern Reconfigurable Antenna Design Based on Parasitic Elements | 890 |
| <i>Yajie Mu, Lihao Zhu, Jiaqi Han, Hao Xue, Long Li</i> | |
| A 1bit Reconfigurable Transmitarray with Linear Polarization Rotation | 893 |
| <i>Guizhi Tian, Xiaotian Chen, Zitong Zhao, Pei Xiao, Gaosheng Li</i> | |
| An Improved Range Doppler Algorithm for Real-Time Automotive SAR Imaging | 896 |
| <i>Lu Zhang, Kun Deng, Chenxiao Yin, Xinran Tian, Zhanye Chen, Yan Huang</i> | |
| A Dual Band Polarization Reconfigurable Button Antenna for Wearable Applications | 899 |
| <i>Kai Zhang, Mingjun Wang</i> | |
| Highly Integrated Circularly Polarized Beam Scanning Array with High Aperture Efficiency Based on Hybrid Integrated Suspended Line Technology | 902 |
| <i>Jin Wu, Tingxue Yu, Yuefeng Hou, Kaixue Ma</i> | |
| A Miniaturized Circularly Polarized Antenna Utilizing Gradient Shorting Strips..... | 905 |
| <i>Wang Xiaotian, Liu Min</i> | |
| Broadband Miniaturized Bowl-Shaped Dipole Antenna for Base-Station Applications | 908 |
| <i>Zhifu He, Wan Chen Yang, Chujun Liang, Li Wei, Dongxu Chen</i> | |
| Millimeter-Wave Holographic Beam- Scanning Antenna Based on SIW-Backed Slots | 911 |
| <i>Haonan Tian, Wan Chen Yang, Jiatong Geng, Li Wei, Dongxu Chen</i> | |
| Multi-Scenario Implanted Multi-Polarization Ultra-Wideband MIMO Antenna | 914 |
| <i>Mengke Li, Zhiwei Song</i> | |
| High-Efficiency Dual-Polarized Microstrip Antenna for UAVs in the L-Band..... | 917 |
| <i>Jiaxin Liu, Jie Liu, Bohan Shi, Qiang Wu</i> | |

| | |
|--|-----|
| A One-Dimensional Focusing Antenna Based on the Cassegrain Principle | 920 |
| <i>Haolin Li, Hao Liu, Mingze Li, Changjiang Deng, Jihua Zhou, Weihua Yu</i> | |
| Phased Array Calibration Based on Rotating-Element Harmonic Electric-Field Vector | 923 |
| <i>Shiyuan Li, Liang Kong, Chi Zhang, Chong He</i> | |
| A Novel Reconfigurable Test Zone Based Multi-Probe Anechoic Chamber Setup for Virtual Drive Testing | 926 |
| <i>Zhanpeng Zhang, Lei Tian, Heng Wang, Gang Deng, Jianhua Zhang, Xiang Wu</i> | |
| Analysis of Channel Reciprocity Metrics for Large-Scale Asymmetric Transmit-Receive Arrays | 929 |
| <i>Xuhuanghao Rui, Zhengbo Jiang, Zhangcheng Hao</i> | |
| Efficient Near to Far Field Transformation for Offset-Fed Reflector Antennas Based on Multipole Expansion | 932 |
| <i>Ruixuan Li, Huapeng Zhao, Jun Hu, Giuseppe Vecchi, Da Yi, Mingchun Tang</i> | |
| The Control of Directions and Powers of Coupling Surface Waves on Metasurface | 935 |
| <i>Qiong Chen, Guoxiang Dong</i> | |
| Sub-1 dB Gain-Ripple Compact Power Amplifier for 57-64 GHz FMCW Radar Systems in 55-Nm CMOS | 938 |
| <i>Chenxi Zhang, Bingjun Tang, Suyuan Gan, Xu Liu, Chenglong Liang, Li Geng</i> | |
| Ka-Band Wideband Circularly Polarized Transmitarray Antenna with Parallel-Dipole Configuration for Efficient Beam Chirality Conversion | 941 |
| <i>Ze Li, Xi Wang Dai, Hanpeng Ruan, Guo Qing Luo</i> | |
| Observation of an anti-PT-Symmetric Exceptional Point in Plasmonics | 944 |
| <i>Tengjiang Yu, Zhen Liao, Leilei Liu</i> | |
| Passive Reconfigurable Intelligent Surface Based on Phase Change Material Switches | 947 |
| <i>Chuankui Shen, Weijia Li, Zhengxing Wang, Yunzheng Wang, Terry Tao Ye</i> | |
| Infrared-Radar Compatible Stealth Metamaterial Based on Novel Lossy Layer and Dual-Band FSS Layer | 950 |
| <i>Ruhua Zhang, Gaoya Dong, Yuxin Zhang, Zhentao Yang, Xiaolong Yang</i> | |
| Efficiency and Linearity Enhancement of a Broadband Continuous Class-F PA Using Harmonic Injection | 953 |
| <i>Haoze Luan, Koen Mouthaan</i> | |
| A Three-Way Broadband Doherty Power Amplifier with Novel Adaptive Bias Network | 956 |
| <i>Ruxuan Zhao, Xinyu Zhou, Xiaofan Chen, Yuandan Dong, Shichang Chen, Jing Xia, Yanze Wang, Jingyun Bi</i> | |
| Inline Quasi-Elliptic Bandpass Filters Based on Improved Inverted-L-Shape Coaxial Resonator Coupling Structures | 959 |
| <i>Chao Wu, Shuqing Zhang, Sai-Wai Wong, Di-Si Wu</i> | |
| Design of a High-Isolation 3D Stacked HTCC Package Structure | 962 |
| <i>Lei Zhang, Bin Cheng, Zhengshan Zhou, Wengao Zou, Mingyan Jiang, Xi Wang, Huaiqiang Yu</i> | |
| Design of Highly Tunable Film Bulk Acoustic Resonator Based on Wire Bonding with Varactors | 965 |
| <i>Keyan Li, Yongle Wu, Zhiguo Lai, Weimin Wang, Qinghua Yang</i> | |

| | |
|--|------|
| A Frequency-Adjustable Waveguide Filter Utilizing an E-Plane Apertured Metal Diaphragm at the D-Band | 968 |
| <i>Qi Shan, Zhichao Zhang, Lidi Zhang, Gang Gao, Jihua Zhou, Weihua Yu</i> | |
| Design of a Compact, High Frequency Selective Broadband Substrate Integrated Waveguide Filtering Antenna | 971 |
| <i>Yanming Niu, Qifeng Cai, Jianguo Feng, Peiwei Song, Feng Xu, Qingfeng Sun, Hai Jiang, Zhengyu Zou</i> | |
| Compact Dual-Band Waveguide Band-Stop Filter Using a Metasurface-Embedded Broad Wall..... | 975 |
| <i>Guowei Li, Yuxi Ao, Yuehe Ge, Ziheng Zhou, Zhechen Zhang, Zhizhang David Chen</i> | |
| Co-Design and Implementation of a W-Band CMOS Transceiver with Packaging for 3-D Stacked FMCW Radar Applications | 978 |
| <i>Zhaoxiang Ren, Dongxin Ni, Zhe Zhao, Liang Zhou, Jixuan Wang</i> | |
| A Novel RF Chaotic Secure Communication Method..... | 981 |
| <i>Xingyu Liu, Zhihui Wang, Yanbin Yang, Xixi Wang, Jiangtao Huangfu</i> | |
| Single-Layer Planar Waveguide Array Antenna with Low Sidelobe..... | 984 |
| <i>Chao-Yang Zhao, Jing-Yi Zhang, Sikuo Tian, Lin-Lin Wang, Jun-Jie Zhang, Shiyang Wang</i> | |
| Ultralow-Power Microwave Rectifier with TiN Anode GaN Schottky Barrier Diode | 987 |
| <i>Qiu-Xuan Li, Yang Li, Ren-Pin Huang, Tao Liu, Man-Xuan Niu, Jin-Ping Ao</i> | |
| A Spurious Target Elimination Strategy for Multitarget Detection in Distributed Radar Systems..... | 990 |
| <i>Junxuan Li, Weitong Jing, Lei Xia, Cong Wang, Shurui Zhang</i> | |
| Microwave Bio-Radar Monitoring of Gene-Controlled Activity Changes of Normal and Mouth-Breathing Rats | 993 |
| <i>Jie Cao, Shuqin Dong, Sitong Li, Xiaoling Wang, Min Zhu, Changzhan Gu</i> | |
| An EIT Inspired RFID Displacement Sensor for Metal Movement Monitoring | 996 |
| <i>Huijuan Gu, Jun Zhang, Bei Huang</i> | |
| A D-Band 32-QAM Transceiver in 40-Nm CMOS | 999 |
| <i>Jiahua Fu, Yihui Wang, Haoshen Zhu, Liang Wu</i> | |
| Multi-Harmonic Input-Output Impedance Controlled Continuous-Mode Inverse Class-GF Power Amplifiers..... | 1002 |
| <i>Hanchao Chen, Xinyu Zhou, Sagar K. Dhar, Ruxuan Zhao, Wenjie Feng</i> | |
| A W-Band 360° 6-Bit Vector Modulator Phase Shifter with Wideband I/Q Generator and Enhanced Common-Mode Rejection | 1005 |
| <i>Weihan Gao, Dixian Zhao</i> | |
| A High Linearity 71-86 GHz Transmitter for mm-Wave Communication in 65-Nm CMOS | 1008 |
| <i>Jingwen Xu, Quanyong Li, Wenyan Zhao, Bing Ruan, Lujia Wu, Nayu Li, Gaopeng Chen, Xiaokang Qi, Chunyi Song, Zhiwei Xu</i> | |
| A 4.2-To-7.4-GHz Double Quadrature Cryo-CMOS Receiver Achieving 45.4 dB IRR for Quantum Applications..... | 1011 |
| <i>Zixun Gao, Chenglong Liang, Bingjun Tang, Ruixing Liang, Jiashu Wen, Ya Zhao, Youze Xin, Li Geng</i> | |

| | |
|--|------|
| TDM-MIMO Array-Based 77GHz FMCW Radar System and Signal Processing for UAV Obstacle Avoidance | 1014 |
| <i>Shiqi Wu, Jianming Zhou, Ning Chen, Weinan Li</i> | |
| $\pm 45^\circ$ Polarized Shared Radiator-Based Full-Duplex Cavity-Backed Patch Antenna Based on Mode Superposition Method | 1017 |
| <i>Chunyang Yang, Huayan Jin, Wenlei Wang, Haijie Wang, Guoqing Luo</i> | |
| A 101.4% Tuning-Range -196.4dBc/Hz FoMT LC-VCO IC with a Single Analog Voltage-Controlled Novel Varactor in 45-Nm CMOS SOI..... | 1020 |
| <i>Yujun Liang, Mengchu Fang, Toshihiko Yoshimasu</i> | |
| A 4.9-6 GHz Sub-Sampling PLL Achieving 234-Fs Jitter and -59.5 dBc Reference Spur Through Behavioral Model and Spur Reduction Method | 1023 |
| <i>Zelin Yin, Dawei Wang, Yichen Liu, Jian Zhang, Yan Wang</i> | |
| A Compact W-Band Power Amplifier Employing Lossy Neutralization and Sandwich-Like Transformer Matching Techniques in 55-Nm CMOS | 1026 |
| <i>Dong Wang, Peigen Yu, Peng Gu, Dixian Zhao</i> | |
| A Broadband Noise-Cancelling Low-Noise Amplifier with Wideband Input Matching and Gain Enhancement | 1029 |
| <i>Yongchun Li, Pei Qin, Quan Xue, Wenquan Che</i> | |
| Q-Band 20W SSPA Module Based on Antipodal Finline Structure | 1032 |
| <i>Li Zhang, Zhipeng Ren, Xilong Chen, Tianci Li, Wei Wang, Pengbo Du, Hanbin Qu, Yingzhe Wang, Xuefeng Zheng</i> | |
| A Broadband W-Band Balanced Power Amplifier in 0.1 μm GaAs Technology | 1035 |
| <i>Peiyou Li, Peigen Zhou, Jixin Chen, Wei Hong</i> | |
| Miniaturized Dual-Band Bandstop Filter with High Attenuation Using Hybrid Capacitive-Loaded Microstrip Resonator | 1038 |
| <i>Lin Gu, Yuandan Dong</i> | |
| Inverse Design of Multilayer Perfect Absorber Based on Machine Learning for High Power Microwave Problem | 1041 |
| <i>Yunbo Chu, Chunzhi Dong, Naixing Feng</i> | |
| Prediction Model for Intermetallic Compounds Thickness Evolution Under Electromigration at Sn-52In Solder Joints | 1044 |
| <i>Wei Luo, Da-Wei Wang, Wen-Sheng Zhao</i> | |
| Distributed Equivalent Electrothermal Modeling Method for Multi-Finger MOSFET..... | 1047 |
| <i>Lin-Yuan Chen, Da-Wei Wang, Wen-Sheng Zhao</i> | |
| A Method for Reconstructing Radiation Sources of Board-Level Electromagnetic Leakage | 1050 |
| <i>Xiangying Huang, Fei Dai, Zisong Guo, Lingnan Song</i> | |
| An Intelligent Approach for the Prediction of Load-Pull Contours with Nonlinear Behavior Models | 1053 |
| <i>Tangyu Fu, Zhihao Wu, Haode Li, Yuxiu Tong, Jiahao Wang, Jiangtao Su</i> | |
| TS-QAIC Optimization Method Based on Jointly-Solved OMP Algorithm | 1056 |
| <i>Chaofan Li, Xiaokang Qi, Zhiwei Xu</i> | |
| A Fifth-Order NCS Algorithm for Highly-Squint SAR Imaging with Minimalist Derivation | 1059 |
| <i>Xinran Tian, Kun Deng, Chenxiao Yin, Lu Zhang, Zhanye Chen, Yan Huang</i> | |

| | |
|---|------|
| A High-Efficiency Class-G Digital Power Amplifier Using Asymmetric Control Logic and High-Speed Level Shifter | 1062 |
| <i>Linhao Ma, Keping Wang</i> | |
| A 49-81 GHz Power Amplifier with a Four-Coupled-Line Achieving 4.04THz GBW and 19.57% Peak PAE | 1065 |
| <i>Jinfan Liang, Congrui Li, Jiahao Wang, Yan Wang, Lei Zhang</i> | |
| A Broadband and Low-Loss Packaging Technique Using Beam-Leads Interconnection..... | 1068 |
| <i>Gang Gao, Ziqiao Zhou, Qi Shan, Kai Dong, Yaze Cui, Weihua Yu</i> | |
| Design of a Flat Passband Filter with Tunable Frequency and Bandwidth Using an Integrated Equalizer-Resonator Architecture..... | 1071 |
| <i>Yan Zheng, Yuandan Dong</i> | |
| A 70-97 GHz Low Noise Amplifier with 24.6 dB Peak Gain Using 0.1 μm GaAs pHEMT Process..... | 1074 |
| <i>Tao Shi, Long Shi, Ruoxuan Wang, Zichun Zheng, Peigen Zhou, Wei Hong</i> | |
| A Novel Passive Intermodulation Measurement System Using Carrier Nulling for Wideband Analysis..... | 1077 |
| <i>Wei Jiang, Xiaoli Zhi, Ke Huang, Linxin Ran</i> | |

Author Index