

2025 IEEE International Conference on Software Maintenance and Evolution (ICSME 2025)

**Auckland, New Zealand
7-12 September 2025**

Pages 1-479



**IEEE Catalog Number: CFP25079-POD
ISBN: 979-8-3315-9588-3**

**Copyright © 2025 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP25079-POD
ISBN (Print-On-Demand):	979-8-3315-9588-3
ISBN (Online):	979-8-3315-9587-6
ISSN:	1063-6773

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2025 IEEE International Conference on Software Maintenance and Evolution (ICSME) **ICSME 2025**

Table of Contents

Message from the General Chairs	xviii
Message from the Program Chairs	xix
Organizing Committee	xx
Program Committee	xxii
Sponsors	xxviii
Keynotes	xxix

Research Track

Evaluating the Maintainability of Forward-Porting Vulnerabilities in Fuzzer Benchmarks	1
<i>Timothée Riom (Umeå Universitet, Sweden), Sabine Houy (Umeå Universitet, Sweden), Bruno Kreyszig (Umeå Universitet, Sweden), and Alexandre Bartel (Umeå Universitet, Sweden)</i>	
Software Fairness Testing in Practice	13
<i>Ronnie de Souza Santos (University of Calgary, Canada), Matheus de Moraes Leça (University of Calgary, Canada), Reydne Santos (UFPE, Brazil), and Cleyton Magalhaes (UFPE, Brazil)</i>	
Refactoring Deep Learning Code: A Study of Practices and Unsatisfied Tool Needs	24
<i>Siqi Wang (Zhejiang University, China), Xing Hu (Zhejiang University, China), Bei Wang (Zhejiang University, China), Wenxin Yao (Zhejiang University, China), Xin Xia (Zhejiang University, China), and Xinyu Wang (Zhejiang University, China)</i>	
APIDocBooster: An Extract-Then-Abstract Framework for Augmenting API Documentation	36
<i>Chengran Yang (Singapore Management University, Singapore), Jiakun Liu (Singapore Management University, Singapore), Bowen Xu (North Carolina State University, USA), Christoph Treude (Singapore Management University, Singapore), Yunbo Lyu (Singapore Management University, Singapore), Junda He (Singapore Management University, Singapore), Ming Li (Nanjing University, China), and David Lo (Singapore Management University, Singapore)</i>	

LLM-SZZ: Novel Vulnerability-Inducing Commit Identification Driven by Large Language Model and CVE Description	48
<i>Siqi Fan (Lanzhou University, China), Xin Liu (Lanzhou University, China), Yingli Zhang (Lanzhou University, China), Yuan Tan (Lanzhou University, China), Luxing Yin (Lanzhou University, China), Zhaorun Chen (University of Chicago, United States), Song Li (Zhejiang University, China), Lei Qiao (Lanzhou University, China), and Rui Zhou (Lanzhou University, China)</i>	
SAEL: Leveraging Large Language Models with Adaptive Mixture-of-Experts for Smart Contract Vulnerability Detection	61
<i>Lei Yu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Shiqi Cheng (Institute of Software, Chinese Academy of Sciences, China), Zhirong Huang (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Jingyuan Zhang (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Chenjie Shen (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Junyi Lu (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Li Yang (Institute of Software, Chinese Academy of Sciences, China), Fengjun Zhang (Institute of Software, Chinese Academy of Sciences, China), and Jiajia Ma (Institute of Software, Chinese Academy of Sciences, China)</i>	
Harnessing LLMs for Document-Guided Fuzzing of OpenCV Library	73
<i>Bin Duan (The University of Queensland, Australia), Tarek Mahmud (Texas State University, USA), Meiru Che (Central Queensland University, Australia), Yan Yan (University of Illinois Chicago, USA), Naipeng Dong (The University of Queensland, Australia), Dan Dongseong Kim (The University of Queensland, Australia), and Guowei Yang (The University of Queensland, Australia)</i>	
Boosting Redundancy-Based Automated Program Repair by Fine-Grained Pattern Mining	85
<i>Fengjie Li (Tianjin University, China), Zijie Zhao (University of Pennsylvania, USA), Zhirui Ye (Westlake University, China), Mengjiao Liu (Tianjin University, China), Bo Wang (Beijing Jiaotong University, China), Jiajun Jiang (Tianjin University, China), Hongyu Zhang (Chongqing University, China), and Junjie Chen (Tianjin University, China)</i>	
Code Property Graph Meets Typestate: A Scalable Framework to Behavioral Bug Detection	98
<i>Xingjing Deng (Hangzhou Innovation Institute of Beihang University), Zhengyao Liu (Hangzhou Innovation Institute of Beihang University), Xitong Zhong (Hangzhou Innovation Institute of Beihang University), Shuo Hong (Hangzhou Innovation Institute of Beihang University), Yixin Yang (Hangzhou Innovation Institute of Beihang University), Xiang Gao (Hangzhou Innovation Institute of Beihang University), Xuhui Yan (Huawei Company), and Hailong Sun (Hangzhou Innovation Institute of Beihang University)</i>	

Enhanced Vulnerability Localization: Harmonizing Task-Specific Tuning and General LLM Prompting	110
<i>Wentong Tian (Hangzhou Innovation Institute of Beihang University), Yuanzhang Lin (Hangzhou Innovation Institute of Beihang University), Xiang Gao (Hangzhou Innovation Institute of Beihang University), and Hailong Sun (Hangzhou Innovation Institute of Beihang University)</i>	
Evaluation of the Language Server Protocol for Static Dependency Analysis	123
<i>Falko Galperin (University of Bremen, Germany), Michel Krause (University of Bremen, Germany), and Rainer Koschke (University of Bremen, Germany)</i>	
From Release to Adoption: Challenges in Reusing Pre-Trained AI Models for Downstream Developers	135
<i>Peerachai Banyongrakkul (The University of Melbourne, Australia), Mansoor Zahedi (The University of Melbourne, Australia), Patanamon Thongtanunam (The University of Melbourne, Australia), Christoph Treude (Singapore Management University, Singapore), and Haoyu Gao (The University of Melbourne, Australia)</i>	
Toward Realistic Evaluations of Just-In-Time Vulnerability Prediction	148
<i>Duong Nguyen (Hanoi University of Science and Technology, Viet Nam), Thanh Le-Cong (The University of Melbourne, Australia), Triet Huynh Minh Le (University of Adelaide, Australia), M. Ali Babar (University of Adelaide, Australia), and Quyet-Thang Huynh (Hanoi University of Science and Technology, Viet Nam)</i>	
Understanding the Faults in Serverless Computing Based Applications: An Empirical Study	161
<i>Changrong Xie (National University of Defense Technology, China), Yang Zhang (National University of Defense Technology, China), Xinjun Mao (National University of Defense Technology, China), Kang Yang (National University of Defense Technology, China), and Tanghaoran Zhang (National University of Defense Technology, China)</i>	
Metamorphic Testing of Large Language Models for Natural Language Processing	174
<i>Steven Cho (University of Auckland, New Zealand), Stefano Ruberto (JRC European Commission, Italy), and Valerio Terragni (University of Auckland, New Zealand)</i>	
Adoption and Evolution of Code Style and Best Programming Practices in Open-Source Projects	187
<i>Alvari Kupari (University of Auckland, New Zealand), Nasser Giacaman (University of Auckland, New Zealand), and Valerio Terragni (University of Auckland, New Zealand)</i>	
Performance Testing in Open-Source Web Projects: Adoption, Maintenance, and a Change Taxonomy	199
<i>Sergio Di Meglio (University of Naples Federico II, Italy), Luigi Libero Lucio Starace (University of Naples Federico II, Italy), Valeria Pontillo (Software Languages (SOFT) Lab, Vrije Universiteit Brussel, Belgium; Gran Sasso Science Institute (GSSI, Italy), Ruben Opdebeeck (Software Languages (SOFT) Lab, Vrije Universiteit Brussel, Belgium), Coen De Roover (Software Languages (SOFT) Lab, Vrije Universiteit Brussel, Belgium), and Sergio Di Martino (University of Naples Federico II, Italy)</i>	

A Jump-Table-Agnostic Switch Recovery on ASTs	211
<i>Steffen Enders (Fraunhofer FKIE, Germany), Eva-Maria C. Behner (Fraunhofer FKIE, Germany), and Elmar Padilla (Fraunhofer FKIE, Germany)</i>	
Bridging Solidity Evolution Gaps: An LLM-Enhanced Approach for Smart Contract Compilation Error Resolution	223
<i>Likai Ye (Hangzhou High-Tech Zone (Binjiang) Institute of Blockchain and Data Security, Zhejiang University, China), Mengliang Li (Hangzhou High-Tech Zone (Binjiang) Institute of Blockchain and Data Security, Zhejiang University, China), Dehai Zhao (Zhejiang University, China), Jiamou Sun (CSIRO's Data61, Australia), and Xiaoxue Ren (Hangzhou High-Tech Zone (Binjiang) Institute of Blockchain and Data Security, Zhejiang University, China)</i>	
TSGuard: Detecting Logic Bugs in Time Series Management Systems via Time Series Algebra	235
<i>Lingwei Kuang (Nanjing University of Aeronautics and Astronautics, China), Liang Liu (Nanjing University of Aeronautics and Astronautics, China), Wenjing Wang (Nanjing University of Aeronautics and Astronautics, China), Ning Cao (Nanjing University of Aeronautics and Astronautics, China), Shijie Li (Nanjing University of Aeronautics and Astronautics, China), Fan Liu (Nanjing University of Aeronautics and Astronautics, China), Haolong Chen (Nanjing University of Aeronautics and Astronautics, China), and WenJian Liao (Nanjing FiberHome StarrySky Communication Development CN, China)</i>	
Onweer: Automated Resilience Testing through Fuzzing	248
<i>Gilles Coremans (Vrije Universiteit Brussel, Belgium) and Coen De Roover (Vrije Universiteit Brussel, Belgium)</i>	
OptionFuzz: Fuzzing SMT Solvers with Optimized Option Exploration via Large Language Models	260
<i>Yuhao Peng (Institute of Software Chinese Academy of Sciences; University of Chinese Academy of Sciences), Jingzheng Wu (Institute of Software Chinese Academy of Sciences), Xiang Ling (Institute of Software Chinese Academy of Sciences), Zhiyuan Li (Institute of Software Chinese Academy of Sciences; University of Chinese Academy of Sciences), Tianyue Luo (Institute of Software Chinese Academy of Sciences), and Yanjun Wu (Institute of Software Chinese Academy of Sciences)</i>	
AST-Enhanced or AST-Overloaded? The Surprising Impact of Hybrid Graph Representations on Code Clone Detection	271
<i>Zixian Zhang (University of Galway, Ireland) and Takfarinas Saber (University of Galway, Ireland; Lero, Research Ireland Centre for Software)</i>	
Let it be Chaos in the Plumbing! Usage and Efficacy of Chaos Engineering in DevOps Pipelines	282
<i>Stefano Fossati (JADS - Eindhoven University of Technology, Netherlands), Damian Andrew Tamburri (University of Sannio & JADS/NXP Semiconductors, Italy), Massimiliano Di Penta (University of Sannio, Italy), and Marco Tonnarelli (JADS - Eindhoven University of Technology, Netherlands)</i>	

Are Classical Clone Detectors Good Enough for the AI Era?	295
<i>Ajmain I. Alam (University of Saskatchewan, Canada), Palash R. Roy (University of Saskatchewan, Canada), Farouq Al-omari (Thompson Rivers University, Canada), Chanchal K. Roy (University of Saskatchewan, Canada), Banani Roy (University of Saskatchewan, Canada), and Kevin A. Schneider (University of Saskatchewan, Canada)</i>	
Are All Code Reviews the Same? Identifying and Assessing the Impact of Merge Request Deviations	308
<i>Samah Kansab (École1 de technologie supérieure (ÉTS), Canada), Francis Bordeleau (École de technologie supérieure (ÉTS), Canada), and Ali Tizghadam (TELUS, Canada)</i>	
Characterizing the System Evolution that is Proposed After a Software Incident	321
<i>Matt Pope (Brigham Young University, USA) and Jonathan Sillito (Brigham Young University, USA)</i>	
ADPP: Automated Data-Centric Program Partitioning	333
<i>Xuming Jin (Nanjing University of Aeronautics and Astronautics, China) and Hao Han (Nanjing University of Aeronautics and Astronautics, China)</i>	
Social Media Reactions to Open Source Promotions: AI-Powered GitHub Projects on Hacker News	344
<i>Prachnachai Meakpaiboonwattana (Mahidol University, Thailand), Warittha Tarntong (Mahidol University, Thailand), Thai Mekratanavorakul (Mahidol University, Thailand), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), Pattaraporn Sangaroonsilp (Mahidol University, Thailand), Raula Gaikovina Kula (The University of Osaka, Japan), Morakot Choetkiertikul (Mahidol University, Thailand), Kenichi Matsumoto (Nara Institute of Science and Technology, Japan), and Thanwadee Sunetnanta (Mahidol University, Thailand)</i>	
Trust and Verify: Formally Verified and Upgradable Trusted Functions	356
<i>Marcus Birgersson (KTH Royal Institute of Technology, Sweden), Cyrille Artho (KTH Royal Institute of Technology, Sweden), and Musard Balliu (KTH Royal Institute of Technology, Sweden)</i>	
Retrieve, Refine, or Both? using Task-Specific Guidelines for Secure Python Code Generation	368
<i>Catherine Tony (Hamburg University of Technology, Germany), Emanuele Iannone (Hamburg University of Technology, Germany), and Riccardo Scandariato (Hamburg University of Technology, Germany)</i>	
The Impact of Fine-Tuning Large Language Models on Automated Program Repair	380
<i>Roman Macháček (University of Bern, Switzerland), Anastasiia Grishina (Simula Research Laboratory, Norway), Max Hort (Simula Research Laboratory, Norway), and Leon Moonen (Simula Research Laboratory, Norway)</i>	
A Taxonomy of Inefficiencies in LLM-Generated Python Code	393
<i>Altaf Allah Abbassi (Polytechnique Montréal, Canada), Leuson Da Silva (Polytechnique Montréal, Canada), Amin Nikanjam (Huawei Distributed Scheduling and Data Engine Lab, Canada), and Foutse Khomh (Polytechnique Montréal, Canada)</i>	

Security Vulnerabilities in Docker Images: A Cross-Tag Study of Application Dependencies	405
<i>Hamid Mohayjei (Eindhoven University of Technology, The Netherlands), Eleni Constantinou (University of Cyprus, Cyprus), and Alexander Serebrenik (Eindhoven University of Technology, The Netherlands)</i>	
Automatically Augmenting GitHub Issues with Informative User Reviews	418
<i>Arthur Pilone (Institute of Mathematics and Statistics - University of São Paulo, Brazil), Marco Raglianti (REVEAL @ Software Institute --- USI, Lugano, Switzerland), Michele Lanza (REVEAL @ Software Institute --- USI, Lugano, Switzerland), Fabio Kon (Institute of Mathematics and Statistics - University of São Paulo, Brazil), and Paulo Meirelles (Institute of Mathematics and Statistics - University of São Paulo, Brazil)</i>	
Together We are Better: LLM, IDE and Semantic Embedding to Assist Move Method Refactoring ..	430
<i>Abhiram Bellur (University of Colorado), Fraol Batole (Tulane University), Mohammed Raihan Ullah (University of Colorado), Malinda Dilhara (Amazon Web Services), Yaroslav Zharov (JetBrains Research), Timofey Bryksin (JetBrains Research), Kai Ishikawa (NEC Corporation), Haifeng Chen (NEC Laboratories America), Masaharu Morimoto (NEC Corporation), Takeo Hosomi (NEC Corporation), Tien N. Nguyen (University of Texas at Dallas), Hridesh Rajan (Tulane University), Nikolaos Tsantalis (Concordia University), and Danny Dig (University of Colorado)</i>	
Syntest-ACR: Automated Crash Reproduction for JavaScript	443
<i>Philip Oliver (Victoria University of Wellington, New Zealand), Jens Dietrich (Victoria University of Wellington, New Zealand), Craig Anslow (Victoria University of Wellington, New Zealand), and Michael Homer (Victoria University of Wellington, New Zealand)</i>	
Can LLMs Update API Documentation?	455
<i>Seonah Lee (Gyeongsang National University, Republic of Korea), Jueun Heo (Gyeongsang National University, Republic of Korea), and Katherine R. Dearstyne (University of Notre Dame, USA)</i>	
Is Quantization a Deal-Breaker? Empirical Insights from Large Code Models	467
<i>Saima Afrin (William & Mary, USA), Bowen Xu (North Carolina State University, USA), and Antonio Mastropaolo (William & Mary, USA)</i>	
Boosting Log Observability in Production Systems through Bytecode-Driven Fault Variable Tracking	480
<i>Taizheng Wang (Hainan University, China), Yutong Wang (Hainan University, China), Wei Chang (Hainan University, China), Chunyang Ye (Hainan University, China), and Hui Zhou (Hainan University, China)</i>	
Does Editing Improve Answer Quality on Stack Overflow? A Data-Driven Investigation	492
<i>Saikat Mondal (University of Saskatchewan, Canada) and Chanchal K. Roy (University of Saskatchewan, Canada)</i>	

RMGenie: An LLM-Based Agent Framework for Open Source Software README Generation	505
<i>Xing Cui (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Jingzheng Wu (Institute of Software, Chinese Academy of Sciences), Zhiyuan Li (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Tianyue Luo (Institute of Software, Chinese Academy of Sciences), and Xiang Ling (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences)</i>	
Roseau: Fast, Accurate, Source-Based API Breaking Change Analysis in Java	517
<i>Corentin Latappy (Univ. Bordeaux, France), Thomas Degueule (Univ. Bordeaux, France), Jean-Rémy Falleri (Univ. Bordeaux, France), Romain Robbes (Univ. Bordeaux, France), and Lina Ochoa (Eindhoven University of Technology)</i>	
An Efficient Android App Debloating Approach Based on Multi-Layer Dependence Graph	529
<i>Hengqin Yang (University of Chinese Academy of Sciences, China; Institute of Software, Chinese Academy of Sciences, China), Jiwei Yan (University of Chinese Academy of Sciences, China; Institute of Software, Chinese Academy of Sciences, China), Jun Yan (University of Chinese Academy of Sciences, China; Institute of Software, Chinese Academy of Sciences, China), Bin Liang (Renmin University of China, China), and Jian Zhang (University of Chinese Academy of Sciences, China; Institute of Software, Chinese Academy of Sciences, China)</i>	
Nüwa: Enhancing MLIR Fuzzing with LLM-Driven Generation and Adaptive Mutation	541
<i>Bocan Cao (Northwest University, China), Weiyuan Tong (Northwest University, China), Zhanyong Tang (Northwest University, China), Zixu Wang (Northwest University, China), Hao Huang (Northwest University, China), and Yuheng Yan (Northwest University, China)</i>	

Industry Track

HybridRCA Lightweight Critical-Path-Aware Hybrid Tracing for Root-Cause Analysis in Production Microservices	553
<i>Maryam Ekhlesi (Software Engineer at Ciena, Canada), Arnaud Fiorini (Polytechnique Montreal, Canada), Michel Dagenais (Polytechnique Montreal, Canada), Naser Ezzati-Jivan (Brock University, Canada), and Maxime Lamothe (Polytechnique Montreal, Canada)</i>	
Improving Merge Pipeline Throughput in Continuous Integration via Pull Request Prioritization	565
<i>Maximilian Jungwirth (BMW Group, University of Passau, Germany), Martin Gruber (BMW Group, Germany), and Gordon Fraser (University of Passau, Germany)</i>	
Levels of Binary Equivalence for the Comparison of Binaries from Alternative Builds	576
<i>Jens Dietrich (Victoria University of Wellington, New Zealand), Tim White (Victoria University of Wellington, New Zealand), Behnaz Hassanshahi (Oracle Labs Australia, Australia), and Paddy Krishnan (Oracle Labs Australia, Australia)</i>	

Constraint Discovery for Structured Generation via LLM-Guided SMT Inference	588
<i>Hrshikesh Karmarkar (TCS Research, India), Supriya Agrawal (TCS Research, India), Siddhesh Pagar (TCS Research, India), Vaibhavi Joshi (TCS Research, India), Sagar Verma (TCS Research, India), and Naman Paul (TCS Research, India)</i>	
Testing is not Boring: Characterizing Challenge in Software Testing Tasks	594
<i>Davi Gama Hardman (CESAR, Brazil), César França (CESAR School, Brazil), Brody Stuart-Verner (University of Calgary, Canada), and Ronnie de Souza Santos (University of Calgary, Canada)</i>	
Automated Code Review using Large Language Models at Ericsson: An Experience Report	602
<i>Shweta Ramesh (Ericsson, India), Joy Bose (Ericsson, India), Hamender Singh (Ericsson, India), Ak Raghavan (Ericsson, India), Sujoy Roy Chowdhury (Ericsson, India), Giriprasad Sridhara (Ericsson, India), Nishrith Saini (Ericsson, India), and Ricardo Britto (Ericsson, India)</i>	
A Deep Dive into Retrieval-Augmented Generation for Code Completion: Experience on WeChat .	608
<i>Zezhou Yang (Tencent, China), Ting Peng (Tencent, China), Cuiyun Gao (Chinese University of Hong Kong, China), Chaozheng Wang (Chinese University of Hong Kong, China), Hailiang Huang (Tencent, China), and Yuetang Deng (Tencent, China)</i>	
Requirements Ambiguity Detection and Explanation with LLMs: An Industrial Study	620
<i>Sarmad Bashir (RISE Research Institutes of Sweden, Sweden), Alessio Ferrari (University College Dublin, Ireland), Abbas Khan (RISE Research Institutes of Sweden, Sweden), Per Erik Strandberg (Westermo Network Technologies AB, Sweden), Zulqarnain Haider (Alstom Rail AB, Sweden), Mehrdad Saadatmand (RISE Research Institutes of Sweden, Sweden), and Markus Bohlin (Mälardalen University, Sweden)</i>	
Efficient Detection of Intermittent Job Failures using Few-Shot Learning	632
<i>Henri Aidasso (École de technologie supérieure, Canada), Francis Bordeleau (École de technologie supérieure, Canada), and Ali Tizghadam (TELUS, Canada)</i>	
AskGraph: A Dependency-Aware Code Assistant Powered by Code Graphs and LLM-Generated Cypher Queries	644
<i>Nan Yang (TNO-ESI, The Netherlands), Joseph Reynolds (TNO-ESI, The Netherlands), Laurens Prast (TNO-ESI, The Netherlands), and Rosilde Corvino (TNO-ESI, The Netherlands)</i>	
Automated Recovery of Software Product Lines from Legacy Configurable Codebases	656
<i>Tewfik Ziadi (University of Doha for Science & Technology, Qatar), Karim Ghallab (RedFabriQ - Mobioos, France), and Zaak Chalal (RedFabriQ - Mobioos, France)</i>	
Governance Matters: Lessons from Restructuring the data.table OSS Project	667
<i>Pedro Oliveira (Northern Arizona University, USA), Doris Amoakohene (data.table Project), Toby Hocking (data.table Project), Marco Gerosa (Northern Arizona University, USA), and Igor Steinmacher (Northern Arizona University, USA)</i>	
AI Mentor System: Building a Technical Debt Dashboard for Low Code	679
<i>Alexandre Lemos (OutSystems, Portugal) and Joana Coutinho (OutSystems, Portugal)</i>	

Integrating Rules and Semantics for LLM-Based C-to-Rust Translation	685
<i>Feng Luo (Harbin Institute of Technology (Shenzhen), China), Kexing Ji (Harbin Institute of Technology (Shenzhen), China), Cuiyun Gao (Harbin Institute of Technology (Shenzhen), China), Shuzheng Gao (The Chinese University of Hong Kong, China), Jia Feng (Harbin Institute of Technology (Shenzhen), China), Kui Liu (Huawei Software Engineering Application Technology Lab, China), Xin Xia (Zhejiang University, China), and Michael R. Lyu (The Chinese University of Hong Kong, China)</i>	
Targeted Test Selection Approach in Continuous Integration	697
<i>Pavel Plyusnin (T-Technologies, Russia), Aleksey Antonov (T-Technologies, Russia), Vasilii Ermakov (T-Technologies, Russia), Alexandr Khaybriev (T-Technologies, Russia), Margarita Kikot (T-Technologies, Russia), Ilseyar Alimova (T-Technologies, Russia), and Stanislav Moiseev (T-Technologies, Russia)</i>	
Combining Insights from Multiple Tools to Manage Technical Debt in Industrial C# Projects	709
<i>Simeon Tverdal (SINTEF, Norway), Phu Nguyen (SINTEF, Norway), Arda Goknil (SINTEF, Norway), Antonio Martini (University of Oslo, Norway), Merve Astekin (SINTEF, Norway), Mili Orucevic (Visma AS, Norway), Maren Maritsdatter Kruke (Visma AS, Norway), and Håvard Stranden (AKVA Group, Norway)</i>	
Monitoring Continuous Integration Practices in Industry: A Case Study	721
<i>Jadson Santos (Federal University of Rio Grande do Norte, Brazil), Daniel Alencar da Costa (University of Otago, New Zealand), and Uirá Kulesza (Federal University of Rio Grande do Norte, Brazil)</i>	
Code Readability in the Age of Large Language Models: An Industrial Case Study from Atlassian	732
<i>Wannita Takerngsaksiri (Monash University, Australia), Chakkrit Tantithamthavorn (Monash University, Australia), Micheal Fu (The University of Melbourne, Australia), Jirat Pasuksmit (Atlassian, Australia), Kun Chen (Atlassian, United States), and Ming Wu (Atlassian, United States)</i>	
Understanding Practitioners' Perspectives on Monitoring Machine Learning Systems	743
<i>Hira Naveed (Monash University, Australia), John Grundy (Monash University, Australia), Chetan Arora (Monash University, Australia), Hourieh Khalajzadeh (Deakin University, Australia), and Omar Haggag (Monash University, Australia)</i>	

New Ideas and Emerging Results (NIER) Track

Towards Interaction-Aware Validation Oracles for Multi-Fault Program Repair	755
<i>Omar I. Al-Bataineh (Gran Sasso Science Institute, Italy)</i>	

MalLoc: Toward Fine-Grained Android Malicious Payload Localization via LLMs	761
<i>Tiezhu Sun (University of Luxembourg, Luxembourg), Marco Alecci (University of Luxembourg, Luxembourg), Aleksandr Pilgun (University of Luxembourg, Luxembourg), Yewei Song (University of Luxembourg, Luxembourg), Xunzhu Tang (University of Luxembourg, Luxembourg), Jordan Samhi (University of Luxembourg, Luxembourg), Tegawendé F. Bissyandé (University of Luxembourg, Luxembourg), and Jacques Klein (University of Luxembourg, Luxembourg)</i>	
Can LLMs Write CI? A Study on Automatic Generation of GitHub Actions Configurations	767
<i>Taher A. Ghaleb (Trent University, Canada) and Dulina Rathnayake (Trent University, Canada)</i>	
From First Use to Final Commit: Studying the Evolution of Multi-CI Service Adoption	773
<i>Nitika Chopra (Trent University, Canada) and Taher A. Ghaleb (Trent University, Canada)</i>	
How Does Test Code Differ from Production Code in Terms of Refactoring? An Empirical Study ...	779
<i>Kosei Horikawa (Nara Institute of Science and Technology, Japan), Yutaro Kashiwa (Nara Institute of Science and Technology, Japan), Bin Lin (Hangzhou Dianzi University, China), Kenji Fujiwara (Nara Women's University, Japan), and Hajimu Iida (Nara Institute of Science and Technology, Japan)</i>	
Inferring Attributed Grammars from Parser Implementations	785
<i>Andreas Pointner (Advanced Information Systems and Technology, University of Applied Sciences, Austria), Josef Pichler (Department for Software Engineering, University of Applied Sciences, Austria), and Herbert Prähofer (Institut for System Software, Johannes Kepler University Linz, Austria)</i>	
Client–Library Compatibility Testing with API Interaction Snapshots	791
<i>Gustave Monce (Univ. Bordeaux, France), Thomas Degueule (Univ. Bordeaux, France), Jean-Rémy Falleri (Univ. Bordeaux, France), and Romain Robbes (Univ. Bordeaux, France)</i>	
Rethinking Cognitive Complexity for Unit Tests: Toward a Readability-Aware Metric Grounded in Developer Perception	797
<i>Wendkūuni C. Ouédraogo (University of Luxembourg), Yinghua Li (University of Luxembourg), Xueqi Dang (University of Luxembourg), Xin Zhou (Singapore Management University, Singapore), Anil Koyuncu (Bilkent University, Turkey), Jacques Klein (University of Luxembourg), David Lo (Singapore Management University, Singapore), and Tegawendé F. Bissyandé (University of Luxembourg)</i>	
Prompting Matters: Assessing the Effect of Prompting Techniques on LLM-Generated Class Code	803
<i>Adam Yuen (University of Calgary, Canada), John Pangas (University of Calgary, Canada), Mainul Hasan Polash (University of Calgary, Canada), and Ahmad Abdellatif (University of Calgary, Canada)</i>	
How Much Can a Behavior-Preserving Changeset Be Decomposed into Refactoring Operations? ...	809
<i>Kota Someya (Institute of Science Tokyo, Japan), Lei Chen (Institute of Science Tokyo, Japan), Michael J. Decker (Bowling Green State University, USA), and Shinpei Hayashi (Institute of Science Tokyo, Japan)</i>	

Prioritizing Test Smells: An Empirical Evaluation of Quality Metrics and Developer Perceptions	815
<i>Arif Hasan (University of Dhaka, Bangladesh) and Toukir Ahammed (University of Dhaka, Bangladesh)</i>	
Explicit Vulnerability Generation with LLMs: An Investigation Beyond Adversarial Attacks	821
<i>Ahmet Emir Bosnak (Bilkent University, Turkey), Sahand Moslemi (Bilkent University, Turkey), Mayasah Lami (Bilkent University, Turkey), and Anil Koyuncu (Bilkent University, Turkey)</i>	
LLMShot: Reducing Snapshot Testing Maintenance via LLMs	827
<i>Ergün Batuhan Kaynak (Bilkent University, Turkey), Mayasah Lami (Bilkent University, Turkey), Sahand Moslemi (Bilkent University, Turkey), and Anil Koyuncu (Bilkent University, Turkey)</i>	
A Preliminary Study on Large Language Models Self-Negotiation in Software Engineering	833
<i>Chunrun Tao (Kyushu University, Japan), Honglin Shu (Kyushu University, Japan), Masanari Kondo (Kyushu University, Japan), and Yasutaka Kamei (Kyushu University, Japan)</i>	
Detecting Adversarial Prompted AI-Generated Code on Stack Overflow: A Benchmark Dataset and an Enhanced Detection Approach	839
<i>Aman Swaraj (Indian Institute of Technology, Roorkee, India), Krishna Agarwal (Indian Institute of Technology Roorkee, India), Atharv Joshi (Indian Institute of Technology Roorkee, India), and Sandeep Kumar (Indian Institute of Technology Roorkee, India)</i>	
Repairing Responsive Layout Failures using Retrieval Augmented Generation	845
<i>Tasmia Zerin (University of Dhaka, Bangladesh), Moumita Asad (University of California, Irvine, USA), B M Mainul Hossain (University of Dhaka, Bangladesh), and Kazi Sakib (University of Dhaka, Bangladesh)</i>	
ExpertCache: GPU-Efficient MoE Inference through Reinforcement Learning-Guided Expert Selection	N/A
<i>Xunzhu Tang (University of Luxembourg), Tiezhu Sun (University of Luxembourg), Yewei Song (University of Luxembourg), Siyuan Ma (Nanyang Technological University, Singapore), Jacques Klein (University of Luxembourg), and Tegawendé F. Bissyandé (University of Luxembourg)</i>	

Doctoral Symposium Track

Toward a Resilience-Oriented Understanding of Unit Test Suites and Refactoring in Software Evolution	857
<i>Daniel Knight (Mississippi State University)</i>	
Towards Proficiency Assessment through Code	860
<i>Ruksit Ropaisarnkit (Nara Institute of Science and Technology, Japan)</i>	
The Influence of Code Smell Interactions on Software Maintainability	865
<i>Zushuai Zhang (University of Auckland, New Zealand)</i>	
Ensuring Code Integrity in the Era of AI-Assisted Software Development	870
<i>Arthur Pilone (University of São Paulo)</i>	
Understanding and Simulating OSS Evolution: A Case Study on PyMC	873
<i>Toru Sugiyama (The Open University of Japan, Japan)</i>	

The Impact of Generative AI on Developer Practices, Behavior, and Software Quality	878
<i>Julian Oertel (University of Rostock, Germany)</i>	
Bugs in AI-Generated Code - Understanding Bug Patterns and Possible Fix Strategies	881
<i>Ruofan Gao (Massey University, New Zealand)</i>	
Towards Just-In-Time, Inclusive Clone Refactoring	884
<i>Palash Roy (University of Saskatchewan, Canada)</i>	
Enhancing Infrastructure Maintenance and Evolution through Graph-Based Visualization and Analysis	887
<i>Stefano Fossati (JADS - Eindhoven University of Technology, The Netherlands)</i>	
DevSecLogs: AI-Powered, Tamper-Evident Log Intelligence for Secure CI/CD Pipelines	890
<i>Sabbir M. Saleh (University of Western Ontario, Canada)</i>	

Tool Demonstration Track

LeakageDetector 2.0: Analyzing Data Leakage in Jupyter-Driven Machine Learning Pipelines	895
<i>Owen Truong (Stevens Institute of Technology, USA), Terrence Zhang (Stevens Institute of Technology, USA), Arnav Marchareddy (Stevens Institute of Technology, USA), Ryan Lee (Stevens Institute of Technology, USA), Jeffery Busold (Stevens Institute of Technology, USA), Michael Socas (Stevens Institute of Technology, USA), and Eman Abdullah AlOmar (Stevens Institute of Technology, USA)</i>	
DENIM: Exploring Data Access in Microservices	900
<i>Maxime André (University of Namur, Belgium), Marco Raglianti (Università della Svizzera italiana, Switzerland), Anthony Cleve (University of Namur, Belgium), and Michele Lanza (Università della Svizzera italiana, Switzerland)</i>	
XTestGen: Natural Language to Maintainable E2E Test Scripts with LLMs	905
<i>Hiroyuki Kirinuki (Computer and Data Science Labs., NTT, Inc., Japan), Masaki Tajima (Computer and Data Science Labs., NTT, Inc., Japan), and Kei Wakabayashi (Computer and Data Science Labs., NTT, Inc., Japan)</i>	
MaRCO: Compatible Version Ranges in Maven	910
<i>Cathrine Paulsen (Delft University of Technology, The Netherlands) and Sebastian Proksch (Delft University of Technology, The Netherlands)</i>	
AI-Powered Commit Explorer (APCE)	915
<i>Yousab Grees (Belmont University, USA), Polina Iaremchuk (Belmont University, USA), Ramtin Ehsani (Drexel University, USA), Esteban Parra (Belmont University, USA), Preetha Chatterjee (Drexel University, USA), and Sonia Haiduc (Florida State University, USA)</i>	
JDala - A Simple Capability System for Java	920
<i>Quinten Smit (Victoria University of Wellington, New Zealand), Jens Dietrich (Victoria University of Wellington, New Zealand), Michael Homer (Victoria University of Wellington, New Zealand), Andrew Fawcett (Victoria University of Wellington, New Zealand), and James Noble (Creative Research and Programming, New Zealand)</i>	

MediumDarwin: LittleDarwin Grows with Performance and Research-Oriented Extensions	925
<i>Sajjad Hesamipour Khelejan (Trinity College Dublin & Research Ireland Lero), Thomas Laurent (Trinity College Dublin & Research Ireland Lero), and Anthony Ventresque (Trinity College Dublin & Research Ireland Lero)</i>	
LLMLoop: Improving LLM-Generated Code and Tests through Automated Iterative Feedback Loops..	930
<i>Ravin Ravi (University of Auckland, New Zealand), Dylan Bradshaw (University of Auckland, New Zealand), Stefano Ruberto (JRC European Commission, Italy), Gunel Jahangirova (King's College London, United Kingdom), and Valerio Terragni (University of Auckland, New Zealand)</i>	
CodeWatcher: IDE Telemetry Data Extraction Tool for Understanding Coding Interactions with LLMs	935
<i>Manaal Basha (The University of British Columbia), Aimee M. Ribeiro (Federal University of Para), Jeena Javahar (The University of British Columbia), Cleidson R. B. de Souza (Federal University of Para), and Gema Rodriguez Perez (The University of British Columbia)</i>	
LadyBug: A GitHub Bot for UI-Enhanced Bug Localization in Mobile Apps	940
<i>Junayed Mahmud (University of Central Florida, USA), James Chen (University of Central Florida, USA), Terry Achille (University of Central Florida, USA), Camilo Alvarez-Velez (University of Central Florida, USA), Darren Dean Bansil (University of Central Florida, USA), Patrick Ijeh (University of Central Florida, USA), Samar Karanch (University of Central Florida, USA), Nadeeshan De Silva (William & Mary, USA), Oscar Chaparro (William & Mary, USA), Andrian Marcus (George Mason University, USA), and Kevin Moran (University of Central Florida, USA)</i>	
VulGuard: An Unified Tool for Evaluating Just-In-Time Vulnerability Prediction Models	945
<i>Duong Nguyen (Hanoi University of Science and Technology, Viet Nam), Manh Tran-Duc (Hanoi University of Science and Technology, Viet Nam), Thanh Le-Cong (The University of Melbourne, Australia), Triet Huynh Minh Le (University of Adelaide, Australia), M. Ali Babar (University of Adelaide, Australia), and Quyet-Thang Huynh (Hanoi University of Science and Technology, Viet Nam)</i>	
COB2PY - A Non-AI, Rule-Based COBOL to Python Translator	950
<i>Kowshik Reddy Challa (Indian Institute of Technology, India), M V Sonith (Indian Institute of Technology, India), B S Chiranjeevi (Indian Institute of Technology, India), and Sridhar Chimalakonda (Indian Institute of Technology Tirupati, India)</i>	

Author Index