

# **2025 IEEE BiCMOS and Compound Semiconductor Integrated Circuits and Technology Symposium (BCICTS 2025)**

**Phoenix, Arizona, USA  
12-15 October 2025**



**IEEE Catalog Number: CFP25N20-POD  
ISBN: 979-8-3315-9173-1**

**Copyright © 2025 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP25N20-POD
ISBN (Print-On-Demand):	979-8-3315-9173-1
ISBN (Online):	979-8-3315-9172-4
ISSN:	2831-4972

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# Table of Contents

## Plenary

<b>Adapting, Self-Configuring and Reconfigurable Circuits and MMICs .....</b>	<b>1</b>
Charles Campbell Qorvo, TX, USA	

## Next Generation mmW and Sub-Terahertz Communications

<b>Innovations for 6G and Beyond: mm-Wave Wideband Digital Beamforming Transceiver Arrays for Integrated Sensing and Communication .....</b>	<b>6</b>
Payam Heydari University of California, Irvine, CA, USA	

<b>A Fully-Integrated 0.4-THz OOK Wireless Transmitter in 90-nm SiGe BiCMOS .....</b>	<b>13</b>
Benyamin Fallahi Motlagh, Aydin Babakhani University of California, Los Angeles, CA, USA	

<b>A Fully-Integrated 380-440 GHz OOK Receiver with On-Chip Demodulator in 90nm SiGe BiCMOS.....</b>	<b>17</b>
Jaskirat Singh Viridi, Benyamin Fallahi Motlagh, Aydin Babakhani University of California Los Angeles, CA, USA	

<b>CN-OOK: A Passive Common-Node OOK Modulator Using NLTL for Harmonic Generation at 120 GHz.....</b>	<b>21</b>
Xiuhan Chen, Haoling Li, Najme Ebrahimi Northeastern University, MA, USA	

## Advanced Devices & Technologies

<b>Development and Optimization of Schottky Diodes Utilizing 3-Dimensional AlGaIn/GaN SLCFET with Switch-Like Pinch-Off Effects .....</b>	<b>25</b>
Annaliese Drechsler, Brian Alt, Justin Parke, Nicole McIntyre, Francesca Nacion, Trent Borman, Megan Snook Northrop Grumman Systems Corporation, MD, USA	

<b>High linearity and low RF loss GaN-on-Si substrates achieved through interface engineering.....</b>	<b>29</b>
Sachin Yadav <sup>1</sup> , Amin Rassekh <sup>2</sup> , Pieter Cardinael <sup>3</sup> , Sourish Banerjee <sup>1</sup> , Babak Asfeh <sup>1</sup> , Uthayasankaran Peralagu <sup>1</sup> , Morin Dehan <sup>4</sup> , Jean-Pierre Raskin <sup>3</sup> , Bertrand Parvais <sup>1,5</sup> imec, Belgium, <sup>2</sup> incize, Belgium, <sup>3</sup> UCLouvain, Belgium, <sup>4</sup> incize, Belgium, <sup>5</sup> Vrije Universiteit Brussels, Belgium	

<b>Development of RF Schottky Diamond Diodes for High-Power Receiver-Protection (RP) Applications.....</b>	<b>33</b>
Ugonna Ohiri, Brian Bersch, Michael Marakovits, Noah Sauber, Thomas Adam, Brant Hampel, Alec Fedrice, Victor Hu, Nathaniel Rogers, Bettina Nechay, Robert Howell, Sara Taylor, Alexis Toulouse Northrop Grumman Systems Corporation, MD, USA	

**Multi-Finger InP/GaAsSb DHBTs with Non-Uniform Emitter Finger Widths for Improved Thermal Performance .....37**

Andrea Cercaci, Sara Hamzeloui, Filippo Ciabattini, Mojtaba Ebrahimi, Akshay Arabhavi, Olivier Ostinelli, Colombo Bolognesi  
ETH Zurich, Switzerland

**Evolution of 300mm GaN-on-Si Technology with Monolithically Integrated Si PMOS: From Technology Development to RF and mmWave Circuit Demonstrations.....41**

Qiang Yu, Ibukunoluwa Momson, Ali Farid, Abilash Venkatesh, Linli Xie, Prafful Golani, Ahmad Zubair, Samuel Bader, Pratik Koirala, Michael Beumer, Heli Vora, Marko Radosavljevic, Georgios Dogiamis, Said Rami, Han Wui Then  
Intel Corporation, CA, USA

## **3DIC Heterogeneous integration and thermal modeling**

**Compact Modeling of Distributed Electro-Thermal Effects in SiGe HBTs and mm-Wave Power Amplifiers.....48**

Guangsheng Liang<sup>1</sup>, Christoph Weimer<sup>1,2</sup>, Xiaodi Jin<sup>1,3</sup>, Michael Schröter<sup>1</sup>  
<sup>1</sup>TU Dresden, Chair for Electron Devices and Integrated Circuits, Germany, <sup>2</sup>Semimod GmbH, Germany, <sup>3</sup>Beihang University, China

**Scalable Thermal Characterization and Stress Type Comparison on 55nm SiGe HBT .....52**

Arthur Sarafinof<sup>1</sup>, Chhandak Mukherjee<sup>1</sup>, Magali De Matos<sup>1</sup>, Lucas Réveil<sup>1,2</sup>, Florian Cacho<sup>2</sup>, Cristell Maneux<sup>1</sup>  
<sup>1</sup>IIMS Lab, University of Bordeaux, France, <sup>2</sup>STMicroelectronics, France

## **Analog ICs**

**A 88.6\,ppm/K Robust Cryogenic DTMOS-based Bandgap Reference Operating from 8\,K to 300\,K for Quantum Computing Applications.....56**

Zhaoqun Guo, Alexander Meyer, Peter Toth, Adilet Dossanov, Vadim Issakov  
Technische Universität Braunschweig, Germany

**A 100V VIN 400W GaN Buck-Boost Converter with Adaptive Frequency Modulation and GaN Hard- Short Protection Achieving 98.6% Efficiency for Photovoltaic to Solid-State Battery System .....60**

Longcheng Pi<sup>1</sup>, Yike Fang<sup>1</sup>, Yi Fang<sup>1</sup>, Lian Wang<sup>2</sup>, Xiang Gao<sup>1</sup>, Lenian He<sup>1</sup>, Rui Zhang<sup>1</sup>, Xugang Ke<sup>1</sup>  
<sup>1</sup>Institute of VLSI Design, Zhejiang University, China, <sup>2</sup>Primechip Semiconductor, China

## **Advanced Next Gen SI RF technologies**

**Advancing Next Generation Wireless with Scaled FinFET Technologies .....64**

Said Rami<sup>1</sup>, Qiang Yu<sup>2</sup>, Ali Farid<sup>2</sup>, Ibukunoluwa Momson<sup>1</sup>, Georgios Dogiamis<sup>3</sup>, Surej Ravikumar<sup>1</sup>, Xi Li<sup>3</sup>, Adam Brand<sup>2</sup>, Alvin Loke<sup>2</sup>  
<sup>1</sup>Intel Corporation, OR, USA, <sup>2</sup>Intel Corporation, CA, USA, <sup>3</sup>Intel Corporation, AZ, USA

**Inverse Design of a SiGe HBT Germanium Profile for Temperature Invariant Cutoff Frequency .....73**

Justin Heimerl, Harrison Lee, Nelson Sepúlveda-Ramos, John Cressler  
Georgia Institute of Technology, GA, USA

**3DIC Technologies for RF Mobile and Infrastructure Applications..... no paper**  
Alfred Chong  
GlobalFoundries, VT, USA

## **High-Performance Circuits for Optical Communications**

**200 GBaud single-carrier coherent optical transmission .....77**  
Naftali Weiss, Peter Schvan, Yuriy Greshishchev, Douglas McPherson, Marinette Besson, Chris Falt, Shahab Oveis Gharan  
Ciena Corp., ON, Canada

**53 GBaud NRZ/PAM-4 Monolithic Opto-Electrical Transceiver in a 45nm CMOS-Silicon Photonic Process with Embedded Controller.....80**  
Yun Zhe Li, Artsroun Darbinian, Shahab Ardalan, Ari Novack, Matthew Streshinsky  
ENOSEMI, CA, USA

**A 128 GS/s 2xTime-Interleaved Track and Hold Amplifier in 130nm SiGe BiCMOS.....85**  
Maxim Weizel, Harshan Nagaraju, J. Christoph Scheytt  
Paderborn University / Heinz Nixdorf Institute, Germany

## **Device physics, reliability, TCAD and ML**

**Long-Term RF Reliability of SiGe HBTs: Characterization and Modeling.....89**  
Christoph Weimer<sup>1</sup>, Gerhard Fischer<sup>2</sup>, Michael Schröter<sup>1</sup>  
<sup>1</sup>Technische Universität Dresden, Germany, <sup>2</sup>IHP, Leibniz-Institut für innovative Mikroelektronik, Germany

**Physical Mechanisms Behind the Current Increase in Silicon Bipolar Transistors at Cryogenic Temperatures .....97**  
Azra Tabaković, Filip Bogdanović, Lovro Marković, Tomislav Suligoj  
Faculty of Electrical Engineering and Computing, University of Zagreb, Croatia

**Technology CAD and Machine Learning: A New Paradigm for Semiconductor Technology Development .....101**  
Jeffrey Johnson<sup>1</sup>, Eduardo Silva<sup>2</sup>, Tom Herrmann<sup>3</sup>, Paul Jungmann<sup>3</sup>, Alex Derrickson<sup>1</sup>, Muhammad Talal Anwar<sup>3</sup>, Alban Zaka<sup>3</sup>  
<sup>1</sup>Globalfoundries - Malta, NY, USA, <sup>2</sup>GlobalFoundries - Austin, TX, USA, <sup>3</sup>GlobalFoundries - Dresden, Germany

## **III-V Modeling, MMICs, and Packaging**

**Investigation of V-band GaN MMIC integration in an advanced FO-WLP package .....109**  
Mohamed Bouslama<sup>1</sup>, Stéphane Piotrowicz<sup>1</sup>, Anass Jakani<sup>1</sup>, Louiza Hamidouche<sup>1</sup>, Jean-Claude Jacquet<sup>1</sup>, Quentin Lévesque<sup>1</sup>, Benoit Lambert<sup>2</sup>, Gildas Gauthier<sup>1</sup>  
<sup>1</sup>III-V Lab - Paris, France, <sup>2</sup>United Monolithic Semiconductors SAS, France

**Design and Comparison of Fully Integrated mm-Wave GaAs Power Amplifiers using Physics-Based Compact Model..... 113**  
Pilsoun Choi  
Massachusetts Institute of Technology, MA, USA

<b>A GaAs HEMT Rectifier-Type Mixer for Battery-Less Wirelessly Powered Relay Transceivers</b> .....	<b>117</b>
Masayuki Kikuchi, Michihiro Ide, Jill Mayeda, Sena Kato, Keito Yuasa, Atsushi Shirane Institute of Science Tokyo, Japan	
<b>Polymer Microwave Fiber: Redefining the Limits of Low-Power and High-Speed Communication</b> .....	<b>121</b>
Patrick Reynaert, Pieter-Antonio Fernandez MICAS - KU Leuven, Belgium	
 <b>Electro-thermal GaN modeling and characterization</b>	
<b>Systematic Extraction Flow for GaN HEMTs with Thermal Self Heating and Charge Trapping Effects</b> .....	<b>125</b>
Rebecca Fang <sup>1</sup> , Johan Alant <sup>1</sup> , Daiyao Xu <sup>1</sup> , Ujwal Radhakrishna <sup>2</sup> , Lan Wei <sup>1</sup> <sup>1</sup> University of Waterloo, AB, Canada, <sup>2</sup> Kilby Research Labs, Texas Instruments, CA, USA	
<b>Inter-Laboratory Comparison of Gate Resistance Thermometry Measurements of RF GaN HEMTs</b> .....	<b>129</b>
Dashiel Matlock <sup>1</sup> , Emils Jurcik <sup>2</sup> , Daniel Shoemaker <sup>3</sup> , Seokjun Kim <sup>3</sup> , Dave Frey <sup>1</sup> , Edward Gebara <sup>1</sup> , Maher Tahhan <sup>4</sup> , Matt DeJarld <sup>4</sup> , Eduardo Chumbes <sup>4</sup> , Jeffrey Laroche <sup>4</sup> , Samuel Graham <sup>2</sup> , Sukwon Choi <sup>3</sup> , Nicholas Miller <sup>1</sup> <sup>1</sup> Michigan State University, MI, USA, <sup>2</sup> University of Maryland, MD, USA, <sup>3</sup> Penn State University, PA, USA, <sup>4</sup> Raytheon, MA, USA	
<b>Simulating High-Voltage RF GaN HEMTs using Fermi Kinetics Transport</b> .....	<b>133</b>
Carter Mayfield <sup>1</sup> , Scott Risdon <sup>1</sup> , Matt Grupen <sup>2</sup> , Maher Tahhan <sup>3</sup> , Matt DeJarld <sup>3</sup> , Eduardo Chumbes <sup>3</sup> , Jeffrey LaRoche <sup>3</sup> , Nicholas Miller <sup>1</sup> <sup>1</sup> Department of Electrical and Computer Engineering, Michigan State University, MI, USA, <sup>2</sup> Air Force Research Laboratory Sensors Directorate, OH, USA, <sup>3</sup> Raytheon, MA, USA	
 <b>Integrated Wireless Subsystem Technology</b>	
<b>Terahertz Sensing using CMOS-RFIC with High-Efficiency Power Amplifier</b> .....	<b>138</b>
Ichiro Somada, Yuki Tsukui, Akihito Hirai, Akinori Taira, Kazuaki Ishioka, Nagahiro Abe, Koji Yamanaka Mitsubishi Electric Corporation, Japan	
<b>BER Enhancement in Interference-Limited Wireless Networks Using a Distributed Receiver Array in 0.13 <math>\mu\text{m}</math> BiCMOS Technology</b> .....	<b>142</b>
Alireza Kiyaei, Subhan Zakir, Mohammad Zarehosseinabadi, Saeed Zeinolabedinzadeh Arizona State University, AZ, USA	
<b>Low-Power Highly-Integrated 4-RX 2-TX Multi-Channel Cascadable D-Band Transceiver for MIMO FMCW Radar Applications in BiCMOS</b> .....	<b>146</b>
Julien Baumgartner <sup>1,2</sup> , Vincent Lammert <sup>1,2</sup> , Tetiana Baluta <sup>1</sup> , Herbert Knapp <sup>2</sup> , Jürgen Hartmann <sup>2</sup> , Hans-Peter Forstner <sup>2</sup> , Vadim Issakov <sup>1,2</sup> <sup>1</sup> Technical University Braunschweig, Germany, <sup>2</sup> Infineon Technologies AG, Germany	
<b>A Two-Channel Line-of-Sight MIMO Link at 202 GHz Using Integrated Transceiver Modules</b> .....	<b>150</b>
Yuya Nemoto, Upamanyu Madhow, Mark Rodwell Dept. of Electrical and Computer Engineering, University of California, Santa Barbara, CA, USA	

## Open source tools for PDK and advanced modeling in SiGe devices

### **IHP OpenPDK Initiative: Bringing Open Source to Analog and RF Design .....154**

Sergei Andreev, Krzysztof Herman, Giovanni Di Pietrantonio  
IHP GmbH – Leibniz Institute for High Performance Microelectronics, Germany

### **Verification of compact model nonlinearity using a frequency quadrupler fabricated in SG13G3Cu Technology.....162**

Boli Peng<sup>1</sup>, Markus Müller<sup>2</sup>, Michael Schröter<sup>1</sup>  
1TU Dresden, Chair for Electron Devices and Integrated Circuits, Germany, 2Rohde&Schwarz, Germany

### **Noise characterization of SiGe HBTs up to 170 GHz .....166**

Gerhard Fischer<sup>1</sup>, Dang Khoa Huynh<sup>1</sup>, Asif Ali Mir<sup>1</sup>, Quang Huy Le<sup>2</sup>, Thomas Kämpfe<sup>2</sup>, Holger Rucker<sup>1</sup>  
1IHP, Leibniz-Institut für innovative Mikroelektronik, Germany, 2Fraunhofer IPMS, Germany

## Silicon-based Circuit Design and Analysis

### **A Stability-Informed Design Approach for RF Circuits.....170**

Joseph Caezza<sup>1</sup>, Christopher Snyder<sup>1</sup>, Yaw Mensah<sup>1</sup>, Christopher Coen<sup>2</sup>, John Cressler<sup>1</sup>  
1Georgia Institute of Technology, GA, USA, 2Georgia Tech Research Institute, GA, USA

### **A 6 – 19 GHz Reconfigurable I/Q Receiver with 21 dB Gain, 3 dB NF, and 30 dB IRR for 6G FR3 in 22-nm FD-SOI .....174**

Haisu Ju, Yingtao Zou, Gabriel Rebeiz  
University of California San Diego, CA, USA

### **A Compact 30 MHz to 11.5 GHz Ultra-Wideband Dual Channel Transmitter .....178**

Nishant Patil, Pramod M, Sankaran Aniruddhan  
Indian Institute of Technology Madras, India

### **Introduction to the WSProbe.....182**

Thomas Winslow  
MACOM, MA, USA

## Modeling of trapping effects in GaN devices

### **Traps in GaN HEMTs: From Characterization to Model Development and Device Optimization .....189**

Petros Beleniotis<sup>1</sup>, Christos Zervos<sup>1</sup>, Sascha Krause<sup>2</sup>, Hossein Yazdani<sup>3</sup>, Matthias Rudolph<sup>1,4</sup>  
1Brandenburg University of Technology Cottbus-Senftenberg, Germany, 2Kongsberg Defence & Aerospace, Norway, 3Paul Drude Institute for Solid State Electronics, Germany, 4Ferdinand-Braun-Institut, Germany

### **Compact Modeling of Drain Lag in GaN HEMTs using a Circuit-Based Approach .....197**

Mohit Sharma, Sankaran Aniruddhan, Amitava DasGupta  
Indian Institute of Technology Madras, India

### **Physical Insights into the Kink effects in GaN Power HEMTs.....201**

Mansi Maheshwari<sup>1</sup>, Pallavi Kumari<sup>1</sup>, Vipin Joshi<sup>2</sup>, Nandita DasGupta<sup>1</sup>, Amitava DasGupta<sup>1</sup>, Sayak Dutta Gupta<sup>1</sup>  
1Indian Institute of Technology, Madras, India, 2BITS-Pilani, K.K Birla Goa Campus, India

## mmW Components & Techniques

### **Evaluating Probe-to-Probe Crosstalk Prior to On-Wafer Transistor Characterization .....205**

Jerome Cheron<sup>1,2</sup>, Robert Jones<sup>1,3</sup>, Cameron Evanovich<sup>1,3</sup>, Jeffrey Jargon<sup>1</sup>, Benjamin Jamroz<sup>1</sup>, peter Aaen<sup>3</sup>  
1National Institute of Standards and Technology, CO, USA, 2University of Colorado Boulder, CO, USA, 3Colorado School of Mines, CO, USA

### **A Compact Fully-Differential 227–327-GHz Push-Push Frequency Doubler with an Active Balun in a 130-nm BiCMOS Technology .....209**

Leon Spiesshofer, Alexander Tiefenbach, Dietmar Kissinger  
Ulm University, Germany

### **A Frequency Multiplier-by-8 Chip into G-Band with High Spectral Purity using Space-Efficient Transformer-Based Baluns and TF-MSL .....213**

Rainer Weber, Eric Sigle, Sandrine Wagner, Arnulf Leather  
Fraunhofer IAF, Germany

### **A Wideband 300 GHz Downconverter in 130 nm BiCMOS Technology .....217**

Enrico Jimenez Tuero<sup>1</sup>, Seyyid Dilek<sup>1</sup>, Andrea Malignaggi<sup>1</sup>, Corrado Carta<sup>1,2</sup>  
1IHP GmbH – Leibniz Institute for High Performance Microelectronics, Germany, 2Technische Universität Berlin, Germany

## High Frequency Power Amplifier Techniques

### **A High-Efficiency mm-Wave H-Band Power Amplifier with Over 20% PAE .....221**

Amirreza Alizadeh<sup>1</sup>, Masaya Iwamoto<sup>1</sup>, Craig Hutchinson<sup>1</sup>, Miguel Urtega<sup>2</sup>, Kwangwon Park<sup>3</sup>, Mark Rodwell<sup>3</sup>  
1Keysight Technologies, Inc., CA, USA, 2Teledyne Scientific and Imaging, CA, USA, 3University of California, Santa Barbara, CA, USA

### **Active Load Modulation for Back-Off Efficiency Enhancement of Millimeter-Wave Power Amplifiers in CMOS, SiGe, and III-V Technologies.....227**

Aritra Banerjee  
University of Illinois Chicago, IL, USA

### **An F-Band Power Amplifier with Guanella Transformer-Based Stacked Architecture and Slotline Combining in 22nm FD-SOI .....234**

Giacomo Venturini, Berke Gungor, Senne Gielen, Patrick Reynaert  
MICAS - KU Leuven, Belgium

## Late News

### **A D-band, Double-Balanced Ring Mixer in a 22-nm FD-SOI Process with 4.1 dBm Input 1-dB Compression Point .....238**

Giorgi Aptsiauri, James Buckwalter  
University of California, Santa Barbara, CA, USA

### **An Ultra-compact D-band SiGe Low Noise Amplifier for Array Integration.....242**

Jonathan Tao, Matthew Tom, James Buckwalter  
Dept. of Electrical and Computer Engineering, University of California, Santa Barbara, CA, USA

**Broadband S-Band Power Amplifiers with Novel FET Layout in 0.12  $\mu\text{m}$  GaN.....246**

David Niven, Simon Mahon, Andrew Jones, Evan Shelley, Melissa Gorman  
Macquarie University, Australia

**High-efficiency >110-GHz-Bandwidth 4-Vppd InP-DHBT Linear Modulator Driver for Beyond-200-GbD Optical Transceivers.....250**

Romain Hersent<sup>1,2</sup>, Fabrice Blache<sup>1,2</sup>, Filipe Jorge<sup>1,2</sup>, Virginie Nodjiadjim<sup>1,2</sup>, Nil Davy<sup>1,2</sup>, Colin Mismar<sup>1,2</sup>, Muriel Riet<sup>1</sup>, Lorenzo Iotti<sup>3</sup>, Alexander Rylyakov<sup>3</sup>, Agnieszka Konczykowska<sup>1</sup>, Bertrand Ardouin<sup>1,2</sup>  
1III-V Lab, France, 2Nokia Bell Labs France, France, 3Nokia Corporation, NJ, USA

**A 190-GHz Bandwidth 61-dB $\Omega$ m Low-Noise Differential Transimpedance Amplifier in a 130-nm SiGe Technology with  $f_T/f_{\text{max}}$  of 470/650 GHz .....254**

Thiemo Herbell<sup>1</sup>, Anna Peczek<sup>2</sup>, Frank Vater<sup>2</sup>, Dietmar Kissinger<sup>1</sup>  
1Ulm University, Germany, 2Leibniz Institut für Innovative Mikroelektronik (IHP), Germany

**A Full D-Band Vector Modulator Phase Shifter in a 130-nm SiGe BiCMOS Technology ..258**

Thiemo Herbell<sup>1</sup>, Lars Zimmermann<sup>2</sup>, Dietmar Kissinger<sup>1</sup>  
1Ulm University, Germany, 2Leibniz Institut für Innovative Mikroelektronik (IHP), Germany

**A 145-GHz-Bandwidth InP-HBT Active Combiner Module Enabling 448-Gbps PAM-4 Signal Generation.....262**

Hitoshi Wakita<sup>1</sup>, Teruo Jyo<sup>1</sup>, Munehiko Nagatani<sup>1</sup>, Masanori Nakamura<sup>2</sup>, Yuta Shiratori<sup>1</sup>, Fukutaro Hamaoka<sup>2</sup>, Takayuki Kobayashi<sup>2</sup>, Yutaka Miyamoto<sup>2</sup>, Hiroyuki Takahashi<sup>1</sup>  
1NTT Device Technology Laboratories, NTT, Inc., Japan, 2NTT Network Innovation Laboratories, NTT, Inc., Japan