

2025 IEEE 16th International Conference on ASIC (ASICON 2025)

**Kunming, China
21-24 October 2025**

Pages 1–490

IEEE Catalog Number: CFP25442-POD
ISBN: 979-8-3315-3918-4



Copyright © 2025, IEEE

All Rights Reserved

Copyright and Reprint Permissions:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	CFP25442-POD
ISBN (Print-On-Demand):	979-8-3315-3918-4
ISBN (Online):	979-8-3315-3917-7
ISSN:	2162-7541

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA

Phone:	(845) 758-0400
Fax:	(845) 758-2633
E-mail:	curran@proceedings.com
Web:	www.proceedings.com

TABLE OF CONTENTS

Generation, Modulation and Application of Spintronic Markov Chain Signal	1
<i>Xihui Yuan, Jiajia Jian, Zheng Chai, Xue Zhou, Weidong Zhang, Jian Fu Zhang, Tai Min</i>	
Opportunities for Advanced Logic Technology with Dual-sided Integrations: From Lateral to Vertical Transistors	5
<i>Yanbang Chu, Yu Liu, Runsheng Wang, Ming Li, Heng Wu</i>	
Si Hybrid Tunnel FET-CMOS Foundry Platform for Ultra-low-Power Circuit Applications	9
<i>Qianqian Huang, Kaifeng Wang, Ru Huang</i>	
Si-MoS ₂ Heterogeneous CFET for Ultra-low Power Logic Technology Scaling	13
<i>Zehua Wang, Wenzhong Bao, Peng Zhou, Jing Wan</i>	
Impact of Off-state Stress on the Reliability of 14nm nFinFETs	16
<i>Wendi Wei, Kun Chen, Chen Wang, Yaolin Wang, Zhao Yang, Zhiteng Zhang, Zhuming Wang</i> <i>Qingqing Sun, David Wei Zhang</i>	
Performance Comparison Between Bulk-Si and FDSOI Nanosheet GAAFETs	20
<i>RS.He, BX.Gan, S.Cristoloveanu, Y.Xu, J.Wan</i>	
Improving EUV Patterning Fidelity and Aberration Control through Source-Mask Co-Optimization	24
<i>Qi Wang, Qiang Wu, Ying Li, Xianhe Liu, Yanli Li</i>	
Enhancement of HfO ₂ -Based Ferroelectric Thin Film Performance via Interface and Defect Engineering	28
<i>Xiao Yu, Peiyuan Du, Huan Liu, Dongya Li, Fei Yu, Bing Chen, Ran Cheng, Mengnan Ke, Yan Liu</i> <i>Genquan Han</i>	
Threshold Voltage Swing Caused by Intense Phonon-Electron Interaction in High-k Dielectrics	32
<i>Jinchen Wei, Mansun Chan</i>	
A Ti/ITO Bilayer Gate Electrode Strategy for Improving Subthreshold Swing of Oxide Transistors	36
<i>Chuanlin Sun, Tingchen Yi, Han Gao, Jiakang Zhang, Junchen Dong, Kai Zhao, Dedong Han, Xing Zhang</i>	
Fabrication of High-Performance β -Ga ₂ O ₃ MOSFETs via Ohmic Contact Optimization	40
<i>Hui Li, Qihao Zhang, Haodong Fu, Jianguo Li, Dongyuan Zhai, Yi Zhao, Jiwu Lu</i>	
Experimental Study on 1.2kV/40m Ω SiC MOSFET with Integrated JBS Diode	44
<i>Moufu Kong, Qizhi Feng, Hongfei Deng, Yufeng Dong, Wei Han, Xuequan Yin, Jiakai You</i>	
A Review of Active Gate Drivers for SiC Power MOSFETs	48
<i>Yuchu Ge, Wei Jia Zhang</i>	
A Quadruple RESURF LDMOS with Enhanced Hot-Carrier-Induced Degradation Immunity	52
<i>Wenliang Liu, Ming Qiao, Penglong Xu, Chunxia Ma, Feng Lin, Bo Zhang</i>	
Investigation of Dual-Mode R _{on} Degradation Mechanisms in LOCOS-Based LDMOS	56
<i>Wenliang Liu, Ming Qiao, Penglong Xu, Chunxia Ma, Feng Lin, Bo Zhang</i>	
Advanced Gate Driver Solutions for Fast-Switching SiC Power Device Applications	60
<i>Yu Qing, Zhihao Yan, Zekun Zhou, Jiaying Mao, Zijun Zhou, Yun Dai, Rongxing Lai, Yue Shi, Bo Zhang</i>	

Design Considerations for Smart Gate Drivers	64
<i>Wai Tung Ng, Jingyuan Liang, Wentao Cui, Chun Yin Au Yueng, Namjee Kim, Wei Jia Zhang</i>	
Investigation of Threshold Voltage Instability in GaN HEMTs Using Rapid Ramp Sweeping Technique	68
<i>Diangang Hu, Yutian Gan, Shufu Yu, Sai Liu, Lirong Zhang, Weijing Wu, Hongyu Yu</i>	
Design and Kirk Effect Improvement of 30V NLDMOS Base on 0.18 μ m BCD Platform	72
<i>Qi Ding, Ning Ning, Renxiong Li, Jun Huang, Yutuo Guo, Yu Wang, Kunqin He, Yaxin Liu, Ziyi Zeng</i> <i>Ming Qiao, Lulu Peng, Bo Zhang</i>	
Device Modeling Based on Residual Neural Network with Ensemble-Based Active Learning	76
<i>Hongfei Su, Yutong Wu, Jithish Jayarajan, Bharatha Kumar Thangarasu, Nagarajan Mahalingam</i> <i>Fanyi Meng, Kaixue Ma, Kiat Seng Yeo</i>	
Performance Benchmark of Gate-All-Around Nanosheets Transistors Based on DTCO Simulation	80
<i>Chunlei Wu, Jian Ma, Hanzhi Gu, Yueyuan Yu, Yiming Xia, Jiayi Wu, Boqian Shen, Qingqing Sun</i> <i>David Wei Zhang</i>	
The impact of Back-Gate biasing and layout on temperature sensitivity of transistors in FD-SOI CMOS technology	84
<i>Yann Deval, Maxime Guillot, Hervé Lapuyade, François Rivet</i>	
Considerations for Low Temperature High-Performance Computing: Design Technology	
Co-optimization, Device Variation, and Hot Carrier Injection	88
<i>Yuanxi Liao, Keyang Zhu, Ran Tao, Yongyu Wu, Qinglan Jiang, Yaxiong Liu, Kai Xu, Chen Shen, Dong Liu</i> <i>Dawei Gao, Ran Cheng</i>	
Feature clustering-driven data augmentation in multi-level hotspot detection for integrated circuits based on GAN	92
<i>Pengyu Ren, Bojie Ma, Yajuan Su, Xiaojing Su, Xin Hong, Yuqin Wang, Yujie Jiang, Zhanzi Chen</i> <i>Tianao Chen, Yayi Wei</i>	
A New TCAD Simulation Framework for Strain-Aware Quantum Tunneling Current Modeling	96
<i>Jian Ma, Chunlei Wu, Hanzhi Gu, Yueyuan Yu, Yiming Xia, Jiayi Wu, Qingqing Sun, David Wei Zhang</i>	
DTCO-based Hybrid Rail 8T Complementary FET SRAM Design towards advanced node	100
<i>Yutian Zhang, Khawar Sarfraz, Mansun Chan</i>	
Design of VCM Motor Coil Based on Five Factor Integration	104
<i>Shengxian Quan, Huihong Zhang, Yuejun Zhang, Qiang Wang, Guanglong Xu, Jinsheng Yang</i>	
Full-spiking Bio-inspired Target Detection Vision Algorithm based on Gating Attention Prediction for DVS and SPAD Sensors	108
<i>Lengjun Yang, Xingyu Xiang, Yiyao Wen, Jian Liu, Nanjian Wu, Liyuan Liu, Shuangming Yu</i>	
The Quest for Reliable AI Accelerators: Cross-Layer Evaluation and Design Optimization	112
<i>Meng Li, Tong Xie, Zuodong Zhang, Runsheng Wang</i>	
A Lightweight Hardware Defense Against DSE-Based Trojans in NN Accelerators	116
<i>Yujing Wu, Chao Guo, Youhua Shi</i>	
SpykSim: A Cycle-Level Full-System Simulator for Systolic SCNN Accelerators	120
<i>Wanwan Zhao, Yichu Yao, Qiang Niu, Qian Li, Chen Zhao</i>	

A Data-Efficient Deep Reinforcement Learning Algorithm and FPGA Accelerator for Real-Time Robot Motion Control Applications	124
<i>Wenhao Huang, Rao Fu, Aiwu Ruan, Huiyun Li, Chongyang Zhu</i>	
GraphFlow-PIM: Annotated Execution Graphs of DNN Workloads across Diverse PIM Configurations	128
<i>Syeda Munazza Marium, Song Chen</i>	
Optimizing LLM inference for FPGAs	132
<i>Jorge R De Freitas, Jose G. F. Coutinho, Ce Guo, Suleyman Demirsoy, Wayne Luk, Zhiqiang Que</i>	
Fine-Grained Layer Scheduling and Mapping for Chiplet-Based LLM Inference	136
<i>Hongyang Gu, Lei Xu, Haochen Zhao, Naifeng Jing</i>	
A 16×16 High-Utilization Systolic Array Hardware Accelerator for Long-Sequence Flash-Attention Computation in Transformer	140
<i>Zhenkun Li, Liji Wu, Yi Yang, Tianling Ren, Le Wu, Xiangmin Zhang</i>	
Sparse Approximation of Softmax: Hardware-Efficient Acceleration for Long Sequence Inference	144
<i>Lanqi Ma, Zifeng Zhao, Xiaoxing Wu, Gengsheng Chen, Wenbo Yin</i>	
A Hybrid Processing-in-Memory and Computing-in-Memory Architecture for Large Language Model Inference in Edge Devices	148
<i>Yujia Sun, Ruicong Zhang, Yuanfeng Chen, Qiang Zhou, Xiaoyong Xue, Xiaoyang Zeng</i>	
MCDC: A Memory-efficient and Computation-efficient Architecture for Deformable Convolutions	152
<i>Zhiyi Shu, Xinhua Shi, Jun Han</i>	
Hardware-Efficient Lightweight Feature Map Compression for Convolutional Neural Networks	156
<i>Bing Wu, Shan Cao, Zhiyuan Jiang</i>	
A Study on Dwell Time Impacts in Charge-trapping 3D NAND Flash Memory	160
<i>Yining Zhou, Ruidong Li, Xuepeng Zhan, Guangkuo Yang, Yujiao Ding, Xinghao Wang, Pengpeng Sang, Peng Guo, Jixuan Wu, Jiezhi Chen</i>	
Access Mode Impacts on 3D Charge-trapping (CT) QLC (4bit/cell) Raw NAND Chip	164
<i>Guangkuo Yang, Ruidong Li, Yining Zhou, Yujiao Ding, Xinghao Wang, Pengpeng Sang, Peng Guo, Xuepeng Zhan, Jixuan Wu, Jiezhi Chen</i>	
The Influence of Radiation on Reliability of Cold Data in 3D CT NAND Flash Memory	168
<i>Haitao Dong, Xinghao Wang, Haotian Li, Xuesong Zheng, Pengpeng Sang, Xuepeng Zhan, Jixuan Wu, Jiezhi Chen</i>	
Process Co-Optimization of Void Suppression in ULK Dielectric Layers for 28 nm RRAM Arrays Towards High-density Integration	172
<i>Zhenchao Sui, Yanqing Wu, Xing Zhang</i>	
A Study on Performance Enhancement of TiO ₂ /HfO ₂ Memristors through Rapid Thermal Annealing	175
<i>Yifan Wu, Yuzhe Hu, Yuewei Qu, Pengpeng Sang, Jixuan Wu, Xuepeng Zhan, Jiezhi Chen</i>	
Investigation of Self-Heating Effects in InGaZnO Vertical Channel Transistors for DRAM Application	179
<i>Zhuoran Kong, Yizhan Liu, Jinfeng Kang, Xiaoyan Liu</i>	
Broadband Characterization of Ferroelectric Domain Switching Hysteresis Loops in TiN/Hf _{0.5} Zr _{0.5} O ₂ /TiN Thin-film Capacitors	183
<i>Wen Di Zhang, Xian Yu Hu, An Quan Jiang</i>	

On the Reliability of Sub-10nm Ultra-thin Ferroelectric HZO Thin Film	187
<i>Xiaopeng Li, Yang Feng, Pengpeng Sang, Xuepeng Zhan, Jixuan Wu, Jiezhi Chen</i>	
High Dielectric Permittivity in Size-scaled Hf _{0.5} Zr _{0.5} O ₂ Thin-film Capacitors	191
<i>Wendi Zhang, Anquan Jiang</i>	
1.2 V Operation of Hf _{0.5} Zr _{0.5} O ₂ Ferroelectric Thinfilm Capacitors for Low-Power ASICs after Interfacial-layer Engineering	195
<i>Xianyu Hu, Di Hu, Wendi Zhang, Bowen Shen, Anquan Jiang</i>	
Reliability Enhancement of Hf _{0.5} Zr _{0.5} O ₂ -Based Ferroelectric Capacitors via Argon Plasma Treatment	199
<i>Hongrui Zhang, Xiu Yang, Rongzong Shen, Yian Ding, Haoji Qian, Jiajia Chen, Chengji Jin, Ran Cheng Bing Chen, Xiao Yu, Yan Liu, Genquan Han</i>	
Cryogenic Ferroelectricity (10-298 K) of Superlattice and Solid-solution HZO Films	203
<i>Yiming Xia, Chunlei Wu, Jian Ma, Hanzhi Gu, Yueyuan Yu, Jiayi Wu, Qingqing Sun, David Wei Zhang</i>	
Systematic Review of Write Reliability in Spin-Transfer Torque Magnetic Random-Access Memory	207
<i>Yuhao Chen, Yiming Qu, Ziyuan Chen, Choonghyun Lee, Yi Zhao</i>	
Emerging Magnetoresistive Memories	211
<i>Viktor Sverdlov, Nils Petter Jørstad, Bernhard Pruckner, Mario Bendra, Wolfgang Goes Siegfried Selberherr</i>	
Comprehensive Characterizations of Polarization Switching Dynamics in HfO ₂ -based FRAM across a Broad Temperature Spectrum	215
<i>Yilin Hou, Jixuan Wu, Xiaopeng Li, Xiaoyu Dou, Yaoyu He, Pengpeng Sang, Xuepeng Zhan, Yuqi Gao Linhui Hu, Feng Wang, Yushi Hu, Qian Tao, Jiezhi Chen</i>	
WO _x interlayer employed to improve the imprint effect on HfZrO ₂ ferroelectric capacitors	219
<i>Zibo Dong, Zeping Weng, Jianguo Li, Lijian Chen, Ziyuan Chen, Yi Zhao, Daolin Cai</i>	
Understanding the Physical Mechanism of Endurance Cycling in Antiferroelectric Memories	223
<i>Y. Qu, Y. Huo, Y. Ding, L. Chen, Z. Weng, Y. Zhao</i>	
Accelerated polarization switching speed and durable endurance enabled by confined domain size and solid defect migration barrier in FE/AFE multilayer stacked Hf _x Zr _{1-x} O ₂ ferroelectric capacitor	227
<i>Wenhao Wu, Xinyu Xie, Zeping Weng, Yi Zhao, Jiabin Qi</i>	
A High-Speed Dual-Entropy Sources True Random Number Generator Implemented on FPGA	231
<i>Yizhi Liu, Jierui Liao, Hao Xing, Pengpeng Sang, Jixuan Wu, Jiezhi Chen, Xuepeng Zhan, Xiangye Wei</i>	
A Lightweight Arbiter PUF Design Based on Threshold Loss in Transmission Gates	235
<i>Haoxuan Yan, Yitian Su, Qiwen Wu, Yong Ding, Hui Li, Yuejun Zhang</i>	
Destruction-Free Soft PUF Architecture: Merging Security and Efficiency in 4T2M TCAM Without Data Migration	239
<i>Shimao Ren, Pengjun Wang, Bo Chen, Zhenhong Chen</i>	
An RRAM-Based Soft PUF Achieving Near-Zero BER through Skewed Voltage Masking	243
<i>Xinrong Yang, Pengjun Wang, Cailong Jin, Yixin Lu</i>	
A Performance Enhancement Strategy for Strong PUF Circuits to Improve IoT Authentication Security	247
<i>Dong Lu, Pengjun Wang, Gang Li, Hao Ye</i>	

A Sequential Obfuscation PUF Resistant to Machine Learning Attacks Based on AES Key Expansion	251
<i>Xuejiao Ma, Yimeng Jin, Shuyang Ren, Ziyu Zhou</i>	
Hardware-Efficient Doppler Estimation and Compensation in PDSCH for 5G Non-Terrestrial Networks	255
<i>Chih-Chen Chen, Yi-Shan Huang, Chung-Lun Tu, Shyh-Jye Jou</i>	
FPGA Bitstream Modification Attacks on CRYSTALS Kyber	259
<i>Lei Chen, Jiahao Lu, Tianze Huang, Aobo Li, Shengfei Gu, Ang Hu, Dongsheng Liu</i>	
BIND: A Batch Cache-Invalidation Framework Based on Doorbell Mechanism	263
<i>Jialin Liu, Zhiyuan Zhang, Chao Fu, Jun Han</i>	
High-Throughput Multiplier-Free FPGA Implementation for Pure-Number Discrete Fractional Complex Hadamard Transform	267
<i>Chengqi Zhao, Zi-Chen Fan, Shan Cao, Susanto Rahardja</i>	
Design and Implementation of a Bilateral Filtering Accelerator Based on RISC-V	271
<i>Zhengyao Shi, Yushan Dai, Angyang Li, Jian Mei, Lei Deng, Rui Yin</i>	
Skip-Zero Strategy: A Latency and Power Optimization for SRT Divider	275
<i>Ke Xu, Ping Yin, Jun Han</i>	
A High-precision Stochastic Computing Multiplier with Co-optimization of Area and Latency	279
<i>Qiang He, Yudi Zhao, Zhihuai Zhang, Xiaofei Nie, Shisheng Xiong, Kai Zhao</i>	
A Low-Overhead Fault-Tolerant Design for Quantized CNN Accelerators	283
<i>Shanqiang Yang, Chenxu Wang, Lixiang Shen, Xinlei Su, Min Luo, Tianliang Xu, Ruoshi Li, Siyuan Wang</i>	
A Real-Time and Reconfigurable Pre-Driver Design for ABS Solenoid Valve Applications	287
<i>Zhinan Li, Yitian Su, Shaochen Han, Huihong Zhang, Yuejun Zhang, Cang Liu</i>	
Real-Time Highly Flexible Wheel Speed Sensing Interface IP Design	291
<i>Yitian Su, Zhinan Li, Haoxuan Yan, Zhenkai Zhou, Yuejun Zhang, Cang Liu</i>	
Design of Secure Storage Circuit Based on Reversible Logic XOR-Toffoli Gate	295
<i>Yiting Guo, Yuejun Zhang, Shutong Zhang, Mengfan Xu, Zhenkai Zhou, Hui Li</i>	
A Hierarchical Approximate Floating Point MAC Unit with Precision-Adaptive Self-Configuration	299
<i>Xianghui Fu, Yike Wang, Chaojie Wei, Yu Gong</i>	
High-Performance Radiation-Hardened Flip-flop for Reliable Systems	303
<i>Jie Li, Xiaoming Teng, Yufeng Zhang</i>	
Analysis and Design of Regulating Rectifier with Multiple Outputs for Wirelessly Powered Biomedical Devices	307
<i>Quanrong Zhuang, Junyi Sun, Bo Li, Jie Lu, Yi Shi, Hao Qiu</i>	
Noise Notch Frequency Design for EMI Mitigation in DC-DC Converters Using Digital-to-Time Converter	310
<i>Yasunori Kobori, Yifei Sun, Guiyi Dong, Nobukazu Tsukiji, Ramin Khatami, Takuya Arafune Shogo Katayama, Anna Kuwana, Jianglin Wei, Haruo Kobayashi</i>	
A 240nA-1 μ A Quiescent SIMO Converter Featuring 3mV Undershoot under 30mA/ μ s Transients	311
<i>Yuhua Chen, Qianhui Liu, Yixing Wang, Yimeng Zhang, Yuming Zhang</i>	

A 280-nA, 85.8% Efficiency Boost Converter with Optimal Inductor Current in Burst Mode for Brain Stimulation	315
<i>Dejian Li, Xin Jin, Lianxi Liu, Gang Dong, Xufeng Liao, Shihao Xiao, Xincan Liu</i>	
A High-Efficiency Low-Ripple Buck Converter with Adaptive Load Frequency Control	319
<i>Tao Ren, Xufeng Liao, Gefu Wang, Jiatong Wu, Lianxi Liu</i>	
A 400V High-speed Level-Shifting Gate Driver with Adaptive Signal-Path Disconnection for 278V/ns dv/dt Immunity in Soft-Switching Converters	323
<i>Yile Xie, Hanyu Shi, Ting Yi, Zhiliang Hong</i>	
GaN-based complementary logic sawtooth generator for smart power ICs	327
<i>Yutao Geng, Ji Shu, Tao Chen, Yan Cheng, Yat Hon Ng, Kevin J. Chen</i>	
Battery Charger Designs for Low-Voltage Energy Harvesting Based on the Return-on-Investment Concept (Invited)	331
<i>W. Saito, A. Higuchi, T. Yamano, T. Tanzawa</i>	
High-Efficiency Energy Extraction Interface for Piezoelectric Energy Harvesting	335
<i>Chenghao Zhang, Junkai Chen, Jingjie Huang, Yue Shi, Zekun Zhou, Bo Zhang</i>	
PWM Scheme Selection Strategy for Fast Ramp-Up DC-DC Boost Converters in SSD Applications	339
<i>Yuji Kanayama, Toru Tanzawa</i>	
A 98.5% Efficiency Single-Mode Buck-Boost Converter with All-1.8-V-Switch and Non-Stopping Output Current Delivery	343
<i>Qianhui Liu, Yuhua Chen, Yixing Wang, Yuming Zhang, Yimeng Zhang</i>	
Design of a Fully Integrated Low Dropout Linear Regulator with Bandgap Reference	347
<i>Fan He, Jiao Liu, Yiyun Mao, Haoyuan Gao, Xianhui Wang, Yubing Zhang, Hao Xu, Na Yan</i>	
A 455mV-Hysteresis, 120 nA, Bandgap less Power-on-Reset Circuit for IoT in 40nm CMOS	351
<i>Mingzong Lin, Chaoran Chen, Jian Xu, Yue Lin, Wei Li, Hongtao Xu</i>	
An Anti-Single Particle Effect Over Temperature Protection Circuit Based on Dual Detectors	355
<i>Ping Luo, Hong Zhao, Hao Wang, Fulin Yao, Kai Luo</i>	
A Fast Start-Up and Low-Power 32-kHz Crystal Oscillator for Real-Time Clock and Frequency Calibration	359
<i>Jie Zheng, Qiang Li, Hao Min</i>	
A 0.067 mm ² PNP-Based Temperature Sensor with $\pm 0.6^{\circ}\text{C}$ (3σ) Inaccuracy from -20°C to 80°C	363
<i>Letian Li, Peilin Xiao, Xuyang Lu</i>	
A Cryogenic Voltage Reference with Diode-Based Sensing and Substrate Resistor Compensation Compensation in 180-nm CMOS Process	367
<i>Yixin Zhang, Hanze Liu, Jing Li, Zhong Zhang, Ning Ning, Qi Yu</i>	
77K Modeling and Implementation of a Cryogenic OTA for Infrared Sensors	371
<i>Zhuokai Wang, Lei Deng, Rui Yin, Jian Mei, Jiaming Zhang, Zhicheng Shi</i>	
Design and Analysis of PI Controller for Resonant Drive Circuits with AGC-PI Architecture	374
<i>Yichen Lu, Tao Yin, Ying Liu, Jian Liu, Nanjian Wu, Liyuan Liu</i>	

Design of 11MHz Isolated Current Sense Amplifier Based on FDDA and Current Feedback Frequency Modulation Loop	378
<i>Xinghong Chen, Jiahui Liu, Shaowei Zhen, Hongwei Shen, Wei Yang, Yongwang Ma, Bo Zhang</i>	
A Charge Pump Powered Current Sense Amplifier with -20 V to 40 V Input Common-Mode Range	382
<i>Dejian Li, Hongwei Shen, Jinzhao Li, Jiahui Liu, Lixing Wang, Shaowei Zhen, Bo Zhang</i>	
The Sequency Domain: a new Approach for Radio Frequency Front End	386
<i>François Rivet, Pierre Ferrer, Maxandre Fellmann, Nathalie Deltimple, Hervé Lapuyade, Eric Kerhervé Yann Deval</i>	
300-GHz Phased-Array Transceiver in 40-nm CMOS with Interpolated Feeding and OTA Metrics	390
<i>Minoru Fujishima</i>	
A Polar-Modulation OFDM Backscatter System for Passive IoT Communication	394
<i>Qijing Xiao, Xin Hu, Weixiao Wang, Yuxuan Luo, Bo Zhao</i>	
A Compact Q/V Band Bidirectional Phase Shifter with 0.32° Phase Error	398
<i>Congrui Li, Yan Wang, Lei Zhang</i>	
A 300GHz Coherent Radiator Array with Multi-functional Antenna in 65nm CMOS	401
<i>Houyi Yan, Kaizhe Guo</i>	
Design of a 300GHz Wideband On-Chip Antenna in 28nm CMOS	405
<i>Jinghao Zhang, Chen Jiang</i>	
ATSim: A Fast and Accurate Simulation Framework for 2.5D/3D Chiplet Thermal Design Optimization	409
<i>Qipan Wang, Tianxiang Zhu, Jiajia Cui, Yicheng Wei, Linxiao Shen, Zhe Cheng, Runsheng Wang Ru Huang, Yibo Lin</i>	
Radio Frequency Integrated Circuits Generated by AI-based Design Automation	413
<i>Ruoyu Wang, Meijun Hou, Jun Wu, Hongtao Xu, Ye Lu</i>	
Advancing Sparse Matrix Solvers via Exploring More Parallelism and Random Sketching	417
<i>Wenjian Yu, Jiawen Cheng, Baiyu Chen</i>	
Snow Ablation Optimizer Accelerator Based on High Level Synthesis	421
<i>Maoshuo He, Renjing Hou, Zirui Li, Kang Zhao</i>	
An MLIR-Based Framework for Efficient Dynamic Circuits Generation	425
<i>Yuxuan Guan, Jiangnan Li, Lingli Wang</i>	
HybridEPP: Hybrid Numerical and Symbolic Error Probability Propagation in Logic Network	429
<i>Gaopeng Shen, Chang Wu</i>	
Success-Rate Improvement of Analog Circuit Topology Generation by Large Reasoning Model	433
<i>Koutaro Hachiya, Kentaro Yoshikawa, Atsushi Kurokawa</i>	
Fast Thermal-driven 3D Fixed-outline Floorplanning By Learning-based Thermal Analysis	437
<i>Yikai Liu, Jindong Zhou, Jiayi Li, Pingqiang Zhou</i>	
Systematic design for coupled heterogeneous accelerators	441
<i>Tim Todman, Wayne Luk</i>	
TorchLitho 2.0: Differentiable Lithography Simulation Engine for Large-Scale Layouts	445
<i>Shuo Yin, Su Zheng, Ziyang Yu, Bei Yu</i>	

Hierarchical Residual Fitting for Enhanced S-Parameter Accuracy in Devices Exhibiting Complex Delay	449
<i>Jiaxin Wei, Haonan Wang, Ting-Jung Lin, Lei He</i>	
Hybrid Model-Based Hardware Acceleration for Diesel Engine NO _x Emission Prediction	453
<i>Xinlei Su, Shanqiang Yang, Tianliang Xu, Xiaozhen Yan, Jianfeng Li, Tian Rong, Chenxu Wang</i> <i>Yuhang Wang, Zhiwei Han</i>	
Extending Straight-Through Estimation for Robust Neural Networks on Analog CIM Hardware	457
<i>Yuannuo Feng, Wenyong Zhou, Yuexi Lyu, Yixiang Zhang, Zhengwu Liu, Ngai Wong, Wang Kang</i>	
A Parallel Level-Set Based Approach for Etching Topography Simulation in Process Emulation	461
<i>Yin Cheang Ng, Xin Wen, Boyuan Yu, Wenjian Yu</i>	
Some Signal Processing Techniques for Testing Wireless Communication LSIs	465
<i>Koji Asami</i>	
Voltage-Domain vs. Time-Domain: Trade-offs in High-Speed Applications	466
<i>Haoyu Li, Sai-Weng Sin, Rui P. Martins, Mingqiang Guo</i>	
A Pitch-Matched Transceiver ASIC with Element ADC and Continuous-Time Gain Compensation for 3D Ultrasound Probes	471
<i>Jing Li, Tianci Zhang, Li Dai, Yingchen Liu, Jinlai Fu, Zhongshan Wang, Penghao Jiang, Yihu Yu</i> <i>Zhong Zhang, Kejun Wu, Ning Ning, Qi Yu</i>	
A Low-Power-Consumption Capacitance to Digital Converter with Novel Calibration Technology	475
<i>Xiwen Zhu, Yufeng Zhang, Xiaoming Teng, Yihan Wang</i>	
A 10-bit 4 GS/s 67.79-dBc SFDR Switched-Capacitor DAC with Reservoir Capacitor-based Reference Generation	479
<i>Yitao Wang, Meng Xu, Qiang Pan, Jize Liu, Yuekang Guo, Jing Jin</i>	
A 16-channel Neural Signal Acquisition Analog Front-End with Foreground Calibration for High-Precision Backend SAR ADC	483
<i>Chun Feng, Junfeng Tang, Longhao Chen, Songping Mai, Xian Tang</i>	
An 18-bit 1MS/s SAR ADC with Weight-Fitting Digital Calibration and High-Linearity Capacitor Array Design	487
<i>Baoyi Zheng, Guoao Wang, Zongmin Wang, Jin Qian, Bosen Liu, Zhaohang Bing, Tieliang Zhang</i>	
A digital front-end self-calibration algorithm for SAR ADC	491
<i>Fuming Liu, Jie Ding, Jiangfeng Wu, Yongzhen Chen</i>	
Bitwise Bayesian Optimization for SAR ADC Calibration	495
<i>Yu Shi, Shen Ye, Yihang Luan, Jiahao Wang, Ting Yi</i>	
An Area-Efficient C2C SAR ADC with Hybrid Switching Mode for Ultrasound Miniature Probes	499
<i>Tianci Zhang, Jinlai Fu, Li Dai, Dongxu Li, Yingchen Liu, Jing Li, Zhong Zhang, Ning Ning, Qi Yu</i>	
A Reconfigurable 9-to-14b 15MS/s 4 th -Order NS-SAR ADC with Self-Calibrated Open-loop FIA	503
<i>Chaoran Chen, Mingzong Lin, Jian Xu, Yue Lin, Wei Li, Hongtao Xu</i>	
A 16-bit 4-MS/s Deadlock-free Asynchronous SAR ADC Using High-level First Transmission Gate	507
<i>Xiaokun Zhou, Baijie Zhang, Xu Cheng</i>	

A Differential SAR-SS ADC with Gain-Scaled Ramp Quantization for High-Speed CMOS Image Sensors	511
<i>Nanbo Chen, Jingyang Chen, Gang Wang, Peng Feng, Jian Liu, Nanjian Wu, Liyuan Liu</i>	
A 79.2dB-SNDR 12.5MHz-BW Pipelined SAR ADC with Analog-Domain Gain Error Shaping	515
<i>Qiaoyu Hu, Guolong Fu, Yanbo Zhang, Zhangming Zhu</i>	
A Deep Reservoir Computing System based on IGZO Electrical-Double-Layer Transistors	519
<i>M. Han, Y. Chen, H. Cui, Y. Wang, C. Wan</i>	
High-density and High-reliability (H ² DR) RRAM for Energy-efficient AI Computing	521
<i>Yimao Cai, Yiyun Chen, Lin Bao, Ling Liang, Zheng Zhou, Zongwei Wang</i>	
The Digital Coupled Ring Oscillator Ising Machine	525
<i>Yue Han, Ranjith R Unnithan, Robin Evans, Efstratios Skafidas</i>	
Nanocrystal-Si Flash Memory-based Energy-efficient Multi-bit Compute-in-Memory Design for Edge Neural Networks	530
<i>Xianping Liu, Jian Huang, Zihan Zheng, Xinrui Zhang, Ruibin Zhou, Zhiyi Yu, Zhongyuan Ma, Kunji Chen, Yuhang Wang, Jian Cheng, Peng Zhang</i>	
A Multi-level RRAM-based Ising Machine for Solving Combinatorial Optimization Problems	534
<i>Zhenchao Sui, Xiaoxin Xu, Chengshuo Yu, Jingxin Deng, Xu Zheng, Chengyue Li, Hailan Yi, Jianguo Yang, Xing Zhang</i>	
DRAM-Centric Near-Data Processing: A Survey of Architectures, Technologies, and Trends	538
<i>Taoran Shen, Yujia Sun, Tingyi Xu, Li Xiong, Xiaoyong Xue, Xiaoyang Zeng</i>	
Challenges and Trends of SRAM based Floating Point Computing-in-Memory Circuits	542
<i>Yuchen Tang, Yanqi Zhang, Zhichao Liu, Xing Wang, Defa Wu, Huaiwen Zhang, Yeqi Sun, Xin Si</i>	
Mapping of Graph Convolution Network on Sparse-Aware Computing-In-Memory Macros	546
<i>Guoxiang Li, Tianhang Zhou, Xinyu Qu, Zecheng Zhou, Yufei Ma</i>	
CDCC: A High-Efficiency SRAM-Based Charge-Domain Compute-in-Memory Macro with Complement Compensation Design for AI Applications	550
<i>Wanting Zhou, Zihao Xuan, Song Chen, Yi Kang</i>	
HPD: Hybrid Projection Decomposition for Robust State Space Models on Analog CIM Hardware	554
<i>Yuannuo Feng, Wenyong Zhou, Yuexi Lyu, Hanjie Liu, Zhengwu Liu, Ngai Wong, Wang Kang</i>	
ADC-Free RRAM-Based XNOR-Bitcount Architecture for Hand Gesture Recognition	558
<i>Lixun Wang, Yuejun Zhang, Qikang Li, Liang Wen</i>	
ESD Reliability Roadmap Considerations for 3D Heterogeneous Integration Microsystems (Invited)	562
<i>Zijin Pan, Xunyu Li, Weiquan Hao, Runyu Miao, Zijian Yue, Albert Wang</i>	
Tiny Chiplelets Enabled by Packaging Scaling: Opportunities in ESD Protection and Signal Integrity	566
<i>Emad Haque, Pragnya Sudershan Nalla, Jeff Zhang, Sachin S. Sapatnekar, Chaitali Chakrabarti, Yu Cao</i>	
Time-dependent Dielectric Breakdown in Advanced MOSFET: From Theoretical Models to Experimental Findings	570
<i>Chu Yan, GuoQiXin Huang, Yiming Qu, Yi Zhao</i>	

Mechanical Stress Induced by Temperature Cycling: Impact of MOSFET Placement on Bandgap Reference Voltage Offset	574
<i>Fengbo Zhang, Yancong He, Zhinong Liu, Shuang Jiao, Yang Li, Zhigang Ji</i>	
Experimental and Theoretical Study of Single Event Latchup in a 3D TLC NAND Flash Memory Under Heavy Ion Irradiation	578
<i>Xinghao Wang, Haitao Dong, Yujiao Ding, Yining Zhou, Haotian Li, Xuesong Zheng, Yuhang Wang, Pengpeng Sang, Jixuan Wu, Xuepeng Zhan, Chaoming Liu, Jiezhi Chen</i>	
A Data Hierarchy-Based Adaptive Testing Method for Integrated Circuit Parameter Sets	582
<i>Kaiming Hao, Yan Li, Xu Cheng, Qiong Wu, Wenfa Zhan, Yujie Huang</i>	
Microstructural Evolution and Reliability Analysis of RDL Copper Interconnects under High-Temperature Conditions	586
<i>Peng Xu, Lan Li, Jialu Huang, Yu Yao, Hengchang Bi, Jiang Xia, Zongyi Li, Zuoyuan Dong, Xing Wu</i>	
Reliability Screening for Yield Improvement in IC Design Industry: Progress, Challenges and Prospects	590
<i>Yixian Wang, Xiaoxiao Qiu, Zhigang Ji</i>	
Impact of Thermal Shock on the Threshold Voltage and Transconductance of FinFET I/O Devices	594
<i>Yaolin Wang, Kun Chen, Wendi Wei, Zhao Yang, Zhiteng Zhang, Zhuming Wang, Chen Wang, David Wei Zhang</i>	
Effects of Total Ionizing Dose on ESD Performance in High-Voltage SCR with Double Snapback Characteristics	598
<i>Yujie Liu, Xiangliang Jin</i>	
A New Surge Protection Circuit with Low Dynamic Leakage Current	602
<i>Zhiqiang Hu, Ran Ye, Qiao Kang, Ke Cui, Hao Luo, Weipeng Ye, Siyang Liu, Weifeng Sun</i>	
Reliability Enhancement in HfO ₂ -Based FeRAM: Circuit-Level Solutions for Insufficient Polarization and Memory Window Degradation	606
<i>Changnan Shi, Taoran Shen, Li Xiong, Shuyang Lv, Yuanfeng Chen, Xiaoyong Xue, Xiaoyang Zeng</i>	
A PVT-Tolerant Quick Startup CMOS Crystal Oscillator With Chirp-Assisted Fixed Injection	610
<i>Hao Luo, Yue Lin, Jian Xu, Hongtao Xu</i>	
A 20 Gb/s/Wire Short-Reach Simultaneous Bi-Directional Transceiver with DuoBinary Coding for Die-to-Die Interface in 28 nm CMOS	614
<i>Bohui Bai, Fangxu Lv, Zhengbin Pang, Geng Zhang, Ruixiao Kuai, Liangyong Yuan, Ruotian Yin, Jiliang Liu</i>	
A 56Gb/s PAM4 Transceiver Based on BSS-LMS Algorithm With 3-Taps Adaptive TX FFE	618
<i>Xianchao Zeng, Fangxu Lv, Liquan Xiao, Jiaqing Xu, Zhouhao Yang, Liangyong Yuan, Cewen Liu, Xiaoyue Hu, Yingjie Zhang</i>	
A Low-Power Gm-Boosted VCO with Multi-Transformer in 40nm CMOS	622
<i>Zilong Wu, Bowen Chen, Yue Lin, Hongtao Xu</i>	
A 64 Gbps 10 mW 0.0081 mm ² Inverter-Based CTLE Employing Power-Efficient Split Biasing Topology in 40 nm CMOS	626
<i>Fang Ding, Huzhi Tang, Ke Wu, Yuekang Guo, Jing Jin, Jianjun Zhou</i>	
A Low-Power Area-Efficient Serializer for CMOS Image Sensors	630
<i>Jingyang Chen, Nanbo Chen, Gang Wang, Peng Feng, Jian Liu, Nanjian Wu, Liyuan Liu</i>	

A 6b 14GHz Phase Interpolator with 2-Stage Injection-Locked Ring Oscillators in 28nm CMOS	633
<i>Danqi Ding, Bingyi Ye, Weixin Gai</i>	
Boosting Self-Powered Properties of 2D Material-Based Photodetectors via Asymmetry Engineering	637
<i>Ran Huo, Han Zhang, Yihong Sun, Shijun Ou, Changming Pi, Mansun Chan, Changjian Zhou</i>	
Interfacial adhesion enhancement enabled mechanically durable flexible organic optoelectronics	641
<i>Ziqi Wang, Xiangzhe Li, Huimin Wu, Kai Wang, Sixing Xiong, Jin Qian</i>	
Image Flare Removal via Stable Diffusion Framework	645
<i>Jiazheng Lian, Ruoxi Zhu, Jiaming Liu, Ming'e Jing, Xiaoyang Zeng, Yibo Fan</i>	
AI-Assisted Droplet Splitting on a Parallel-Plate Optoelectrowetting Chip	649
<i>Junyan Tian, Shang Gao, Tengpu Zhu, Enqing Liu, Gaifang Chen, Jia Zhou</i>	
A Sub-1mV Voltage-Variation Pixel Power Supply Architecture with Radiation-Hardened Built-In LDO for Pixel Readout ASIC	653
<i>Lei Li, Jinxiang Wang, Yini Hong, Yuxiao Zhao, Yongsheng Wang</i>	
A CMOS Pixel with Gradient-Doped PPD and LOFIC for 1.7 ns Charge Transfer Time and 92 dB Dynamic Range	657
<i>Tianjing Qiu, Jinglei Du, Junli Zhang, Peng Feng, Jian Liu, Nanjian Wu, Liyuan Liu</i>	
Stacked 2D materials Nanopore Sensors	660
<i>Candong Zhao, Qinjie Pan, Guangyi Yang, Peng Cheng, Fuwei Zhuge, Yuhui He</i>	
On-chip Contact Angle Sensor Using Coplanar Capacitors for Digital Microfluidic Systems	664
<i>Akira Tsuchiya, Hayato Fukui, Tsubasa Furuta, Toshiyuki Inoue, Keiji Kishine</i>	
Selective manipulations of droplets on photo-driven microfluidic chip with virtual electrowetting channels	667
<i>Gaifang Chen, Enqing Liu, Junyan Tian, Shang Gao, Jia Zhou</i>	
A MEMS Rectenna for RF energy harvesting around 2.4GHz	671
<i>Liu Xiaoqiang, Wang Tiancong</i>	
Design and Implementation of Shared Storage Communication Architecture for MCCSIP-RAA	674
<i>Longmei Nan, Yu Jin, Yiran Du, Tao Chen, Lin Chen, Yanjiang Liu, Wei Li, Weiquan Sang</i>	
A Fully Quantized LeNet-5 accelerator for Edge Computing with Quantization-Aware Training	678
<i>Yushan Dai, Angyang Li, Jian Mei, Rui Yin</i>	
A High-Voltage And High-Precision Operational Amplifier	682
<i>Juan Wei, ZongLin Li, HongRui Che, FuMei Liang, DaGang Li</i>	
A 12-bit 1MS/s SAR ADC design for high-temperature MEMS accelerometers	686
<i>Yanlin Mo, Min Qi</i>	
A Low-Noise Ultrasound Analog Front-End with Low Gain Error Time-Gain Compensation	690
<i>Xiangchen Wan, Fan Ye</i>	
Adaptive Frequency Modulation Buck Converter Based on Valley Current Mode ACOT Control	694
<i>Bowen Jiang, Hong Ren, Ningning Wang</i>	
A High-Voltage Level Shifter for BMS Chip in EV with 0-80V Input Range	698
<i>Kunning Mao, Liji Wu, Jing Hu, Zhiwei Li, Haifeng Chen, Xiangmin Zhang</i>	

A New Circuit for Generating Half of VDD	702
<i>Li Zeng, Ming Wang, Peng Bo, Zhangwen Tang</i>	
A Boost DC-DC Converter with Low Power and High Efficiency for Portable Device Applications	706
<i>Jing Cao, Bingjie Chen, Hongfei Ye, Jianhua Feng</i>	
A Hybrid Complex-Filtering Scheme with High Image Rejection and Efficient Channel Selection for Low-IF Receivers	711
<i>Yue Yin, Guanlin Zhang, Haobo Qi, Haodong Lu, Xinbing Zhang, Ziting Feng, Ye Zhang</i>	
Design of a Nonlinear Temperature Compensated Bandgap Reference in 55nm Process	715
<i>Hezhuang Nie, Ningning Li, Jian Mei, Rui Yin</i>	
A Novel Light-load Control Method For Switching Converters in Portable Devices	718
<i>Jie He, Shuyu Zhang, Langyuan Wang, Suyi Yao, Kejia Zhu</i>	
Adaptive on-time Control Buck Converter Based on Phase-Locked-loop and Dynamic Calibration of DC Offset	722
<i>Xinyu Zhang, Sujuan Liu, Kun Liu, Bingxue Zhang, Yahua Shi</i>	
Design of a Fast Transient Response LDO Circuit Based on Transient Enhancement Structure	726
<i>Xudong Sun, Sujuan Liu, Kun Liu, Junchao Zhao</i>	
A 32-MHz FLL-Based RC Oscillator with PVT Compensation Using Frequency Tripler	730
<i>Ikhwan Kim, Yajie Qin</i>	
A Constant On-Time Buck Converter with VCO-based DC Offset Calibration Technique	733
<i>Bingxue Zhang, Sujuan Liu, Kun Liu, Xinyu Zhang, Yahua Shi</i>	
A Low-Power High-Precision Impedance Measurement Circuit Using DC Servo Loop for Closed-Loop DBS Systems	737
<i>Ziqi Tan, Yijun Ye, Yutao Mao, Hui Wu, Xiaofei Kuang, Jie Yang, Mohamad Sawan</i>	
A Low-Power BJT-Based Thermal Shutdown Circuit with Hysteresis for BMS chip in EV	741
<i>Zonghuan Wu, Xiangmin Zhang, Liji Wu</i>	
Design of CRFF-B Loop Filter Architecture for Wideband Continuous Time Sigma-Delta Modulators in CMOS 28 nm	745
<i>Zhihao Hou, Yuqi Fan, Yifei Gao, Chuan Liu, Chuan Qin, Maliang Liu, Yintang Yang</i>	
An Open-Loop Residue Amplifier with SSF Structure Achieving 69dBc SFDR for High-Speed and High-Precision PSAR ADCs	749
<i>Chengjun Liu, Deng Luo, Hanbing Liu, Chengchao Mou, Bin Liang, Yaqing Chi, Jianjun Chen, Kai Tang, Jing Xiao, Ming Tao</i>	
A 14-bit R-2R DAC with All-Digital Foreground Calibration based on Redundant LSB	753
<i>Hanbing Liu, Deng Luo, Chengjun Liu, Chengchao Mou, Bin Liang, Yaqing Chi, Jianjun Chen, Kai Tang, Jing Xiao, Ming Tao</i>	
A Multi-Channel Reconfiguration and Combination Technique for Timing Mismatch Calibration in Time-Interleaved ADCs	757
<i>Jize Liu, Jinwei Wu, Jiayi Chen, Xinqi Liu, Yuekang Guo, Jing Jin</i>	

A 12-bit 620 MS/s Pipelined-SAR ADC with Feedforward Compensation Closed-loop Residual Amplifier in 28 nm CMOS	761
<i>Shuai Liu, Yi Hu, Guoyu Li, Congyang Sun, Yidong Yuan, Hao Xu, Na Yan</i>	
A novel RA architecture and digital calibration method for SAR-assisted pipeline ADCs	765
<i>Jieqiong Zeng, Hao Min</i>	
An 8-bit 0.4-mW 740- μm^2 DS Digital-to-Analog Converter in 28nm CMOS with 60.89-dBc SFDR	769
<i>Xiongfeng Bi, Bingyi Ye, Weixin Gai</i>	
A K-Band CMOS Switched-Type Attenuator with Temperature Compensation Technique	773
<i>Xiaodong Zhao, Kai Zhang</i>	
An Ultra-Wideband 1.5–18.5 GHz MMIC Phase Shifter in 0.25- μm GaAs Technology	777
<i>Bo Fu, Xuan Ding, Xuesong Han, Xiao Ding</i>	
A 0.2–7.3-GHz Compact LNA with Super Linearity for 5G NR in 22-nm CMOS Technology	781
<i>Kaiyun Deng, Zan Zhou, Yingqi Liu, Haoyu Dong, Haigang Feng</i>	
An Area-Efficient Bi-directional Cascode PA-LNA For 5G NR in 28-nm CMOS	785
<i>Yue Wu, Wei Li, Shijiao Dong, Hongtao Xu</i>	
A 223M-235MHz Fully-Integrated Differential Class-E Power Amplifier with 45.5% PAE and 22.8dBm	789
<i>Chaoyang Zheng, Yanxiang Chen, Jianhua Lu, Yan Ma, Zhiliang Hong, Yumei Huang</i>	
A 16~46-GHz, >77-dB IRR, Low-Amplitude and Phase-Error IQ Generator with Self-Adaptive I/Q Calibration in 28-nm CMOS	793
<i>Lijiang Zhang, Wei Li, Bowen Yu, Chengzhang Cai, Yue Wu, Bowen Chen, Yue Lin, Hongtao Xu</i>	
Impact of Process Parameter Variations on the Random Values of SRAM-Based PUFs	797
<i>JinJin Shao, Ruiqiang Song, Chunmei Hu, Biwei Liu, Bin Liang, Yaqing Chi, Yaohua Wang</i>	
MIVO: Operator-Level On-Chip Memory System with Dynamic Bank Scheduling for Many-Core Neural Processing Unit	801
<i>Xinghao Zhu, Zifeng Zhao, Xiaoxing Wu, Gengsheng Chen, Xiaofang Zhou</i>	
DyQRA: A Deadlock-free Routing Algorithm for Large-Scale Mesh NoCs	805
<i>Haoxiang Sun, Aoyun Feng, Hongfei Ye, Jianhua Feng</i>	
An Enterprise Solid-State Drive Controller Supporting Spin-transfer Torque Magnetoresistive Random Access Memory	810
<i>Chao Song, Qihao Liu, Yunzhe Wang, Rufa Su</i>	
An IO Die with Collective-Aware Routing and In-Situ Processing for Data Synchronization in Multi-Chiplet Systems	814
<i>Qi Luo, Chen Mu, Chixiao Chen, Xin Chen, Shiwei Liu</i>	
An STT-MRAM Last Level Cache Management Method Based on Write Intensity Prediction for GPUs	818
<i>Yujie Pu, Qiaoran Zhang, Shitong He, Fanchen Wu, Chen Zhao</i>	
Towards Scalable and High-Throughput NTT Acceleration On Hybrid-Bonding Architecture	822
<i>Wenxuan Zhang, Yi Sun, Xinglong Yu, Yifan Zhao, Jun Han</i>	

A Low-Cost Multiplier-Free Accelerator for Binary Neural Network	826
<i>Z. W. You, J. H. Wu, R. C. Ma, G. C. Qiao</i>	
Design of a MobileNetV2 FPGA Accelerator for Low-Power Real-Time Identification of Plant Nematodes	830
<i>Ying Zhu, Pengjun Wang, Qikang Li, Huihong Zhang</i>	
A 65nm Analog-Computing Chip With Reconfigurable Charge-Pump-Based Adders for 5.26nJ/Decision Retrainless Keyword-Spotting	834
<i>Lichen Feng, Rundong Cai, Lin Wu, Zhangming Zhu</i>	
HAMP: Head-Aware Mixed-Precision Token Pruning and Quantization for Efficient ASR	838
<i>Xiaoxing Wu, Xinghao Zhu, Lanqi Ma, Gengsheng Chen, Wenbo Yin</i>	
A Compressed Sensing Spiking Neural Network System for Radar-Based HGR	842
<i>Liyu Qian, Zikai Zhu, Yuhan He, Jie Lu, Yaojie Sun, Lirong Zheng, Zhuo Zou</i>	
FlexiCore-DNN: A Configurable and Templated Architecture for End-to-End FPGA Acceleration of Deep Neural Networks	846
<i>Rao Fu, Wenhao Huang, Aiwu Ruan, Huiyun Li, Yongqing Wang</i>	
A 7-bit 6.25-GHz Low Power High Linearity DPC for CDR Applications	850
<i>Jingsong Cui, Kai Li, Chengyu Yang, Jiahao Lu, Hao Li, Ang Hu, Dongsheng Liu</i>	
Design of Low-Voltage Differential Signaling Driver for Image Sensor	854
<i>Zhongwei Lin, Ningning Li, Angyang Li, Jian Mei, Rui Yin, Jiaming Zhang, Zhicheng Shi</i>	
Exploring The Further Fracturability of Intel ALM	858
<i>Chenyu Jiang, Xianfeng Cao, Lingli Wang</i>	
A General and Modular FPGA Hardware Architecture for Enhanced Scalability and Flexibility	862
<i>ZiRui Qin, ZhiNan Li, YaBo Xiao, Hui Zhang, Cang Liu</i>	
Pipelined Parallel Design of SIFT Algorithm on FPGA	866
<i>Yuanhao Zhang, Tianliang Xu, Jianfeng Li, Zhenbin Lv, Shanqiang Yang, Chenxu Wang, Yuhang Wang Bo Chu, Zhiwei Han</i>	
Design and Implementation of an FPGA-based MIPI DSI Interface for Micro-LED Displays	870
<i>Runfeng Yao, Xinyi Liu, Kaisong Zhu, Jinbo Liang, Zhaojun Liu</i>	
A Sub-100 μ s-Latency Visual-Cortex-Mimicking Heterogeneous Multi-Core Edge Neuromorphic Processor Enabling On-Chip High-Accuracy Learning	874
<i>Junxian He, Ying Jiang, Zhengqing Zhong, Mingju Chen, Liyuan Liu, Cong Shi</i>	
An Energy-Optimized FPGA Implementation for Convolutional Neural Networks Accelerator	878
<i>Yujie Zhu, Jianxuan Yin, Jingjing Liu, Jianhua Zhang</i>	
A Lightweight Low-Latency Hardware Architecture for Dual Attention Super-Resolution Network	882
<i>Haocan Jiang, Aiyi Guo, Jianhua Zhang, Jingjing Liu</i>	
A Scalable Channel-Parallel Accelerator for Spiking Neural Network	886
<i>Yuchun Wu, Lingling Miu, Jingjing Liu, Jianhua Zhang</i>	

A precise current-controlled resistor and its applications in zero-pole tracking frequency compensation for LDO	890
<i>Guanting Liu, Guijuan Zhao, Feng Shi, Xiaohuan You, Shuhai Chen</i>	
ASSVD: A Self-Supervised Surgical Video Desmoking Network with Sparse Attention	894
<i>Yinna Zhu, Wanyi Zhou, Zijing Zhang, Gengsheng Chen, Wei Xu</i>	
A 71 TOPS/W 24.2 TOPS/mm ² 14nm SRAM CIM Macro with a Capacitor-less ADC for Edge AI	898
<i>Zexing Chen, Siyao Jia, Chixiao Chen</i>	
Data-Centric Automatic Design Migration of Low Voltage CMOS Bandgap Reference Circuit	902
<i>Shun-Qi Dai, Yuan Lei, Bei-Ping Yan</i>	
Innovative Detection Capacitor Utilization in ESD Power Clamp Circuits for HBM Residual Voltage Suppression	906
<i>Zelong Huang, Guangyi Lu, Haoyu Xia, Qi Wu, Haiming Wang</i>	
High Efficient Efuse Full Process Burning Solution Based on ATE	909
<i>Qian Zhai, Yichen Xiao, Xin Song, Haobin Wang, Yuyuan Wang, Xuxin Chen</i>	
Study of Reliability Screening Method to Improve the DPPM of IC Products	913
<i>Yancong He, Zhiyong Yang, Zhinong Liu, Shuang Jiao, Chuyuan He, Yixian Wang, Zhigang Ji</i>	
Weight Bit Sensitivity Analysis and FPRH-Based Hardening Strategy for CNN Accelerators	917
<i>Jinghao Chen, Shanqiang Yang, Tianliang Xu, Congan Xu, Yuehong Gong, Chenxu Wang</i>	
An effective method for low-contrast high-noise lithography SEM image contour extraction	921
<i>Ruirui Zhang, Gongyan Ye, Xianhe Liu</i>	
Design of A Dual-Mode Analog Front-End Circuit Applied in the Voice Activity Detection System	925
<i>Zirui Dong, Xuhaohan Wang, Fan Ye</i>	
Research on Radiation-Hardened High-Voltage Gate Driver Circuit Based on 0.8μm 1200V Bulk Silicon BCD Process	930
<i>Xiaohui Li, Yi Zhang, Qiang Wang, Qiankun Xiong, Bo Zhang, Ming Qiao</i>	
Parameter identification of single-phase inverter digital twin system	934
<i>Ao Shen, Hui Li, Jie Kang, Jia Hao Lv</i>	
Optimization of Three-dimensional High-k Superjunction under Non-Punch-Through Mode: Theoretical Modeling and Comparison	938
<i>Zhentaο Xiao, Chenxing Wang, Zonghao Zhang, Haimeng Huang</i>	
Smart Adaptive Perception for High-Precision Lightweight Infrared UAV Detection and Tracking	942
<i>Shiyu Mei, Lei Deng, Rui Yin</i>	
Design and validation of fluorescence lifetime solving algorithm for fiber-optic temperature sensor	946
<i>Yuxuan Yang, Xiangliang Jin</i>	
A Multi-Cycle Pulse Transfer Timing Scheme for Enhancing Charge Efficiency in CMOS Image Sensors	949
<i>Zhenhao Zhang, Chiang Zhu, Haiyang Liu, Peng Peng, Sikai Wang, Junjie Hao, Xiaona Zhu</i>	
Design of RF Microsystem Based on Silicon-based Stereoscopic Integration Technology	953
<i>Xiaoqing Zhang, Lei Shi, Mengmeng Yin, Cui Jing, Dexi Liu</i>	

A Novel Pretreatment Approach to High-quality SiO ₂ Surface Applied for C2W Cu/SiO ₂ Hybrid Bonding	957
<i>Han Jiang, Xianlong Wang, Ziyu Liu, Yabin Sun</i>	
Approximately Timed Scalable DSP Model Based on SystemC	961
<i>Yongwang Qin, Sheng Liu, Yang Zhang, Xing Hu, Chen Shangqian</i>	
Microscopic Mechanisms of Bias Temperature Instability Induced by Defects in Si/SiO ₂ /HfO ₂ Gate Stacks: A DFT and NEGF Study	965
<i>Yantao Huang, Yunzhi Lin, Yixin Zhang, Junlong Li, Xiaoxu Kang, Fengying Yao, Shaojian Hu, Qing Shi Tao Wu</i>	
Mechanism of Leakage Current Enhancement Induced by La Doping in HfO ₂ Gate Stacks: A DFT Investigation	969
<i>Yunzhi Lin, Yantao Huang, Yixin Zhang, Qing Shi, Fengying Yao, Junlong Li, Shaojian Hu, Xiaoxu Kang Tao Wu</i>	
Layout-Aware Performance Analysis of the CFET based NAND2 constructed Ring Oscillator	973
<i>Junjie Hao, Chiang Zhu, Huawei Tang, Xiaona Zhu, Shaofeng Yu</i>	