

# **2025 IEEE International Conference on Integrated Circuits, Technologies and Applications (ICTA 2025)**

**Macao, China  
22-24 October 2025**

IEEE Catalog Number: CFP25VVL-POD  
ISBN: 979-8-3315-7163-4



Copyright © 2025, IEEE

All Rights Reserved

**Copyright and Reprint Permissions:**

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP25VVL-POD      |
| ISBN (Print-On-Demand): | 979-8-3315-7163-4 |
| ISBN (Online):          | 979-8-3315-7162-7 |
| ISSN:                   | 2831-395X         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA

|         |                                                                    |
|---------|--------------------------------------------------------------------|
| Phone:  | (845) 758-0400                                                     |
| Fax:    | (845) 758-2633                                                     |
| E-mail: | <a href="mailto:curran@proceedings.com">curran@proceedings.com</a> |
| Web:    | <a href="http://www.proceedings.com">www.proceedings.com</a>       |

# TABLE OF CONTENTS

|                                                                                                                                                                           |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| An 8.5-14GHz Fractional-N Dual-Path SPD/PFD PLL with A Complementary DTC Pair in 7nm FinFET .....                                                                         | 1  |
| <i>Yan Chen, Gaofeng Jin, Haojie Xu, Lei Zeng, Xiang Gao</i>                                                                                                              |    |
| A 24–44 GHz Vector Modulator with Full 360° Phase-Shift Range and 14-dB Gain Control Range for Multiband 5G NR Applications .....                                         | 3  |
| <i>Junjie Xiao, Peng Gu, Dixian Zhao</i>                                                                                                                                  |    |
| Co-Design of EMI-Shielding Packaging and a W Band Class F <sub>23</sub> VCO .....                                                                                         | 5  |
| <i>Dongxin Ni, Shang Zhang, Jian Pang, Liang Zhou, Wenhua Gu</i>                                                                                                          |    |
| A 5-GHz Fractional-N Digital PLL with SAR-ADC-Based Fractional Time-to-Digital Converter .....                                                                            | 7  |
| <i>Lecheng Cai, Guo Tian, Min Zhu, Yihao Liu, Yanlong Zhang</i>                                                                                                           |    |
| A 13.4-17.8 GHz LC-VCO with Biased Varactor Bank and a Programmable Divider in 55-nm CMOS .....                                                                           | 9  |
| <i>Yuzhou Li, Wendi Chen, Dixian Zhao</i>                                                                                                                                 |    |
| A 30.1-to-38.9 GHz Triple-Stack CMOS Power Amplifier with Self-Adaptive Floating Gate Bias Technique Achieving 36% PAE <sub>peak</sub> and 30% PAEOP <sub>1dB</sub> ..... | 11 |
| <i>Yichi Sun, Dongze Li, Xiangyu Nie, Jinglin Zhang, Liangjiang Zhou, Haikun Jia, Wei Deng, Rui Wu</i>                                                                    |    |
| A 24-GHz CMOS Transformer-Based Three-Tline Series Doherty Power Amplifier Achiving 39% PAE .....                                                                         | 13 |
| <i>Zheng Wang, Yifu Li, Yuchao Mei, Xinyu Sui, Qingbin Li, Xu Luo, Rui Wang, Dongxin Ni, Jian Pang</i>                                                                    |    |
| A 28nm CMOS D-Band Power Amplifier Achieving 10% Peak PAE and 27.6dB Peak Gain with Broadband Low-Loss Slotline-Based Combiner .....                                      | 15 |
| <i>Qiuyu Peng, Haikun Jia, Wei Deng, Baoyong Chi</i>                                                                                                                      |    |
| A 180GHz Three-Stage Bidirectional Amplifier Utilizing Y/PreZ-Embedding Network at Near-f <sub>max</sub> Frequencies in 65nm CMOS Technology .....                        | 17 |
| <i>Fei He, Zheng Wang</i>                                                                                                                                                 |    |
| A 119-162GHz Low-Noise Amplifier with 19.5dB Peak Gain and 5.8dB NF in 65nm CMOS .....                                                                                    | 19 |
| <i>Yuwen Long, Zongyang Zhang, Jiawei Chen, Guangyin Feng, Xiu Yin Zhang</i>                                                                                              |    |
| A 0.4-5GHz Low-Noise Wideband Receiver with Baseband Noise-Cancelling Technique and Capacitive Positive Feedback .....                                                    | 21 |
| <i>Chenxiang Cai, Yunchu Li</i>                                                                                                                                           |    |
| A138-to-170GHz CMOS On-Chip Coupler for Dielectric Waveguide Interconnections .....                                                                                       | 23 |
| <i>Chi Zhang, Jiaqian Zhou, Meng Yang, Liang Wu</i>                                                                                                                       |    |
| A 65nm 8GHz Dual-Mode FM-UWB Transmitter Achieving 500Mb/s Data Rate and 0.013nJ/b Energy Efficiency .....                                                                | 25 |
| <i>Nannan Shi, Bowen Wang, Rong Zhou, Zhangming Zhu</i>                                                                                                                   |    |
| A 0.62-1.75 GHz Reconfigurable Bandpass Filter with Substrate-via-Inductors in 180 nm CMOS Process .....                                                                  | 27 |
| <i>Le Liu, Ziyu Wang, Zifan Huang, Bofeng Deng, Yachao Liu, Yintang Yang, Maliang Liu</i>                                                                                 |    |

|                                                                                                                                                                                 |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2-18 GHz Low Insertion Loss and High Return Loss Single-Pole-Single-Throw Switch in 0.25-um GaN-on-SiC .....                                                                    | 29 |
| <i>Weile Tan, Xin Liu, Chen Long, Yang Lu, Chupeng Yi, Xiaohua Ma</i>                                                                                                           |    |
| T-Trans DPD: TCN-Enhanced Transformer for Wideband Digital Predistortion of Power Amplifiers .....                                                                              | 31 |
| <i>Yi Sun, Sicheng He, Xiang Yi, Enyi Yao</i>                                                                                                                                   |    |
| Full-CDAC Background Calibration Leveraging Bridge-Crossing Shuffling for a 1.8 MS/s 20-bit SAR ADC .....                                                                       | 33 |
| <i>Xunhua Yang, Junyao Ji, Zihao Jiao, Senran Hu, Xiaofei Wang, Hong Zhang</i>                                                                                                  |    |
| A 1.8V 15-Bit Sigma-Delta ADC with Wide Input Range for Battery Monitoring System .....                                                                                         | 35 |
| <i>Hao Wu, Sai Wu, Bo Wang, Man-Kay Law</i>                                                                                                                                     |    |
| A High Linearity Single-Slope ADC for Temperature to Digital Converter .....                                                                                                    | 37 |
| <i>Zhuojian Yao, Lilian Yu, Haikun Jia, Lixue Kuang, Wei Deng, Baoyong Chi</i>                                                                                                  |    |
| A 96.8dB-SNR 5.09μW FIA-Based Self-Timed Zoom Incremental ADC with Extended Counting .....                                                                                      | 39 |
| <i>Zhidi Yang, Lingxin Meng, Menglian Zhao, Zhichao Tan</i>                                                                                                                     |    |
| A 56.5 V ICMR and 114 dB CMRR Instrumentation Amplifier for Precision Sensor Interfaces .....                                                                                   | 41 |
| <i>Chenqiang Jia, Wenchang Li, Wei Ruan, Tianyi Zhang, Jian Liu</i>                                                                                                             |    |
| A High-Density eDRAM-Based Cache Featuring Enhanced Data Retention Time and Low-Power Sense Amplifier .....                                                                     | 43 |
| <i>Rongjia Bao, Haihang Diao, Xiyuan Tang</i>                                                                                                                                   |    |
| A High-Efficiency 10-Bit SAR ADC with Current-Regulated VCO Comparator .....                                                                                                    | 45 |
| <i>Bobo Zhang, Chang Zhang, Xingyuan Tong</i>                                                                                                                                   |    |
| A 2.1μA 1.65V-to-5V Supply 10ppm/°C Bandgap Reference with Source-Degenerated Multi-Sectional Curvature Compensation and CMOS-Voltage Reference Assisted Start-Up Circuit ..... | 47 |
| <i>Han Lin, Yunshan Zhang, Qi Zhang, Jiahuai Fan, Zuyang Cao, Bo Zhao, Yuxuan Luo</i>                                                                                           |    |
| A 115.95 pArms Noise, 9.7ppm/°C TC Current Reference with Current-Reference-Based Feedback Enhancement Technology .....                                                         | 49 |
| <i>Xufeng Liao, Bin Yang, Mingjie Liu, Lianxi Liu</i>                                                                                                                           |    |
| A Current-Starved Ring Oscillator for Cryo-CMOS Characterization .....                                                                                                          | 51 |
| <i>Jingxia Xie, Shuohong Meng, Zhen Gong, Jiacheng Guo, Yuan Du</i>                                                                                                             |    |
| Fast FOCV MPPT Technique for Self-Powered PEH: Achieving Rapid Response and 99.99% Peak TE .....                                                                                | 53 |
| <i>Yu Du, Haiqin Wu, Xufeng Liao, Lianxi Liu</i>                                                                                                                                |    |
| An Input Buffer with Replica-Based Nonlinearity Compensation for High-Speed ADCs .....                                                                                          | 55 |
| <i>Nannan Li, Lei Pei, Bin Liu, Hanrui Zhang, Jinfu Wang, Jie Zhang, Xiaofei Wang, Hong Zhang</i>                                                                               |    |
| A Cyclic Spectral Density-Based Clock Jitter Measurement Method for High-Speed ADCs .....                                                                                       | 57 |
| <i>Zheng Zhang, Yexin Zhu, Longsheng Wang, Dengquan Li</i>                                                                                                                      |    |
| A Background Timing Skew Calibration in TI-ADC with Fast Non-Linear Step Iteration .....                                                                                        | 59 |
| <i>Longsheng Wang, Zecheng Zhou, Tianqi Yang, Ting Li, Dongbing Fu, Dengquan Li</i>                                                                                             |    |
| A 1.195 GS/s 7-Bit SAR ADC Using Gate-Voltage-Enhanced Bootstrapped Switch .....                                                                                                | 61 |
| <i>Hao Yang, Tao Lu, Zhanyu Zhu, Robert Bogdan Staszewski, Liheng Lou, Yizhe Hu</i>                                                                                             |    |

|                                                                                                                                 |    |
|---------------------------------------------------------------------------------------------------------------------------------|----|
| A 24-GHz Bandwidth 58.8-dB SNDR Input Buffer Based on Class-AB Enhanced Super Source Follower .....                             | 63 |
| <i>Xiaoshuang Guo, Yangxin Xiang, Zihan Zheng, Cuixia Wang, Yongzhen Chen, Jiangfeng Wu</i>                                     |    |
| An ECG/BioZ Acquisition Analog Front-End Using Frequency Division Multiplexing with a High Input Impedance .....                | 65 |
| <i>Heng Zhang, Jing Wang, Lin Cheng</i>                                                                                         |    |
| A 24.2- $\mu$ W 125-dB Dynamic-Range Bio-Impedance AFE with Hybrid-Mode Baseline Cancellation .....                             | 67 |
| <i>Wanling Hua, Jing Wang, Lin Cheng</i>                                                                                        |    |
| A High Input Impedance, Wide EDO Cancellation Range Bio-Amp with IPCS-Buffer and PF-DSL .....                                   | 69 |
| <i>Xiangyi Liu, Jie Yin, Yinou Zhang, Lianxi Liu</i>                                                                            |    |
| A High-Linearity Reconfigurable MFB Filter Using Three-Stage OPA with Feedforward Compensation .....                            | 71 |
| <i>Tianshuo Xie, Minghao Jiang, Weibo Li, Yongzhen Chen, Jiangfeng Wu</i>                                                       |    |
| A 180mA LDO Achieving 65dB PSR Across Wide Load and Input Ranges with Adaptive FFRC .....                                       | 73 |
| <i>Xiaoyan Zhao, Jinshuo Xu, Xiangyu Mao, Haiyang Jia, Nan Sun, Yan Lu</i>                                                      |    |
| Design of Low Load Regulation and Fast Load Transient Response Low Dropout Regulator with Embedded CMOS Voltage Reference ..... | 75 |
| <i>Zilong Chen, Zian Luo, Sizhen Li, Kai Yu</i>                                                                                 |    |
| A Negative Output LDO with $-500$ mA Current, 80 dB PSR, and 2 $\mu$ VRMS Ultra-Low Noise .....                                 | 77 |
| <i>Ying Ma, Zhuoqi Guo, Li Geng, Yuanjun Cen</i>                                                                                |    |
| A 375kV/ $\mu$ s Common-Mode Transient Immunity Digital Signal Isolator .....                                                   | 79 |
| <i>Huanghong Yang, Zicong Liu, Ziye He, Wanyuan Qu</i>                                                                          |    |
| A Single-Channel Bidirectional Capacitive Isolator with Dynamic Time-Slot Allocation Achieving 500kV/ $\mu$ s CMTI .....        | 82 |
| <i>Siman Jia, Xuchu Mu, Qiaobo Ma, Yang Jiang, Rui Martins, Pui-In Mak</i>                                                      |    |
| A 1-Gbps On-Chip Transformer-Based Digital Isolator with Enhanced Common-Mode Transient Immunity in 65-nm CMOS .....            | 84 |
| <i>Shengzhe Shang, Dongfang Pan, Lin Cheng</i>                                                                                  |    |
| A 0.4 $\mu$ A Buck Converter Operating in DCM with Successive-Approximation Zero-Current-Detection Technique .....              | 86 |
| <i>Sikai Hu, Yingping Chen</i>                                                                                                  |    |
| A Battery-Input Hybrid Buck-Boost Converter with Half-VO-Stress on All Switches and Continuous Output Current .....             | 88 |
| <i>Jie Yu, Chenchang Zhan</i>                                                                                                   |    |
| A 88.4% Peak Efficiency Dual-Mode Controlled Four-Switch Buck-Boost Converter for Biomedical Stimulation .....                  | 90 |
| <i>Tong Zhou, Zheyuan Fei, Wanyuan Qu</i>                                                                                       |    |
| A Wide-Input/Load-Range DC-DC Buck Converter with Ultra-Low IQ for IoT Application .....                                        | 92 |
| <i>Ziming Zhang, Dihui Chen, Jianping Guo</i>                                                                                   |    |

|                                                                                                                                                   |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A High-Efficiency Capacitor-Stacked Dual-Side-Inductor Boost Converter with Wide Voltage Range and Continuous Output Delivery Current .....       | 94  |
| <i>Junyi Ruan, Huaiyu Li, Junmin Jiang, Xun Liu</i>                                                                                               |     |
| A Radio-Frequency Energy Harvesting System with Fast Input-Power Transient Response .....                                                         | 97  |
| <i>Shilong Shen, Yifan Yao, Qiujin Chen, Chenchang Zhan, Zhaobo Zhang, Cheng Chen, Mo Huang Xiaosen Liu</i>                                       |     |
| A Fully Integrated Negative Voltage Charge Pump Using Standard 5P0 MOSFETs Achieving $-40V$ Output Voltage with 5V Input Voltage .....            | 99  |
| <i>Wenhan Sun, Shiquan Fan, Boyu Luo, Ruiqi Song, Chuanyu Han, Guohe Zhang, Li Geng</i>                                                           |     |
| A Highly Integrated CRM Inverting-Buck PFC Converter with Sinusoidal-Squared Current Modulation and Indirect Output-Voltage Sensing .....         | 101 |
| <i>Xuan Wu, Caiyu Tong, Yuan Gao</i>                                                                                                              |     |
| A 48W GaN Flyback Converter with 92.65% Peak Efficiency Based on Multi-Mode Primary-Side Control .....                                            | 103 |
| <i>Tengrun Zhan, Chenchang Zhan, Cheng Chen, Nian Zhang, Huajun Guo</i>                                                                           |     |
| A Multiple-Output DC-DC with Dual-Inductor Complementary-Priority Control .....                                                                   | 105 |
| <i>Yang Li, Mo Huang, Yan Lu</i>                                                                                                                  |     |
| A 28nm 37.2TFLOPS/W Word-Alignment Pipeline Floating-Point CIM Macro for CNN-Training and Diffusion Models .....                                  | 107 |
| <i>An Guo, Yinhai Gao, Mengyao Kong, Yuhui Shi, Yuchen Tang, Jun Yang, Xin Si</i>                                                                 |     |
| DMA-T <sup>2</sup> : Diffusion Model Acceleration via Tile-Based Token Merging .....                                                              | 109 |
| <i>Shun Zhang, Peng Zheng, Xinming Yan, Bo Hu, Jiaming Lin, Xinyang Chen, Zihan Zou, Hao Cai, Bo Liu</i>                                          |     |
| A 1.784 TOPS Multi-Data-Type Multi-Data-Flow Transformer Accelerator for Object Recognition .....                                                 | 111 |
| <i>Quan Cheng, Masanori Hashimoto</i>                                                                                                             |     |
| A Chiplet-Based Architecture with Fine-Grained Expert Mapping and Attention Fusion Strategy for High-Performance MoE-LLM Acceleration .....       | 113 |
| <i>Jiachen Chang, Liukai Xu, Shuai Yuan, Yunhao Xiong, Guanghui He, Yanan Sun</i>                                                                 |     |
| An Area-Energy Efficient Reconfigurable Single-Bit FFT Processor with ROM-Less Twiddle Factor Generation .....                                    | 115 |
| <i>Ziwei Wang, Weiwei Shi, Jiasheng Wu</i>                                                                                                        |     |
| A 617.7 TOPS/W PCM-Based Charge-Domain CIM Macro with Capacitor Reuse Method and Scalable Local Compute Unit .....                                | 117 |
| <i>Bowen Wang, Longhao Yan, Xiyuan Tang, Xile Wang, Yuqi Li, Zeyu Wang, Zelun Pan, Daijing Shi Zhe Zhan, Yaoyu Tao, Zhitang Song, Yuchao Yang</i> |     |
| High-Performance and Energy Efficient CAM Design Using STT-MRAM and Pipelined Searching .....                                                     | 119 |
| <i>Humiao Li, Longyang Lin</i>                                                                                                                    |     |
| Near/Far-end Self-Sensing Hybrid Trimming Strategy for Enhanced Readout Margin Stability in STT-MRAM .....                                        | 121 |
| <i>Zeying Ding, Hao Cai</i>                                                                                                                       |     |
| A Bootstrap-Based Wordline Driver for Leakage Suppression in High-Density STT-MRAM .....                                                          | 123 |
| <i>Jingchao Zhang, Ruiqi Zhang, Hao Cai</i>                                                                                                       |     |

|                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Area-Efficient Voltage Driving Scheme for High Density STT-MRAM Enhanced Write Operations .....                                                                                      | 125 |
| <i>Shuyu Wang, Yibo Liu, Hongjin Zhu, Haoran Du, Hao Cai</i>                                                                                                                         |     |
| An Energy-Efficient SRAM-Based CIM Accelerator Featuring Adaptive Kernel Update and In-Situ Transpose .....                                                                          | 127 |
| <i>Jin Wang, Moxiao Lou, Longyang Lin</i>                                                                                                                                            |     |
| Monolithically Stacked IGZO-CMOS 2T0C CIM Macro with Reconfigurable Periphery Enabling Unified SNN/CNN Processing .....                                                              | 129 |
| <i>Zhengke Yang, Xiao Liu, Humiao Li, Jun Lan, Meishan Zhang, Yida Li, Longyang Lin</i>                                                                                              |     |
| RCIM: A Reconfigurable Compute-in-Memory Architecture for Artificial, Spiking and Hybrid Neural Networks .....                                                                       | 131 |
| <i>Ruihao He, Cong Wang, Xipeng Lin, Shaoxuan Li, Hongwu Jiang</i>                                                                                                                   |     |
| Design and High-Fidelity Verification of an Energy-Efficient NAND-Like SAS-MRAM for ReLU-Activated Feature Caching in CNN CIM .....                                                  | 133 |
| <i>Xinpeng Jiang, Chenyi Wang, Xiaoyang Xu, Sifan Sun, Zhaohao Wang, He Zhang, Weisheng Zhao</i>                                                                                     |     |
| A 416-TOPS/W Energy-Efficient SRAM Compute-in-Memory Architecture for GPS Signal Acquisition .....                                                                                   | 135 |
| <i>Songjing Gan, Wei Lin, Dengyun Lei, Qihao Liu, Yuan Liu, Feng Zhang</i>                                                                                                           |     |
| HPSP: High Performance Non-Volatile Memory Control Architecture with Serial IO and Parallel Execution .....                                                                          | 137 |
| <i>Jianwei Liu, Liang Chang, Zilong Guo, Yan Wang, Shouzhou Peng, Qiang Wu, Jun Zhou</i>                                                                                             |     |
| Multiple Precision Floating-Point Fused-Multiply-Add Processor with Hardware Reuse Architecture .....                                                                                | 139 |
| <i>Yunhao Ma, Yuhan Wang, Hailin Chen, Runyang Liu, Lei Chen, Huihui Zhou, Fengwei An</i>                                                                                            |     |
| PALS: A High-Speed ML-DSA Hardware Accelerator with Enhanced Pipeline on FPGA .....                                                                                                  | 141 |
| <i>Pengfei Sun, Qirui Wang, Makoto Ikeda</i>                                                                                                                                         |     |
| A Reconfigurable LDPC Decoder for NAND Flash Supporting Codeword Lengths Up to 4kB .....                                                                                             | 143 |
| <i>Junyi Wang, Yanling Jiang, Liang Zhang, Humiao Li, Zhixiong Li, Yida Li, Longyang Lin</i>                                                                                         |     |
| A High-Linearity 4×64Gb/s Driver with 4.2V <sub>ppd</sub> Swing in 130nm SiGe BiCMOS .....                                                                                           | 145 |
| <i>Youpeng Zhang, Wenkang Luo, Kun Zhang, Zhipeng Zhou, Xiongshi Luo, Dongshen Zhan, Qiancheng Zhao, Xiaohu Fang, Junmin Jiang, Xuhui Liu, Chun-Zhang Chen, Hanming Wu, Quan Pan</i> |     |
| A 50-Gbaud Low-Noise CMOS Stacked Differential Difference TIA for Coherent Optical Receiver .....                                                                                    | 147 |
| <i>Wenwen Wei, Liang Zhao, Nianquan Ran, Ruixuan Yang, Shuaizhe Ma, Chaoxuan Zhang, Xiaoyan Gui, Li Geng, Dan Li</i>                                                                 |     |
| A Low-Jitter Wideband Transformer-Based 28-GHz Quadrature Clock Generator for 224-Gbps SerDes .....                                                                                  | 149 |
| <i>Yu Fu, Haikun Jia, Wei Deng, Junfeng Liu, Zhuojian Yao, Baoyong Chi</i>                                                                                                           |     |
| From Silicon to System: Recent Advances in Wireline Transceiver ICs and Integration Applications for Next-Generation AI Infrastructure .....                                         | 151 |
| <i>Liheng Lou, Xihan Zhu, Wenjuan Lv, Xiaochao Ma, Zeyu Zhou, Luyao Yuan, Ahmed Wahba, Chiang Liang Kok, Ping Ma, Fujiang Lin, C. Patrick Yue, Yizhe Hu</i>                          |     |
| A 28nm CMOS Driver for 200 Gbaud Silicon Photonics Transmitters .....                                                                                                                | 158 |
| <i>Yunchen Li, Zhen Chen, Junbo Zhu, Mengqi Wu, Linqi Cheng, Yu Zheng, Chen Zhang, Xiaoqi Peng, Fan Zhang, Zhixue He, Lei Wang, Ke Li</i>                                            |     |

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A 4×28 Gb/s Inductorless Scalable Optical Receiver in 28-nm CMOS .....                                                                    | 160 |
| <i>Zhouchi Duan, Yukun He, Yujie Zeng, Yucong Li, Junhao Zhao, Xi'an Chen, Xiaoyan Gui</i>                                                |     |
| A 0.012mm <sup>2</sup> 2.78pJ/bit 16Gb/s/ch 4-Channel Transceiver with Lightweight Retimer in 28nm CMOS .....                             | 162 |
| <i>He Ma, Fei Fang, Jiayuan Chen, Hao Hu, Weiyao Li, Wenhe Yin, Yongye Xu, Yajie Wu, Xiaoyong Song<br/>Li Du, Yuan Du</i>                 |     |
| A High-Precision Compact Model for DC-HEMTs with Blended Transconductance and Valley<br>Compensation .....                                | 164 |
| <i>Zeng Li, Ziyue Zhao, Wei Zhao, Yang Lu, Chupeng Yi, Xin Liu, Ting Feng, Jiejie Zhu, Xiaohua Ma</i>                                     |     |
| A Single-Event Multiple Transient Model Based on Artificial Neural Network for Circuit-Level<br>Simulation .....                          | 166 |
| <i>Jiaxin Chen, Libo Gao, Kaihan Yang, Yanping Guo, Xiaojing Li, Peng Lu, Bo Li, Jianhui Bu</i>                                           |     |
| AMI: An Efficient Aging Model Interface for Integrated Circuit .....                                                                      | 168 |
| <i>Guohua Shi, Guangxin Guo, Hailong You, Cong Li, Zhengguang Tang, Fei Yan, Sanping Wan, Mo Chen<br/>Yongsheng Sun</i>                   |     |
| A Dual-Driven Strategy: Truncated Sampling and Ranking-Based Bayesian Optimization for Yield<br>Analysis .....                            | 170 |
| <i>Lecheng Zheng, Jue Wang, Jiantao Yuan, Rui Yin, Peiyi Zhu</i>                                                                          |     |
| Efficient Analog Circuit Design with Clustering-Guided Multi-Population Optimization Framework .....                                      | 172 |
| <i>Haoyuan Li, Quan Cheng, Takashi Sato</i>                                                                                               |     |
| Ring Oscillator Modeling for Cryogenic Temperature Performance .....                                                                      | 174 |
| <i>Zhizhao Ma, Yuhuan Lin, Yunfeng Xie, Yuxuan Zhou, Shilong Li, Hao Su, Longyang Lin, Yida Li, Kai Chen<br/>Quan Chen</i>                |     |
| An Enhanced Large-Signal Model of GaN HEMT Including Self-Heating Effect .....                                                            | 176 |
| <i>Zhuoya Wang, He Guan, Ying Wang, Yongchuan Tang, Longxiang Hou, Yangchao Chen, Guiyu Shen</i>                                          |     |
| 150 GHz Broadband Transmission Analysis of RDL Using Physics-Based Equivalent Circuit Modeling .....                                      | 180 |
| <i>Chenhong Sun, Shuman Mao, XiaoMing Xing</i>                                                                                            |     |
| Linearity Improvement of AlGaIn/GaN HEMT Based on Gate–Drain Spacing Optimization .....                                                   | 182 |
| <i>Xin Zhang, Yonghao Jia, Yuehang Xu, Xianli Tang, Weibing Lu</i>                                                                        |     |
| Enhanced Artificial Neural Network-Based Nonlinear Thermal Modeling Framework for GaAs<br>pHEMTs with Ambient Temperature Effects .....   | 184 |
| <i>Leng Wang, Shuman Mao, Xiao Chen, Yuehang Xu</i>                                                                                       |     |
| Volatile Resistive Switching Memristor Device Modeling for Neural Spiking Application .....                                               | 186 |
| <i>Yining Jiang, Hanzhi Ma, Er-Ping Li</i>                                                                                                |     |
| Monolithic Heterogeneous Integration of SOI-GaN Cascode FET Based on Heteroepitaxy: A Device<br>Model and Process Integration Study ..... | 188 |
| <i>Guiyu Shen, Ying Wang, He Guan</i>                                                                                                     |     |
| An Elliptic Low-Pass Filter Prototype for Second-Harmonic Suppression of Millimeter-Wave GaN<br>Power Amplifier .....                     | 190 |
| <i>Jidong Zhang, Luqi Yu, Peng Chen, Xiao-Wei Zhu, Chao Yu</i>                                                                            |     |

|                                                                                                                                                                                                  |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| D-Band Hairpin Filters Based on TGV Technology .....                                                                                                                                             | 192 |
| <i>Pengyang Lv, Zhaoying Li, Kaiyue Liu, Liming Si, Houjun Sun, Lianggong Wen, Xiue Bao</i>                                                                                                      |     |
| Hybrid Inference Framework with Heterogeneous Memristor Mapping for Efficient Inverse Modeling<br>in RRAM CIM Systems .....                                                                      | 194 |
| <i>Zecheng Pan, Zhoujie Pan, He Tian, Yi Yang, Tianling Ren</i>                                                                                                                                  |     |
| A Compact 1-8Bit Reconfigurable Parallel SAR ADC for Computing-in-Memory .....                                                                                                                   | 196 |
| <i>Jiawei Zheng, Hao Ding, Yunfan Yang, Shigeng Zhao, Jinshan Li, Zhuoya Chen, Zongwei Wang, Yimao Cai</i>                                                                                       |     |
| 1200V SOI N-Channel LDMOS Applying High-Energy Ion Implantation and Tungsten-Filled Deep<br>Trench Isolation .....                                                                               | 198 |
| <i>Mingxin Sun, Chengwu Pan, Nailong He, Shipeng Chang, Mengyan Wu, Jiayu Li, Siyang Liu, Weifeng Sun<br/>Long Zhang</i>                                                                         |     |
| Temperature-Adaptive Readout Scheme for Emerging Capacitor-Less DRAM .....                                                                                                                       | 200 |
| <i>Xin Tian, Lin Bao, Shigeng Zhao, Zhenghao Zhai, Jinshan Li, Haisu Zhang, Yingtong Ji, Hao Zhang<br/>Zongwei Wang, Yimao Cai, Shanguo Huang</i>                                                |     |
| Ultralow Device Variability ( $\sigma/\mu < 3\%$ ) in 4-Layer 3D Vertical Self-Rectifying Memristors with High<br>On/Off Ratio ( $\sim 10^4$ ) and Multi-Level Capability ( $\sim 3$ -Bit) ..... | 202 |
| <i>Jia-Yi Sun, Yi-Bai Xue, Heng-Feng Zhang, Zi-Rui Li, Yun-Hui Yi, Wen-Bin Zuo, Yi Li, Xiang-Shui Miao</i>                                                                                       |     |
| A Fully Integrated Passive UHF RFID Tag IC with Embedded HZO FeRAM .....                                                                                                                         | 204 |
| <i>Jiangtao Cao, Xiguang Wu, Xibo Chen, Peng Xiao, Wenhao Liu, Fuyi Li, Hongrui Zhang, Wei Mao, Xiao Yu<br/>Jiuren Zhou, Bing Chen, Yan Liu, Genquan Han</i>                                     |     |
| Channel Width Scaling of ITO Top-Gate Transistors with High $g^m = 1.04 \text{ mS}/\mu\text{m}$ and $I_{on} = 2.15$<br>$\text{mA}/\mu\text{m}$ .....                                             | 206 |
| <i>Honggang Liu, Qianlan Hu, Yanqing Wu</i>                                                                                                                                                      |     |
| Matrix Inversion Acceleration Using SOT-MRAM-Based Analog Matrix Computation Architecture .....                                                                                                  | 208 |
| <i>Jianxin Wu, Liang Zhang, Liangchen Li, He Zhang, Wang Kang</i>                                                                                                                                |     |
| Reliability Optimization of Ag-Based Threshold Selector via Insertion Layer and Annealing<br>Engineering for High-Density Storage Integration .....                                              | 210 |
| <i>Yading Yi, Yulin Feng, Zheng Zhou, Peng Huang, Xiaoyan Liu, Jinfeng Kang, Lifeng Liu</i>                                                                                                      |     |
| A Double-Layer Nested-Coil On-Chip Transformer with Enhanced Signal Integrity for High-Voltage<br>Digital Isolators .....                                                                        | 213 |
| <i>Jinyu Zhang, Jixiang Chen, Ye Chen, Rongxiang Wu</i>                                                                                                                                          |     |
| Microbump Bonding by Solid-State Diffusion Combined with Fast Reflow Technology .....                                                                                                            | 215 |
| <i>Zheqi Xu, Tianhao Pan, Yao Zheng, Haiyan Ma, Qian Wang, Jian Cai</i>                                                                                                                          |     |
| Electric Parameters Extraction and Modelling of Surface-Mounted Package Based on De-Embedding<br>Method .....                                                                                    | 217 |
| <i>Si-Yao Tang, Xing-Chang Wei</i>                                                                                                                                                               |     |
| Applying Multiphysics Modeling in Prediction of Electroless Deposition-Based Cu-Cu Interconnection .....                                                                                         | 219 |
| <i>Wuxiu Zhao, Chenxiao Lu, Jiaying Wang, Changhao Chen, Xinyao Yi, Zhuo Chen, Fuliang Wang</i>                                                                                                  |     |
| Thermal and Mechanical Reliability of TIM1 in FCBGA Using a Simplified Sandwich Model .....                                                                                                      | 222 |
| <i>Yanyan Hu, Siliang Fei, Lifan Ma, Na Yan, Jun Wang</i>                                                                                                                                        |     |

|                                                                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A Method for Radiation Source Reconstruction within Shielding Enclosures .....                                                                                                                       | 224 |
| <i>Ming-Jie Pang, Xing-Chang Wei</i>                                                                                                                                                                 |     |
| TSV-Aware Hybrid Fault-Tolerant Coding for Data-Aware 3D Neural Network Accelerators .....                                                                                                           | 226 |
| <i>Chenjie Xia, Huiming Wu, Dengke Liu, Hui Kou, JiaLin Yang, Hao Cai, Bo Liu</i>                                                                                                                    |     |
| Strain-State Dependent Piezoresistive Coefficient in Copper for Advanced Interconnect Application .....                                                                                              | 228 |
| <i>Wei Shen, Jiazhi Chen, Chun-Chao Chen, Tao Hang</i>                                                                                                                                               |     |
| A Self-Reset Event-Based Vision Sensor ROIC with 4-Bit Event Output .....                                                                                                                            | 230 |
| <i>Zhichen Yang, Yanwen Su, Yiwen Liu, Hao Li, Shiqiang Yang, Ang Hu, Dongsheng Liu</i>                                                                                                              |     |
| NS-IR: A Near Sensor Architecture Integrating Inverter-Based Amplifier Read-Out and MAC<br>Operations for Low-Power Infrared Intelligent Sensing .....                                               | 232 |
| <i>Hengrui Guo, Weihao Shan, Zhilin Tan, Hoiian Au, Qi Wei, Jinshui Miao, Fei Qiao</i>                                                                                                               |     |
| Low-Power PIM Point Cloud Recognition Hardware Accelerator Design with Dual-Granularity<br>Sparsity Optimization for Cost-Sensitive Edge 3D-Sensing Applications .....                               | 234 |
| <i>Yulong Tan, Zixuan Shen, Yuansheng Zhao, Ziang Duan, Jian Xiao, Ming Tang, Chao Wang</i>                                                                                                          |     |
| A 7.9 pJ/pixel Cascadable Stereo Matching Processor with Pixel-Wise Disparity Fusion Engine for<br>Ultra-Wide Depth Sensing .....                                                                    | 236 |
| <i>Zhuoyu Chen, Pingcheng Dong, Zhiyong Lai, Wenyue Zhang, Xianglong Wang, Lei Chen, Fengwei An</i>                                                                                                  |     |
| AI Hardware Acceleration System with Multi-Level Parallelism and Precision-Aware Deployment for<br>Real-Time High-Fidelity Infrared Image Reconstruction .....                                       | 238 |
| <i>Yingjie Zhao, Long Yan, Zhenhao Wang, Xuanyu Qian, Jialong Wang, Xuhui Du, Wei Mao, Xiaoxi Li<br/>Yong Wang, Xian Ding, Fan Jiang, Xuquan Wang, Xiong Dun, Xinbin Cheng, Yan Liu, Genquan Han</i> |     |
| A Single-Photon Avalanche Diode with Ultra-Low Dark Count Rate in Standard 65-nm CMOS .....                                                                                                          | 240 |
| <i>Lujun Liu, Tianyi Zhao, Shipeng Lin, Chaorui Zou, Yan Zhu, Rui P. Martins, Chi-Hang Chan<br/>Minglei Zhang</i>                                                                                    |     |
| A 1320 $\mu\text{m}^2$ and 0.247 $\mu\text{W}$ Distributed Temperature Sensor for Thermal Monitoring in Cryogenic<br>Systems Down to 4 K .....                                                       | 242 |
| <i>Haofeng Yu, Zhengke Yang, Bingzheng Qiu, Haoran Lyu, Yida Liang, Xuye Wang, Humiao Li, Zhen Kong<br/>Jian Zhao, Huan Hu, Longyang Lin</i>                                                         |     |
| An Area-Efficient and High-Accuracy 12-Bit Fully Differential SAR/SS ADC for High-Speed CMOS<br>Image Sensors .....                                                                                  | 244 |
| <i>Zengxin Zhang, Xiaoyang Lv, Jing Zhang, Peng Feng, Runjiang Dou, Jian Liu, Nanjian Wu, Liyuan Liu</i>                                                                                             |     |
| A Current-Reuse Voltage-Domain Stacked AFE for Low-Cost Low-Power LiDAR .....                                                                                                                        | 246 |
| <i>Yuye Yang, Xinyin Shan, Shuaizhe Ma, Yuanhao Yao, Bing Zhang, Li Geng, Dan Li</i>                                                                                                                 |     |
| Analysis of the Theoretical Resolution FoM for Resistor-Based Temperature Sensors .....                                                                                                              | 248 |
| <i>Dan Shi, Haihua Li, Rui P. Martins, Pui-In Mak, Ka-Meng Lei</i>                                                                                                                                   |     |
| Visualization of Pulmonary Edema Using a 128 $\times$ 128 CMOS Image Sensor Array Based on<br>Five-Transistor Active Pixel .....                                                                     | 250 |
| <i>Zequan Zheng, Xiaoyang Qi, Chao Gao, Zhou Zhou, Xiaolin Liu, Yihong Qi, Shaozhi Deng, Kai Wang</i>                                                                                                |     |
| A Chopping-Stabilized Amplifier with Digital DC-Servo Loop Achieving $\pm 1\text{V}$ EDO Cancellation for<br>EEG Recording Applications .....                                                        | 252 |
| <i>Wenlong Chen, Shijia Ren, Hu Tao, Tao Tang</i>                                                                                                                                                    |     |

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| RT-Focuser: A Real-Time Lightweight Model for Edge-Side Image Deblurring .....                                                            | 255 |
| <i>Zhuoyu Wu, Wenhui Ou, Qiawei Zheng, Jiayan Yang, Qianjun Wang, Wenqi Fang, Zheng Wang<br/>Yongkui Yang, Heshan Li</i>                  |     |
| A Precision-Scalable Energy-Efficient Accelerator for Radar-Based Human Activity Recognition .....                                        | 257 |
| <i>Kaixiang Lin, Yongan Li, Wenbin Ye</i>                                                                                                 |     |
| A High-Speed, Resource-Efficient, Dataflow-Driven FPGA-Based Accelerator Design for Optimizing<br>Depthwise Convolution Operations .....  | 259 |
| <i>Zongyi Wang, Haotian Chen, Yang Zhang, Xiwei Huang</i>                                                                                 |     |
| Edge CORDIC: A Fast and Efficient CORDIC Hardware Accelerator .....                                                                       | 261 |
| <i>Mingxin Liu, Yun Ling, Hao Zhang, Shulei Wang</i>                                                                                      |     |
| Design and Optimization of a 0.4M-Param. Ultra-Lightweight Human Pose Estimation Network Based<br>on Edge CNN Accelerator .....           | 263 |
| <i>Xiaocong Cao, Weiwei Shi, Zhuoliang Zou, Shuyong Chen</i>                                                                              |     |
| A 2mm×2mm Battery-Free Neural Interface Achieving 72-Channel Wireless Simultaneous Recording<br>by Dual Overlapped On-Chip Antennas ..... | 265 |
| <i>Yili Shen, Yunshan Zhang, Changgui Yang, Yuxuan Luo, Bo Zhao</i>                                                                       |     |
| Dynamic Scheduling Resource Scaling and Adaptive LSQ Co-Optimization for Energy Efficiency .....                                          | 267 |
| <i>Honglan Zhan, Chenxi Wang, Binbin Wu, Yun Ling, Hao Zhang</i>                                                                          |     |
| A CMOS Rectifier with a Power Dynamic Range of 24.7 dB for RF Energy Harvesting .....                                                     | 269 |
| <i>Kang Zeng, Tao Tang</i>                                                                                                                |     |
| An Area-Efficient and Ultra-Low-Power MFCC Accelerator for Speech-Based Intelligence .....                                                | 271 |
| <i>Zirui Wang, Zhenghao Li, Yang Wang, Jiamin Li</i>                                                                                      |     |
| A Low-Power Analog QRS Detection System with Adaptive Noise Suppression for Robust Wearable<br>Monitoring .....                           | 273 |
| <i>Huangsun Liao, Yingjie Zhu, Zihao Chen, Tao Tang, Jiamin Li</i>                                                                        |     |
| Performance Optimization of Channel Thickness Engineered Indium Tin Oxide Transistors .....                                               | 275 |
| <i>Ranhui Liu, Qianlan Hu, Yanqing Wu</i>                                                                                                 |     |
| A Population-Based Annealing Processing Architecture for Fully-Connected Ising Machines .....                                             | 277 |
| <i>Longyuan Kang, Zhihong Cheng, Junyi Mai, Dong Jiang, Zhanhong Huang, Xiang Yi, Enyi Yao</i>                                            |     |
| Fine-Grained Thermal Management for Heterogeneous 3D ICs via Predictive Module-Level DVFS .....                                           | 279 |
| <i>Dengke Liu, Jialin Yang, Yuan Song, Hui Kou, Chenjie Xia, Huiming Wu, Hao Cai, Bo Liu</i>                                              |     |
| A Keyword Switchable Keyword Spotting System .....                                                                                        | 281 |
| <i>Bolin Liu, Ka-Fai Un, Wei-Han Yu, Rui P. Martins, Pui-In Mak</i>                                                                       |     |
| Voltage-Tunable GaN/AlN Quantum-Disk-in-Nanowire Vision Sensor for In-Sensor Image<br>Enhancement and Human Action Recognition .....      | 283 |
| <i>Zhixiang Gao, Huabin Yu, Yong Yan, Wei Chen, Yuanmin Luo, Xin Liu, Chenxin Zhu, Haiding Sun</i>                                        |     |
| Wafer-Scale PtTe <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> /Si Heterojunction with Tunneling Layer for Enhanced Photosensitivity ..... | 285 |
| <i>Ruxia Du, Shanshan Xing, Wenhui Wang, Lili Chen, Tuo Zhang, Jiayi Chen, Beibei Zhu, Zhenhua Ni<br/>Xing Gu, Huiwen Lin, Li Tao</i>     |     |

|                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------|-----|
| A Computing-in-Memory System Based on Memristor Integrated Majority Logic Scheme .....                                    | 289 |
| <i>Fang Cheng, Zhouchao Gan, Xiangshui Miao, Xingsheng Wang</i>                                                           |     |
| An Energy Efficient Time Domain Computing-in-Memory MRAM Macro with DSRC for Edge AI Application .....                    | 292 |
| <i>Shuo Fan, Jiaao Dai, Yu Gong, You Wang, Weiqiang Liu</i>                                                               |     |
| An Accuracy-Improved Low-Computational-Cost Spiking Transformer Network for Robotic Arm Manipulation .....                | 294 |
| <i>Maoxu Gao, Zhixing Hou, Di Zhu, Chio-In Jeong</i>                                                                      |     |
| Position Mutation Suppression Method for Integrated Joints Based on Dual Encoders and Observers .....                     | 296 |
| <i>Ren Hu, Jinxiang Deng, Keyuan Huang, Hong Wang, Lan Niu, Li An, Lingyun Luo, Jian Li, Rihua Jiao</i>                   |     |
| An FPGA-Based Accelerator for 3D Gaussian Splatting in Real-to-Sim-to-Real Robotic Training .....                         | 298 |
| <i>Xiaorui Mo, Cheng Nian, Jiaying Peng, Jiaqi Zhang, Weiyi Zhang, Fasih Ud Din Farrukh, Chun Zhang</i>                   |     |
| A Compute-in-SRAM Counting Bloom Filter Accelerator for Membership Queries in Robotic Systems .....                       | 300 |
| <i>Zeqi Yang, Yongchang Zhang, Haiqiu Huang, Xiaojie Li, Baiqing Zhong, Mingyu Wang</i>                                   |     |
| Time-Variant Quantization for Energy-Efficient Spiking Neural Networks on FPGAs .....                                     | 302 |
| <i>Jie Li, Yihang Li, Yi Zheng, Ning Ma, Yuxiang Huan, Zhuo Zou, Jiawei Xu, Lirong Zheng</i>                              |     |
| Reconfigurable and Energy-Efficient Vision-Lidar Fusion DNN Hardware Accelerator for Intelligent Mobile Edge Agents ..... | 304 |
| <i>Zixuan Shen, Ziang Duan, Jian Xiao, Yulong Tan, Bochang Wang, Jiang Tang, Chao Wang</i>                                |     |
| A RISC-V Based Robotic Processor with Matrix Acceleration and PID Array .....                                             | 306 |
| <i>Jiajun Liu, Liwei Zeng, Ruixiao Chen, Zhecheng Ren, Junfu Wu, Jinxiang Deng, Li Gong, Zhongxue Gan, Zhuo Zou</i>       |     |