

PROCEEDINGS OF SPIE

11th International Symposium on Advanced Optical Manufacturing and Testing Technologies (AOMATT 2025)

Xiangang Luo
Costas Fotakis
Koji Sugioka
Jinghua Teng
Editors

20–22 July 2025
Chengdu, China

Organized by
Optical Society of Sichuan (China)
Institute of Optics and Electronics, Chinese Academy of Sciences (China)
Committee of Optical Manufacturing Technology, Chinese Optical Society (China)

Sponsored by
Tianfu Xinglong Lake Laboratory (China)
The 29th Research Institute of China Electronics Technology Group Corporation (CETC) (China)
Pen-Tung Sah Institute of Micro-Nano Science and Technology, Xiamen University (China)

Co-sponsored by
Tan Kah Kee Innovation Laboratory (China) · National Key Laboratory of Optical Field Manipulation Science and Technology (China) · University of Electronic Science and Technology of China (China) · Sichuan University (China) · Southwest Jiaotong University (China) · Southwest University of Science and Technology (China) · Southwest Institute of Technical Physics (China) · Institute of Applied Electronics, China Academy of Engineering Physics (China) · Research Center of Laser Fusion, China Academy of Engineering Physics (China) · Microwave Photonics Technology Key Laboratory of Sichuan Province (China)

Published by
SPIE

Volume 13992
Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 13992

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *11th International Symposium on Advanced Optical Manufacturing and Testing Technologies (AOMATT 2025)*, edited by Xiangang Luo, Costas Fotakis, Koji Sugioka, Jinghua Teng, Proc. of SPIE 13992, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510699311

ISBN: 9781510699328 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xiii *Conference Committee*

Part One

ELECTRO-OPTICAL TELESCOPE AND ADAPTIVE OPTICS

- 13992 02 **ICMOS focal-plane-stitching-based image shift compensation approach** [13992-9]
- 13992 03 **Large-guide-region wavefront sensing for solar GLAO: modeling, simulation, and experimental validation** [13992-20]
- 13992 04 **General extended-object wavefront sensor: principles and applications** [13992-22]
- 13992 05 **Overview of scientific objectives in planetary ultraviolet spectroscopic exploration** [13992-27]
- 13992 06 **Effects of assembly angular errors in chiral phase mask on passive ranging accuracy** [13992-36]
- 13992 07 **An alignment method for the axis non-intersection error of the laser communication turntable** [13992-44]
- 13992 08 **Off-axis afocal system misalignment detection based on wavelet transform and improved ShuffleNetV2** [13992-47]
- 13992 09 **First laboratory results on the correction capability of a ground-layer adaptive optics system** [13992-50]
- 13992 0A **Initial site monitoring plan for the 14.5 meters optical/infrared telescope** [13992-57]
- 13992 0B **Electromagnetically driven 4×4 micromirror arrays based on FPCB** [13992-60]
- 13992 0C **Spot image-based aberration correction caused by misalignment for off-axis reflective telescopes** [13992-61]
- 13992 0D **Study on HUBS satellite mission architecture and the key technologies of mechanical and thermal engineering** [13992-77]
- 13992 0E **High real-time surface shape control based on FPGA hardware acceleration** [13992-113]

- 13992 OF **A large field-of-view calibration method for static aberrations in multi-conjugate adaptive optics systems** [13992-142]
- 13992 OG **Design of a remote control system for scientific cameras based on ASCOM Alpaca and WEB technology** [13992-144]
- 13992 OH **Analysis of multi-wavelength co-phasing detection method for segmented mirrors using enumeration** [13992-157]
- 13992 OI **Review of focusing mechanisms for space cameras** [13992-166]

LARGE AND ULTRA-PRECISION OPTICS MANUFACTURING

- 13992 OJ **Concept of a viscoelastic polishing tool based on shear-stiffening effect for aspheric surfaces figuring** [13992-3]
- 13992 OK **High-convergence-ratio ion beam figuring method based on weight dynamic adjustment and parameter mapping** [13992-4]
- 13992 OL **Analysis of the influence of mass defects in hemispherical resonators on quality factors** [13992-7]
- 13992 OM **First-principles study of oxygen-silicon ratio on fused silica performance under ultraviolet laser irradiation** [13992-13]
- 13992 ON **Real-time monitoring and mechanism study of optical ultra-precision sub-aperture polishing process based on torque sensing** [13992-17]
- 13992 OO **Pulsed ion beam figuring technology for optical components** [13992-19]
- 13992 OP **Design of a large-angle magnetic field generator for virtual-axis MRF of high-steepness optics** [13992-32]
- 13992 OQ **Impact of manufacturing defects in wavelength-separation coatings on the optical field distribution at incipient laser damage** [13992-34]
- 13992 OR **Surface error map interpolation based on generative adversarial networks for ultra-precision optical fabrication** [13992-35]
- 13992 OS **Research on light scattering detection technology of surface scratches on optical components** [13992-43]
- 13992 OT **A fused quartz abrasive-free ultra-smooth polishing method based on catalytic reaction** [13992-45]
- 13992 OU **Optical surface measurement based on reverse Hartmann test using coaxial illumination** [13992-51]

- 13992 0V **Study on impedance matching network characteristics and plasma state identification of RF ion sources** [13992-72]
- 13992 0W **Tool path point algorithm and optimization for freeform surface CNC machining** [13992-85]
- 13992 0X **Study on single point diamond turning process of calcium fluoride crystals at large cutting depths** [13992-93]
- 13992 0Y **Research on dataset optimization technology of process decision-making for supervised learning network in ultra-precision optical machining** [13992-101]
- 13992 0Z **High angular tolerance fiber-optic interferometric probe: optical system design and analysis** [13992-109]
- 13992 10 **Processing technology for large-sized high-efficiency liquid crystal components** [13992-110]
- 13992 11 **Normal-height ambiguity elimination with reflection law in fringe-reflection stereo deflectometry** [13992-120]
- 13992 12 **Super-smooth polishing of x-ray mirrors based on catalytic hydrolysis reaction** [13992-128]
- 13992 13 **Influence of fabrication errors on imaging performance for the 2.5m telescope primary mirror** [13992-131]
- 13992 14 **Effects of flame plasma process parameters on surface roughness of fused silica** [13992-149]
- 13992 15 **Study on flexible grinding technology with industrial robot** [13992-153]
- 13992 16 **Method for active lap deformation calculation and robot end-effector pose derivation in large off-axis aspherical mirror manufacturing** [13992-158]
- 13992 17 **Structural design and testing of carbon fiber composite primary-secondary mirror connecting cylinder for large-aperture coaxial space camera** [13992-160]
- 13992 18 **Sub-aperture stitching interferometry with a dual-frequency laser interferometer** [13992-167]

EXTREME MICRO/NANO MANUFACTURING

- 13992 19 **In situ vibration-assisted magnetorheological polishing based on frequency band error suppression** [13992-8]
- 13992 1A **A semi-model-based nonlinear robust control architecture of a high-speed high-precision dual-stage stepper wafer stage** [13992-10]

- 13992 1B **Three-dimensional topography measurement of curved diffractive microstructures based on laser scanning confocal microscopy stitching** [13992-16]
- 13992 1C **Monitoring energy-dependent ultrafast laser manufacturing inside gallium arsenide by fluorescence imaging** [13992-18]
- 13992 1D **Frequency-selective smoothing of amorphous silicon via femtosecond laser polishing** [13992-53]
- 13992 1E **A 6-DOF micro-motion mechanism for wave aberration compensation of photolithography projection objectives** [13992-62]
- 13992 1F **Effect of flat-top laser spot size on impulse coupling with space debris** [13992-66]
- 13992 1G **High-efficiency metasurfaces down to the vacuum ultraviolet region** [13992-86]
- 13992 1H **High-accuracy etching of TiO₂ nanostructures for large-area metasurface concentrators** [13992-87]
- 13992 1I **High-selectivity inductively coupled plasma etching of HfO₂ by using metal hard mask** [13992-91]
- 13992 1J **Fabrication of low temperature SOC/SiO₂ with low surface roughness for advanced nodes manufacturing** [13992-103]
- 13992 1K **Advanced hysteresis compensation and adaptive control for piezoelectric actuators in micro-nano systems** [13992-118]
- 13992 1L **Micro-damage analysis in industrial alcohol-assisted nanosecond laser machining of ultra-thin copper foils** [13992-125]
- 13992 1M **Physically unclonable function (PUF) structure by self-assembly** [13992-145]

OPTICAL FIELD MANIPULATION: PRINCIPLES AND APPLICATIONS

- 13992 1N **Beam deflection technology for frequency-shift super-resolution imaging** [13992-6]
- 13992 1O **Broadband circular dichroism with all-dielectric chiral catenary metasurfaces** [13992-11]
- 13992 1P **Synergistic radiative- evaporative cooling coatings for advanced thermal management** [13992-14]
- 13992 1Q **Chiral molecular separation based on opposite circularly polarized light interaction** [13992-29]
- 13992 1R **Polarization homogenizer based on freeform microlens array** [13992-39]

- 13992 1S **Two-dimensional acoustic tunable transmission cloaking based on tunneling effect** [13992-41]
- 13992 1T **16-mode OAM shift keying FSO communication using multi-plane light convertor** [13992-54]
- 13992 1U **Influence of polarization combinations on compound photonic crystals based on single-step holographic interferometry** [13992-55]
- 13992 1V **Mode enhancement in asymmetric coupled non-Hermitian microcavities** [13992-64]
- 13992 1W **Fast beam steering based on reconfigurable metasurface and its applications** [13992-67]
- 13992 1X **Signal-to-noise ratio dominates turbulence resistance in laser reflective tomography** [13992-68]

Part Two

- 13992 1Y **Poincaré sphere mapping of lateral optical forces on chiral particles** [13992-71]
- 13992 1Z **Ultra transparent self-healing photothermal film for anti-icing/de-icing** [13992-73]
- 13992 20 **Multi-mode beam scanning enabled by cascaded rotating liquid crystal polarization gratings for 3D imaging LiDAR** [13992-74]
- 13992 21 **Complex-amplitude metasurface-based monolithic integrated diffractive optical neural network** [13992-76]
- 13992 22 **Spatial division multiplexed monolithic phase mask for OAM detection** [13992-79]
- 13992 23 **Fast NLOS imaging at low sampling rates based on Poisson modeling** [13992-80]
- 13992 24 **Error analysis of a synthetic-wave interferometric system for polarization measurement** [13992-82]
- 13992 25 **Polarization-spectral dual-mode reconfigurable detection based on cascading Pancharatnam-Berry phase optical element** [13992-83]
- 13992 26 **Nanofocusing resolution enhancement of superlens combing with optically induced local thermal effect** [13992-88]
- 13992 27 **Optical holographic encryption enabled via dual-layer stacks of three cascaded liquid crystal elements** [13992-89]
- 13992 28 **Hierarchical spatio-temporal denoising for photon-efficient 3D LiDAR imaging under low SBR** [13992-96]

- 13992 29 **Orbital angular momentum enhanced double-layer metasurface multi-level encrypted holography** [13992-98]
- 13992 2A **Spin-decoupled phase modulation for second harmonic generation via single-meta-atom metasurfaces** [13992-99]
- 13992 2B **Integrated and simultaneous metasurfaces for visible full-Stokes spectropolarimeters** [13992-100]
- 13992 2C **Identification of vector vortex pin-like beams through atmospheric turbulence** [13992-102]
- 13992 2D **Physics-driven free-form perfect reflective metadevices design** [13992-106]
- 13992 2E **A fast computation method for the performance of meta-atoms based on deep learning** [13992-107]
- 13992 2F **Generation of tunable vector beams in non-Hermitian coupled-cavity laser** [13992-114]
- 13992 2G **Subwavelength interference with deep ultraviolet superlens** [13992-116]
- 13992 2H **Subnanometer resolution quantum metrology via metasurface mode decomposition** [13992-121]
- 13992 2I **Performance analysis of a floating multi-focus metalens in LWPT: influence of aperture and thickness** [13992-122]
- 13992 2J **UKF-assisted optimization for single-pixel imaging and target tracking** [13992-123]
- 13992 2K **Multi-surface beam shaping with small-scale random continuous structure** [13992-127]
- 13992 2L **Synthesis of dynamic vector optical fields based on metasurfaces** [13992-129]
- 13992 2M **Deep learning-enabled rapid inverse design of high-performance meta-atoms** [13992-136]
- 13992 2N **Range-gated and polarization-assisted techniques for enhanced underwater imaging in scattering environments** [13992-137]
- 13992 2O **Parallel multi-focus femtosecond laser direct writing enabled by non-iterative phase regional segmentation and SVG guidance** [13992-138]
- 13992 2P **Catenary metasurface-based perfect reflector design via topology optimization** [13992-139]
- 13992 2Q **Optimization of extreme ultraviolet metalens for enhancing focusing performance** [13992-140]

- 13992 2R **Synthetic waves sensor enables turbulence-resistant imaging** [13992-141]
- 13992 2S **Deep learning enabled inverse design of polarization-multiplexed large-area metalens**
[13992-150]
- 13992 2T **Nonlocal polarization conversion device composed of catenary meta-surface** [13992-155]

NOVEL OPTOELECTRONIC MATERIALS

- 13992 2U **Quasi-flatband bound states in the continuum in coupled photonic crystal defects**
[13992-2]
- 13992 2V **Lead-free hydrogenated Cs₂AgBiBr₆ enters perovskite/Si tandem photovoltaics: SCAPS-1D simulation-driven thickness optimization for 2T and 4T configurations** [13992-38]
- 13992 2W **High efficient non-doped deep blue with low efficiency roll-off using oxazole based on hybridized local and charge-transfer emitters** [13992-175]
- 13992 2X **Broadband dual-polarization reconfigurable intelligent surface for beam-scanning communication systems** [13992-56]
- 13992 2Y **Fabrication and electrochromic performance of PB nanoparticle-based flexible electrochromic devices** [13992-59]
- 13992 2Z **Efficient inverted perovskite solar cells using phosphonic acid additive modification**
[13992-90]
- 13992 30 **Preparation of scalable porous radiation cooling coatings based on liquid-liquid phase separation with a bilayer strategy** [13992-126]
- 13992 31 **Parallel processing method for multi-spectral images based on multi-dimensional optical field modulation** [13992-132]
- 13992 32 **Optimizing SERS substrates for ultrasensitive menthol detection synergistic effects of polystyrene sphere size and silver film thickness** [13992-133]

OPTICAL SENSING AND OPTICAL COMMUNICATION

- 13992 33 **Simulation analysis of modal wavefront reconstruction for radial shearing interferometry under aperture center offset** [13992-15]
- 13992 34 **Analysis of reflectance effects in fiber optic FP interferometric displacement measurement**
[13992-31]
- 13992 35 **Dynamic reflectivity modeling of Cat's-Eye photosensitive surfaces for low-SNR single-photon detection** [13992-52]

- 13992 36 **A high-precision rapid processing approach for insulating surface point clouds of high-voltage cable system installation based on surface dual-modal geometric mapping with generatrix distance-preserving unfolding** [13992-65]
- 13992 37 **Error correction method for enhanced focus detection accuracy in high-resolution lithography** [13992-81]
- 13992 38 **Hydrogel-driven tunable photonic crystal grating for gas detection** [13992-105]
- 13992 39 **Design and optimization of pressure sensors based on long-period gratings** [13992-111]
- 13992 3A **VMD-FFT-enhanced coherent detection for low-SNR LiDAR toward super-diffraction imaging** [13992-115]
- 13992 3B **A thermal camera with 2K resolution and 120° FOV enabled by reconfigurable metalens** [13992-117]
- 13992 3C **High-capacity free-space optical communication using quadruplex cylindrical vector beam multiplexing: a 3.2km field experiment** [13992-130]
- 13992 3D **Demonstration of plug-and-play all-optical chaotic secure communication in local area network** [13992-143]
- 13992 3E **Long-distance and high-precision laser ranging method based on Gauss-Newton full waveform decomposition** [13992-152]
- 13992 3F **Sub-diffraction limited imaging at 3.2km: SNSPD-based single-photon laser reflective tomography** [13992-156]
- 13992 3G **Enhancing multimodal binary mask modulation imaging efficiency with momentum acceleration** [13992-159]
- 13992 3H **Design of a non-vacuum focal plane presetting optical systems for space debris detection** [13992-168]
- 13992 3I **Research on target recognition based on information fusion of optoelectronic multi-sensors** [13992-169]
- 13992 3J **Silicon-based optoelectronics: the key technology for miniaturization of optical communication and sensing systems** [13992-171]
- 13992 3K **Modulation-simplified and narrow-linewidth FMCW laser using misaligned grating external cavity** [13992-173]
- 13992 3L **Micro-ring modulator for dense wavelength division multiplexing communications based on thin-film lithium niobate** [13992-174]

INTELLIGENT OPTOELECTRONIC TECHNOLOGY

- 13992 3M **A two-dimensional multiphysics simulation method for optical-thermal-electrical coupling in microbolometers for LWIR applications** [13992-12]
- 13992 3N **A multimodal framework for long-range vessel classification using optical images and radar full-pulse sequences** [13992-21]
- 13992 3O **High-precision measurement method of laser divergence angle based on interference and micro-focusing** [13992-25]
- 13992 3P **An efficient deep learning solution for cardiac signal assessment based on optical fiber sensor** [13992-28]
- 13992 3Q **MDFA-DNANet: multi-scale dilated fusion attention network for infrared small target detection** [13992-37]
- 13992 3R **An online wavefront aberration detection method for projected lithography based on Hartmann wavefront measurement sensors** [13992-40]
- 13992 3S **Digital super-oscillation uniting residual dense network for super-resolution imaging** [13992-63]
- 13992 3T **Study on appearance anomaly detection methods for large-scale nuclear fuel assemblies** [13992-70]
- 13992 3U **Phase error correction using bilinear interpolation and Hilbert transform** [13992-104]
- 13992 3V **Hyperspectral imaging-based detection technology for immersion filling states in micro/nano structures** [13992-108]
- 13992 3W **Research on underwater 3D measurement system for metal surface crack detection** [13992-119]
- 13992 3X **Noise-robust optical edge detection using diffractive deep neural networks** [13992-124]
- 13992 3Y **PIV-based transient flow field characterization through suspended particulate tracking in water** [13992-154]
- 13992 3Z **Spectrum aggregation method for resonant MEMS micromirror-based FMCW LiDAR system: design for high-speed scanning compatibility** [13992-163]