

PROCEEDINGS OF SPIE

Fifth International Computational Imaging Conference (CITA 2025)

Ping Su
Fei Liu
Editors

19–21 September 2025
Suzhou, China

Organized by
Computational Imaging Committee, CSOE (China)
Nanjing University of Science Technology (China)
PhotoniX
National Key Laboratory of Electromagnetic Space Security (China)
Smart Computational Imaging (SCI) Laboratory (China)

Sponsored by
Chinese Society for Optical Engineering (CSOE), (China)

Published by
SPIE

Volume 14000
Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 14000

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Volume Name*, edited by Editor Name, Editor Name, Proc. of SPIE 14000, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510699564

ISBN: 9781510699571 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xv *Conference Committee*

Part One

FIFTH INTERNATIONAL COMPUTATIONAL IMAGING CONFERENCE (CITA 2025)

- 14000 02 **Temperature and strain monitoring of the curing process of carbon fiber composites based on fiber optic FBG-FP** [14000-1]
- 14000 03 **PMA-Net: a robust phase unwrapping method for speckle noise conditions** [14000-2]
- 14000 04 **Application of embedded metal-packaged FBG sensors for Internal monitoring of type III hydrogen storage vessels** [14000-3]
- 14000 05 **Speckle-assisted binocular 3D reconstruction for small weak texture objects** [14000-4]
- 14000 06 **QR-pattern-assisted perspective distortion correction for circular pointer meter image** [14000-5]
- 14000 07 **Blurred image restoration method based on coupled generative adversarial network** [14000-7]
- 14000 08 **Self-supervised reconstruction network for light field microscopy** [14000-8]
- 14000 09 **Field experiment and preliminary results of a lightweight UAV-borne cloud particle imager** [14000-9]
- 14000 0A **Algorithm for reconstructing infrared polarization information in infrared division-of-focal-plane systems based on superpixel Stokes vectors** [14000-10]
- 14000 0B **Underwater image restoration based on binary Fourier single-pixel imaging** [14000-12]
- 14000 0C **High-precision tunable three-dimensional imaging based on meta-device** [14000-13]
- 14000 0D **Complex-valued photonic neural network empowered by FFT-based MZI mesh with balanced detection units** [14000-15]
- 14000 0E **Backscattering polarization characteristics of vector polarized light in turbid medium** [14000-16]
- 14000 0F **Micro-multicore fiber-based ultrasonic sensor** [14000-18]

- 14000 OG **Design and performance analysis of diamond microchannel heat dissipation chip components** [14000-19]
- 14000 OH **Characterizing localized optical turbulence via multi-baseline mask technique** [14000-21]
- 14000 OI **Intensity statistics and characteristic analysis of near-surface atmospheric turbulence in winter and spring in northwest Gobi region** [14000-23]
- 14000 OJ **The development of highly integrated quantum light sources and laser frequency locking** [14000-24]
- 14000 OK **Digital optical transceiver and processing microsystem** [14000-26]
- 14000 OL **GPU-accelerated multi-frame blind deconvolution algorithm optimized with Macopt conjugate gradient minimizer** [14000-27]
- 14000 OM **Stereo calibration for high-precision wheel tread 3D detection using phase-shifting profilometry** [14000-28]
- 14000 ON **High-efficiency coupling between silicon waveguides and single-mode fibers by 3D taper edge couplers** [14000-29]
- 14000 OO **Two-parameter method of identification of leaks based on distributed fiber sensing technology for nuclear reactor primary main pipe flange** [14000-30]
- 14000 OP **Spatiotemporal analysis of aerosol remote sensing in the northeastern Tibetan Plateau: Qinghai Lake region** [14000-31]
- 14000 OQ **Realistic head model for predicting electric field distribution and optimizing parameters in transcranial direct current stimulation** [14000-32]
- 14000 OR **A multi-satellite collaborative localization method for low earth orbit space debris using adaptive mutation particle swarm optimization** [14000-33]
- 14000 OS **Research on the Rayleigh noise model of optical-fiber extrinsic Fabry-Perot sensor arrays** [14000-34]
- 14000 OT **Parametric analytical model of the MTF for turbid atmospheres at high optical thickness** [14000-36]
- 14000 OU **24gbps quantum random number generation with on-chip homodyne detector** [14000-37]
- 14000 OV **760nm vertical-cavity surface-emitting laser for oxygen sensing** [14000-38]
- 14000 OW **Electromagnetic-response-based dual-channel orthogonal differential coil wear debris sensor design** [14000-39]
- 14000 OX **Inversion of atmospheric refractive index structure constant based on ORB feature matching** [14000-41]

- 14000 0Y **A strip non-uniformity correction method for infrared images** [14000-42]
- 14000 0Z **Replay-based continual learning for Φ -OTDR event classification** [14000-43]
- 14000 10 **Classification and recognition of strip steel surface defects based on SOCP-RVM** [14000-44]
- 14000 11 **Quantitative optical coherence elastography for mechanobiology of organoids** [14000-45]
- 14000 12 **Imaging of blood cells based on a dual-spherical off-axis digital holographic microscopy** [14000-46]
- 14000 13 **Research on correction mechanisms for atmospheric turbulence effects in long-range transmission scenarios** [14000-47]
- 14000 14 **Research on the influence of light source distribution on heart rate parameters detection technology from video of human face** [14000-49]
- 14000 15 **Research on testing technology of dual-band infrared athermalized optical lens** [14000-51]
- 14000 16 **A method of fast measurement and precise reconstruction of roughness topography via supervised learning with confocal laser scanning microscope** [14000-52]
- 14000 17 **Weak FBG array micro-strain sensing for deformation monitoring of water conveyance tunnels** [14000-55]
- 14000 18 **High-frame-rate and large-field-of-view relay-projection microscopic telescopic via resampling** [14000-56]
- 14000 19 **High-efficiency Sn doping in α -Ga₂O₃ via mist CVD: enhanced carrier concentration and film uniformity for advanced electronics** [14000-57]
- 14000 1A **High-fidelity simulation method for star images affected by Earth-atmosphere radiation in limb observation scenes** [14000-59]
- 14000 1B **Single-pixel complex-amplitude detection via two-step phase shifting** [14000-60]
- 14000 1C **Silicon-photonic-chip-based microwave photonic radar for simultaneous range and azimuth measurement** [14000-61]
- 14000 1D **Optimization of mirror support structures based on CNN-LSTM** [14000-62]
- 14000 1E **Data-driven identification of robot DH parameter errors using a physics-informed transformer network** [14000-64]
- 14000 1F **Application of Raman spectroscopy for non-destructive detection of drugs** [14000-70]
- 14000 1G **Ghost imaging in highly complex scattering environments** [14000-71]

- 14000 1H **On standardization of MEMS packaging and testing** [14000-72]
- 14000 1I **IMFNet: an improved encoder-based multi-scale feature fusion network for small infrared object detection** [14000-73]
- 14000 1J **Research on multi-modal driver behavior recognition method based on heterogeneous data learning** [14000-74]
- 14000 1K **Techniques for active laser visibility measurement and data inversion** [14000-75]
- 14000 1L **Orbital angular momentum recognition in complex scattering media** [14000-76]
- 14000 1M **Application analysis of mid-wave infrared spectral imaging in pyrometry** [14000-77]
- 14000 1N **Calibration method for composite reflective surface measurement system based on binocular stereo vision** [14000-78]
- 14000 1O **Research on the verification of target trailing wake infrared simulation models based on remote sensing data** [14000-79]
- 14000 1P **A global calibration method for multi-camera systems in large-scale environments with non-overlapping field of view** [14000-81]
- 14000 1Q **Mathematical modeling and digital system design for space-based camera imaging and detection links** [14000-83]
- 14000 1R **Low-cost OFDR temperature demodulator based on non-tunable light source** [14000-84]
- 14000 1S **RIS-assisted hybrid RF and FSO communications with index modulation-empowered link selection** [14000-85]
- 14000 1T **Research on the polarization characteristics of solid engine plume and body** [14000-87]
- 14000 1U **Laser scanner metrological traceability system** [14000-88]
- 14000 1V **Neural relighting with limited views of illumination observations** [14000-89]
- 14000 1W **Non-interferometric measurement method for spherical lens wavefront via Wirtinger Flow iterative optimization method** [14000-92]
- 14000 1X **An improved MixDehazeNet for image dehazing via cross-scale interaction and structure-aware convolution** [14000-94]
- 14000 1Y **One-step preparation of enzyme-free and label-free fluorescent aptamer sensor for tobramycin detection** [14000-96]

- 14000 1Z **Characterization of internal material properties based on laser picosecond ultrasonics** [14000-98]
- 14000 20 **Infrared PSF simulation method based on a digital twin of optical system and detector** [14000-99]
- 14000 21 **Fabrication of distributed-feedback Bragg lasers using lateral-coupled third-order sidewall grating towards 780nm wavelength** [14000-100]
- 14000 22 **Unsupervised lensless image reconstruction driven by structure consistency modeling in low-light scenarios** [14000-101]
- 14000 23 **Robust polarization direction measurement using vortex retarder in complex environments** [14000-102]
- 14000 24 **Design optimization of a dynamic FBG interrogation system based on fiber Fabry-Perot etalon** [14000-103]
- 14000 25 **Investigation on the metal ion sensing properties of fluorescent IRMOF-3** [14000-108]
- 14000 26 **Phase retrieval with oversampled guided filtering** [14000-109]
- 14000 27 **Multiphoton nonlinear lithography based on rare-earth upconversion nanoparticles** [14000-110]
- 14000 28 **An integrated photonic accelerator for 2D convolutions based on phase modulators** [14000-112]
- 14000 29 **Seizure prediction using principal component analysis and support vector machine on stereotactic electroencephalogram** [14000-114]
- 14000 2A **Text-to-hologram: hologram generation from natural language** [14000-116]
- 14000 2B **Macro Fourier ptychography and 3D stereo imaging synchronous detection system** [14000-120]
- 14000 2C **Feature-aware adaptive multi-scale Top-Hat enhancement algorithm** [14000-121]
- 14000 2D **A hardware-accelerated lightweight CNN for rice pest and disease detection using FPGA and fused knowledge distillation** [14000-124]
- 14000 2E **Accurate label-free circulating tumor cell detection via portable 3D-printed bright-field and dark-field imaging device with CNN-SVM classification** [14000-125]
- 14000 2F **A microfluidic single-cell capture and detection system for electrical characterization of circulating tumor cells** [14000-127]
- 14000 2G **Modeling atmospheric optical turbulence with ERA5 and radiosonde data** [14000-132]

- 14000 2H **An improved SPGD algorithm using a composite position-energy metric for incoherent beam combination** [14000-134]
- 14000 2I **Research on the military application of wavefront-coding-based extended depth-of-field telephoto optical system** [14000-138]

Part Two

- 14000 2J **Optomechanical fiber sensor for temperature and strain measurement based on broadband Brillouin amplification** [14000-139]
- 14000 2K **Low-loss double-layer silicon nitride grating coupler for blue wavelength band** [14000-141]
- 14000 2L **A comprehensive equivalent circuit model for silicon folded Michelson modulator** [14000-142]
- 14000 2M **Coherent diffraction imaging under broadband illumination with a classified monochromatization deep learning strategy** [14000-145]
- 14000 2N **Phase retrieval from two diffraction patterns with coherent modulation using physics-driven neural network** [14000-146]
- 14000 2O **Common-path single-pixel imaging with dual polarization through dynamic and complex scattering media** [14000-147]
- 14000 2P **A simplified optical frequency domain reflectometry system based on a partial reflector** [14000-148]
- 14000 2Q **Metalens polarization detection technology in the C-band** [14000-149]
- 14000 2R **A lightweight deep-learning-based binocular vision localization method for high-dynamic aerial scenarios** [14000-150]
- 14000 2S **ORK-FENet: optical random kernel frequency enhancement for single-shot super-resolution** [14000-151]
- 14000 2T **An industrial robot pose calibration method based on the optimal measurement poses** [14000-154]
- 14000 2U **Ultracompact low-loss nonvolatile silicon photonic phase shifter with Sb_2Se_3 embedded into the waveguide slot** [14000-156]
- 14000 2V **Impact of UAV rotor downwash on atmospheric parameter measurement** [14000-157]
- 14000 2W **Estimation of near-surface optical turbulence over Antarctica using an XGBoost-SHAP model** [14000-158]
- 14000 2X **Comparison of uncertainty analysis methods for laser horizontal propagation in the atmosphere** [14000-159]

- 14000 2Y **Seeing through scattering media via unfolded sparse-dark-channel model** [14000-160]
- 14000 2Z **Fourier-spatial guided network for low-light image enhancement** [14000-161]
- 14000 30 **Composite material impact damage monitoring based on multi-task deep learning**
[14000-162]
- 14000 31 **High-quality single-pixel imaging via denoiser-driven regularization** [14000-165]
- 14000 32 **Wavefront distortion prediction in light intensity image based on ConvNeXt** [14000-166]
- 14000 33 **Low-light image enhancement using an improved GAN with multi-scale attention**
[14000-168]
- 14000 34 **Self-supervised image anomaly detection with distortion perception and rectification**
[14000-169]
- 14000 35 **Multiscale simulation study on growth characteristics of infrared adaptive optics ZnS thin
films under different deposition parameters** [14000-170]
- 14000 36 **Design and development of a wide-band polarization multispectral imaging system**
[14000-171]
- 14000 37 **Study on thermal hysteresis effects in temperature compensation for fiber optic gyroscope**
[14000-173]
- 14000 38 **Overview of high-precision fiber-optic gyroscope development** [14000-174]
- 14000 39 **Design of a multi-channel optical intensity modulator based on silicon-based MZI**
[14000-177]
- 14000 3A **Analysis of the impact of atmospheric horizontal inhomogeneity on long-wave
atmospheric transmission and sky background radiation at low elevation angles**
[14000-181]
- 14000 3B **Enhancing drowning detection in coastal environments via polarization image fusion**
[14000-182]
- 14000 3C **High-resolution temporal characterization of deadtime and afterpulsing properties for
single-photon avalanche diodes** [14000-183]
- 14000 3D **High dynamic range infrared image sensor based on flexibly adjustable per-pixel
integration time** [14000-184]
- 14000 3E **Refractive index estimation for Michelson interferometric fringes based on FAdaResNet-18**
[14000-185]
- 14000 3F **A method for evaluating the hovering accuracy of drone based on visual guidance total
station** [14000-186]

- 14000 3G **Fresnel aperture coding lensless imaging based on second order total generalized variation image denoising algorithm with alternating direction method of multipliers** [14000-187]
- 14000 3H **Tracking-based 3D profile measurement technology using crossed multi-line lasers** [14000-191]
- 14000 3I **Lensless imaging reconstruction under low-light conditions: a two-stage unsupervised reconstruction method based on structure-residual separation** [14000-192]
- 14000 3J **Co-optimized design and imaging performance enhancement of optical digital joint zoom system** [14000-194]
- 14000 3K **Vacancy-modified Sc-N co-doped graphene coated on microfiber coupler for ultrasensitive NH₃ sensing** [14000-195]
- 14000 3L **Three-dimensional reconstruction based on virtual binocular stereo vision with speckle projection** [14000-197]
- 14000 3M **Study on measurement accuracy of MWIR radiation characteristics based on different atmospheric models** [14000-199]
- 14000 3N **Research on electrically adjustable directionally coupled polarized beam splitter based on LNOI** [14000-200]
- 14000 3O **Adaptive bilayer cylindrical lens array for high-quality light field 3D display** [14000-201]
- 14000 3P **Foveated image compression with block-based optimization for VR** [14000-204]
- 14000 3Q **A multi-scale skip feature fusion underwater image enhancement method based on cycle adversarial network** [14000-205]
- 14000 3R **A high-speed column bus readout circuit with negative capacitance for large array CMOS image sensors** [14000-206]
- 14000 3S **3D target enhancement from single-shot polarization images via statistical outlier removal** [14000-207]
- 14000 3T **Enabling 128Gbaud coherent optical transceivers** [14000-208]
- 14000 3U **Unveiling the role of scattering medium: how physical properties govern resolution and contrast in speckle-correlation imaging** [14000-209]
- 14000 3V **LensCopilot is all you need: leveraging a knowledge-grounded LLM for automated high-performance lens design** [14000-210]
- 14000 3W **Design and optimization of a broadband achromatic metalens in the mid-wavelength infrared** [14000-211]

- 14000 3X **Compressive dark-field autofocusing for in-line digital holography** [14000-212]
- 14000 3Y **Bandwidth-tunable micro-ring filter enabled by multi-channel spectrum synthesis**
[14000-216]
- 14000 3Z **A Gaussian-based distance energy envelope method for enhanced ranging accuracy in laser gated imaging** [14000-219]
- 14000 40 **A material-intelligent method of terahertz radiation characteristics of target model**
[14000-220]
- 14000 41 **Closed-loop laser aiming control using microlens array scanning technology** [14000-221]
- 14000 42 **A method for measuring laser focal spot distribution based on AFC scanning and a single PD** [14000-222]
- 14000 43 **Polarized 3D depth enhancement: multi-constraint optimization and normal fusion**
[14000-225]
- 14000 44 **An intelligent adaptive optics processing platform based on GPU and multi-core CPU architectures** [14000-226]
- 14000 45 **A unified framework for multi-focal-length image fusion combining hierarchical registration and adaptive wavelet analysis** [14000-227]
- 14000 46 **Image-guided SPGD optimization for incoherent combining and targeting of laser beam array on extended objects** [14000-228]
- 14000 47 **Intelligent detection of surface defects in sheet metal parts based on photometric stereo vision** [14000-229]
- 14000 48 **Design of a distributed infrared imaging circuit architecture for miniaturized applications**
[14000-232]
- 14000 49 **Zero-order term suppression in off-axis digital holography by enhanced spectrum based on Kronecker-product image interpolation** [14000-233]
- 14000 4A **Endoscopic 3D defect measurement system for aero-engine blades using digital moiré**
[14000-234]
- 14000 4B **3d visual measurement system for featured structures based on phase-shifting fringe structured light** [14000-235]
- 14000 4C **Deep-learning-based multi-exposure image fusion for ptychographic imaging** [14000-236]
- 14000 4D **Deformable mirror design and modeling with self-sensing architecture for high-bandwidth tracking with active stiffness** [14000-239]
- 14000 4E **A novel dynamic false contour evaluation method for microdisplays** [14000-240]

- 14000 4F **Bit-width determination method for FPGA-implemented pulse-compression ϕ -OTDR**
[14000-241]
- 14000 4G **A multi-frame spatiotemporal strip non-uniformity correction method for infrared images**
[14000-242]
- 14000 4H **A high-precision tensile and compressive strain calibration method based on Lagrange polynomial interpolation for FBG strain sensors** [14000-243]
- 14000 4I **A dual-mode laser gated 3D and thermal imager on a single MCT-APD focal plane array**
[14000-245]
- 14000 4J **All-phase wavelength tunable interferometric synchronous measurement of multiple information for transparent planar optical elements** [14000-246]
- 14000 4K **A reflective dual-channel optical architecture for compressive computational imaging**
[14000-247]
- 14000 4L **High-precision polarization-based 3d reconstruction based on fine depth map** [14000-248]
- 14000 4M **Multi-resolution ϕ -OTDR based on chirped pulse compression using multi-order sideband excitation** [14000-249]
- 14000 4N **Parallel single-pixel imaging-based point spread function calibration for structured light system** [14000-250]
- 14000 4O **Evaluating initial fracture effectiveness and optimizing energy replenishment in Ordos Basin shale oil horizontal wells using distributed fiber optic sensing** [14000-251]
- 14000 4P **High-speed mid-infrared imaging based on time-multiplexed structured detection**
[14000-252]
- 14000 4Q **Broadband mid-infrared single-pixel imaging based on two-photon structured modulation**
[14000-254]
- 14000 4R **Denosing method for frequency-shift demodulation Φ -OTDR based on SVD-BLF algorithm**
[14000-255]
- 14000 4S **Dwell time calculation and curvature effect compensation method of magnetorheological finishing for large-aperture aspheric optics** [14000-256]
- 14000 4T **OCT super-resolution film thickness measurement method based on trigonometric polynomial fitting** [14000-261]
- 14000 4U **Fast-response temperature sensor based on a fiber taper Bragg grating** [14000-262]
- 14000 4V **Three-dimensional multi-point AC optical fiber magnetic field sensor based on Terfenol-D materials** [14000-263]
- 14000 4W **Semantic-guided under sampling scanning for improving real-time performance of NLOS imaging** [14000-266]

- 14000 4X **Visible-infrared imaging fusion method based on low light enhancement for factory night monitoring** [14000-267]
- 14000 4Y **Simultaneous recording of both neural activity and neuronal identifications in *Caenorhabditis elegans* using confocal scanning light-field microscope** [14000-268]
- 14000 4Z **Application of distributed optical fiber acoustic sensing system with artificial intelligence algorithm in underground pipeline monitoring** [14000-273]
- 14000 50 **Analysis of time-correlated single photon detection characteristics in turbid media** [14000-274]
- 14000 51 **Tracking method for optical center of projector based on binocular vision** [14000-278]
- 14000 52 **Gaze-enhanced genetic optimization for near-eye display video compression** [14000-282]