

Life of Mine - Mine Waste and Tailings Conference 2025

Brisbane, Australia
29-30 July 2025

Volume 1 of 2

ISBN: 979-8-3313-3250-1

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2025) by Australasian Institute of Mining & Metallurgy (AusIMM)
All rights reserved.

Printed by Curran Associates, Inc. (2026)

For permission requests, please contact Australasian Institute of Mining & Metallurgy (AusIMM)
at the address below.

Australasian Institute of Mining & Metallurgy (AusIMM)
P.O. Box 660
Carlton South Victoria 3053
Australia

Phone: 61 3 9658 6100
Fax: 61 3 9662 3662

publications@ausimm.com.au

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Life of Mine submissions

Innovations in rehabilitation and closure

Soil amelioration with lignite as a means to improve rehabilitation outcomes <i>T Baumgartl, N Baghbani and V Filipovic</i>	3
Driving innovation in mine closure monitoring through automation and an integrated digital knowledge base <i>K Burkell, M Adams, A Zahradka, A-M Dagenais and M Lato</i>	7
Case study – using drone-based NDVI imagery to monitor groundcover performance of a creek diversion at a mine <i>A Costin, B Silverwood, B Wehr and G Dale</i>	25
GIS-based optimisation of fill material transport and allocation for progressive mine closure <i>J Diana and S Dressler</i>	29
Looking backward to look forward – palaeoclimate recreations and potential applications for mine closure <i>A Goto and A Karrasch</i>	39
Neutralisation effectiveness of an alkaline brine treatment for a copper heap leach facility <i>M E J Hilton, A M Robertson, P M Long and I Sheppard</i>	65
Re-imagined futures – Indigenous workforce leadership <i>Z Hughes</i>	75
Algae-based technologies for mine site rehabilitation and closure <i>A H Kaksonen, J Ayre, K Schipper, M Ginige, M Edraki, K Y Cheng, L Trevaskis, D Purcell, N Moheimani, J Wolf, P A Bahri and B Hankamer</i>	87
Advancing post-mining rehabilitation – utilising rainfall simulators to enhance erosional stability and landform design <i>A M Khalifa, H B So and G Maddocks</i>	89
Transforming mine closure with GIS and climate data for nature-positive outcomes <i>E Littlewood, A Hutton and J O’Kane</i>	103
Integrating circular economy principles into mine closure planning <i>E Littlewood, A Hutton, A Jiang and W Rifkin</i>	119
A novel and practical approach to identify durable rock for landform rehabilitation at the Mt Arthur Coal Mine <i>S Mackenzie, A Sampaklis, G Wesley, T Trickey, N Stackman and W Ringland</i>	133
Integrating environmental, rehabilitation, and closure workflows using an intelligence system framework <i>W Mitry, B Baker and C Cooper</i>	143

The development of a Queensland approach for field-scale trials of mine waste cover system designs <i>L Nicolson, J Dunlop and J Purtill</i>	151
Advancing progressive rehabilitation through research and innovation <i>F Saavedra-Mella, G Mullins, C Blackburn, J Barker and L Commander</i>	161
Feedback on the integrity of multi-linear drainage geocomposites installed on final covers after 12 years of operation <i>P Saunier, C Ciuperca and S Fourmont</i>	177
Case study – event-based spatial accounting of the effectiveness of sediment control activities and erosion risk modelling using remote-sensed RUSLE <i>B Silverwood, A Yates, A Costin, B Wehr and G Dale</i>	187
Progressive rehabilitation certification at Oaky Creek Coal Mine – a case study <i>P W S Tett, B J Radloff and J May</i>	191
Mine closure – a liability or an opportunity: a South African perspective <i>V R K Vadapalli, H Coetzee, M Solomon, S Gcasamba, B Mahlase, J Shongwe, L Nkabane, R Mahlaule, N Chere, J Mathekga, S Kekana and L Mudau</i>	195
Assessment of coal spoil piles with respect to soil cover requirements at closure <i>W Zhang, N Thompson, M Stimpfl and M Edraki</i>	201
 Integrated strategic mine planning	
Breaking barriers to enabling post-mining transitions – six key challenges and strategies <i>G Boggs, J D'Urso, T Measham and B Kelly</i>	211
Adapting the mining sector to climate change – a web-tool for climate-resilient resource development <i>N Bulovic, N McIntyre, R Trancoso and R McGloin</i>	215
Speaking a common language – mine closure and the MLRA Vocabulary <i>N Gardiner and A Scrase</i>	219
Yolŋu master plan – cultivating economic empowerment and food security post-mine closure <i>M J Kauthen and K James</i>	225
Mapping the legislative pathway to mine closure in the Latrobe Valley, Victoria <i>T Mok and A Scrase</i>	235
Applying a control framework approach to improve mine planning for sustainable operations <i>P Standish</i>	243
Integrating renewables and resources – governance challenges and opportunities <i>C Tomlin, M Press and J Maunder</i>	253
Above and below the residual risk iceberg – insidious risks of life-of-mine, mine waste and tailings <i>C J Unger</i>	261
Uncertainty analysis of drainage flow modelling in goafing zone for underground mine development <i>X Wang</i>	265

Life of mine waste and tailings management

Why we should look beyond social license to operate – toward a care-based framework for corporate social responsibility in mining <i>A A Andrade</i>	275
Temporal and spatial changes in riverine sediment geochemistry at the Ok Tedi Mine <i>G Brumm, B Gafie, E Kepe and R Schumann</i>	285
Circularity in mining – innovation strategies for tailings as a resource <i>A Fernandez-Iglesias, F Vasconcelos and H Oliveira</i>	289
Applying GISTM to closed facilities – challenges and solutions <i>C Gimber, H McKay and S Eagle</i>	297
Sandy Ridge – a master-planned precinct with regional residue management enabling future material circularity <i>S Hosking, N Smith, N Blight and M Gravett</i>	301
Seeking highly reliable implementation of the Global Industry Standard for Tailings Management (GISTM) <i>L Howe, C Côte and S Johnston</i>	307
Integrated waste landforms for tailings storage – a step towards the goal of zero harm <i>J Ranasooriya</i>	311
Cover performance and interactions between vegetation and metals at a tailings storage facility in New South Wales <i>T K Rohde, C Brownbil and J Lang</i>	325
Ok Tedi Mining Limited life-of-mine studies <i>N Subul, J Yalomba and J Isarua</i>	343
ESG aspects of tailings management in Australia – aligning two global standards <i>K Vershinina, L Rollin and H Thomson</i>	353

Post-mining land use

Agro-climatic suitability of central Queensland mining region for Pongamia Plantation <i>M Anzooman, M Shaygan, N McIntyre, P deVoil, J Lane and D Rodriguez</i>	359
Renewable energy as post-mining land use in Queensland <i>C Côte, P Bolz and J Robertson</i>	369

Standards and reporting

Acceptable erosion limits for constructed mine landforms – a literature review <i>G Maddocks and A M Khalifa</i>	375
---	-----

Mine Waste and Tailings submissions

Case studies on operational aspects and closure

- Strength in waste – innovative tailings utilisation at the Kara Mine 383
C Cahill and G Doherty
- Glass reinforced plastic pipeline design for the life-of-mine of a tailings gravity decant system 397
C Han, L Day, W Ludlow and O Dudley
- Case study, development of integrated waste landforms, design and implementation 409
C Hogg and P Atmajaya
- Considerations for design, construction and operation of protective levees and diversion drains for in-pit tailings storage facilities and mine infrastructure 419
W Ludlow, N Lumby, R Harrington and A Goto

Design loadings and parameter selection, including BAT and BAP

- Selection of critical earthquake loading and embankment sections for 2D seismic stress-deformation analyses 439
B Ghahreman Nejad and M Sadeghipour
- Effect of K_0 and bias on lateral extrusion propagation in upstream tailings dams – a conceptual numerical model 447
M Naeini and B Ghahreman-Nejad
- Yield stress characteristics of residual foundation soils – a tailings dam case history 457
M Walden, M Rust, N Rocco, M Shelbourn and L Spencer

Managing mine-affected water

- Reactive transport and multiphase gas model of coal tailings to predict potential long-term seepage quality 471
J H du Toit, P J Fourie and B H Usher
- Development and optimisation of a novel reactor for remediating acid mine drainage using natural substrates 481
D T Maiga, N A Tshikovhi, T T Phadi-Shivambu, L L Sibali and T A M Msagati
- Hourly rainfall from daily records – a method of fragments now and into the future 487
L Millard, M Batchelor and H Hamer

MCA, risk assessment, governance and compliance

- How should critical controls be applied to tailings risk management, if at all? And if not, how do we demonstrate adequate tailings risk governance? 501
J Coffey, G Trivett and R Sisson

TailingsIQ – an AI-enhanced tool for improving tailings storage facility oversight and risk management <i>S Darmawan</i>	515
The role of critical controls in safe tailings management <i>J Kilpatrick and D O’Toole</i>	525
Towards the development of geotechnical engineers as TSF Engineers of Record <i>A H Kirsten, L H Kirsten, I Campello, V Gepilano and D Johns</i>	535
Revisiting probability of failure versus factor of safety – a screening tool with limitations <i>J J Moreno and S R Kendall</i>	553
The challenge of GISTM adherence for smaller mining operations in remote parts of the world <i>G V Price</i>	561
Enhancing quality assurance in the construction of tailings storage facilities through automated workflows <i>M Rojas, M Teh, N Pereira and M Llano-Serna</i>	569
Standardising vulnerability assessments of tailings dams – advancing beyond trigger analyses <i>A O Sfriso and M G Sottile</i>	577
NSW Resource Regulator tailings dam compliance priority assessment plan for 41 tailings storage facilities in NSW <i>J Stacpoole, X Hill, B Cullen, J Johnston, S Pegg and A Margetts</i>	589
Case study – Engineer of Record transition process at a complex site <i>B Tiver, P Chapman, C Hatton and J Schroeter</i>	597
A competency based development framework for current and future Engineers of Record <i>M B Willan, P Chapman and D Bleiker</i>	603
What role should controls play when declaring a failure mode non credible? <i>J Willis, I Gillani and K Spencer</i>	615
 Mine closure and rehabilitation to accommodate site settings	
Validation of landform evolution modelling using remote sensed erosion data <i>H Crisp, N Nazarov, E Smedley and S Gregory</i>	633
The remediation of an abandoned tailings storage facility – Collingwood Tin Mine, Far North Queensland <i>A Friend, T Hall, A Grabski, M Thompson and D Lewis</i>	635
Capping and landform construction over an in-pit TSF for mine closure <i>K Koosmen, S Christian, A Inderbitzen, J Huelin and C Anderson</i>	663
Risk could escalate during transition from ‘care and maintain’ to ‘active closure’ – owners beware <i>A Kundu</i>	685
Characterisation and potential application – an investigation on <i>Haliotis midae</i> shells for tailings rehabilitation <i>N A Tshikovhi, D T Maiga, T T Phadi-Shivambu and T A M Msagati</i>	689

Monitoring and modelling of hydrological and geochemical processes in large <i>in situ</i> waste rock leaching columns <i>C Zhang, Z Zhao, C Ptolemy, S Quintero, L Tan and D Williams</i>	701
Two-year <i>in situ</i> monitoring of water balance and vegetation growth on soil covers for tailings on a slope <i>C Zhang, L Tan, A Taylor, S Quintero, D Williams and C Gimber</i>	713
 Minimising and managing mine wastes, including dewatering tailings and comingling	
Reprocessing and upgrading cassiterite from tailings – an assessment of the fourth generation Reflux™ Classifier <i>M E Amosah, J Zhou and K P Galvin</i>	725
Use of waste rock fill and tailings in the construction of a tailings dam lift <i>E Baxter and M Medina</i>	729
Clearing the muddy waters – the do's and don'ts of tailings filtration technology <i>H Cifuentes</i>	737
Bioleaching of sulfur enriched coal discards applied to circular economy <i>M Gcayiya, J R Amaral Filho and S T L Harrison</i>	749
Applying hydrocyclone classification for tailings management in Australia <i>J Penman and A Mayot</i>	763
Dewatering behaviour of filtered red mud <i>A Ranabhat, C Zhang, S Quintero Olaya, D Williams</i>	773
Advanced seiche hazard modelling for in-pit tailings storage facilities using FLOW-3D <i>A P Resende, N Moon and H Duarte</i>	789
Challenges and opportunities in implementing combined paste and aggregate fill systems – lessons learned and potentials <i>M Ryan</i>	799
Enhancing tailings management through optimised <i>in situ</i> dewatering and consolidation <i>O Santiago, R Menezes and W McAdam</i>	807
Optimising filtration in coal processing – the Glencore Collinsville case study: proof of concept <i>E Sommacal, F Doveri and M Riboni</i>	817
Utilising iron ore-sand for sustainable mine haul road construction <i>G Vizcarra, K Tehrani, M Ghamgosar, J Segura-Salazar and C Andrade</i>	829
A practical approach to tailings repurposing <i>C Vuillier</i>	839
Improved predictions of acid and metalliferous drainage for greenfield projects <i>W Zhang, A Corzo Remigio, R Green and M Edraki</i>	849

Miscellaneous

- A risk-based approach to bauxite residue disposal at Worsley Alumina 855
A J Scheinman and J Wu

Monitoring waste storages during operation and post-closure

- Evaluating unexpected piezometer trends in a tailings dam – insights from dissipation testing 869
R Dellamea, J Rola, M Sottile and J Eldridge
- Tailings dam monitoring instrumentation system design and maintenance for improved functionality 879
R F Gleeson and J White
- Legacy tailings dams – asset or liability? A case study on sub-aqueous tailings reclamation 891
M Jones
- Use of a conductive multi-linear drainage geocomposite to enhance the performance of a double-lined pond enabling a high sensitive leak location survey on the primary liner 903
M Leroux, P Saunier and C Charpentier
- Machine learning (ML)-based analysis of significant surface elevation changes in operational tailings storage facilities 915
W Lu, R Shirani Faradonbeh, H Xie and P Stothard
- Integrating complementary technologies for tailings facility topographic surveying 923
V Nell
- Monitoring over the TSF life cycle – a structured approach 931
W Weinig, R Rekowski, T Gerritsen, J Rogers and B Wang
- Non-invasive and real-time monitoring of tailings slurry density in transmission pipeline using the electrical resistance tomography method 939
Y Xiong, C Zhang, S Quintero, N Racha, T Bore and D Williams
- Field monitoring of soil covers for controlling moisture and oxygen ingress in wet climate waste rock dumps 947
C Zhang, L Tan, C Ptolemy and D Williams

Tailings and foundation characterisation

- Key parameters affecting the compaction properties of filtered tailings 961
M F Barra, A C Matias, G Vizcarra and A Heitor
- Contractive behaviour in compacted earthfill and lessons for embankment stability 969
E Belcher
- Evaluating shear strength and brittleness in mine tailings using variable rate shear vane apparatus 979
Y N Byrne, M Essien, I Entezari, R James and N Pereira

Advancing vane shear testing – development and first field application of a piezometer vane (VSTu) <i>Y N Byrne, J Greig, A Small, J DeJong and K Cator</i>	989
Tailings dry soil mixing – a sustainable ground improvement technique for TSF operation <i>O Dudley and L Moreno</i>	999
High density 3D characterisation of tailings dams for engineering and safety performance <i>R Eddies, R Wood, S Sol and D Valintine</i>	1011
Considerations for stone column quality control and design intent verification for dam stabilisation <i>J Eldridge, R Dellamea and J Rola</i>	1019
A comparison of uniform intact and reconstituted specimens of silty-sand tailings <i>V Kunasegaram, D Reid, A Fourie and C Vulpe</i>	1031
Triaxial laboratory shear vane test – a tool to help improve the understanding of the brittleness of tailings materials <i>M Llano-Serna, H Joer, R Rekowski and W van Rhyn</i>	1041
Paradigm shifts in geotechnical in situ testing equipment and methods – to make them ‘work’ in tailings materials: especially in very soft stuff <i>A J McConnell and M K D Chapman</i>	1047
The power of geometallurgical characterisation – how to turn legacy tailings into assets <i>L Nicholls, A Parbhakar-Fox, R Valenta and E Wightman</i>	1063
Lessons learned – construction of earthfill embankment over lacustrine foundation material <i>A Parsi and W Herweynen</i>	1075
Numerical investigation on the effect of corners to static liquefaction triggering <i>N Pereira, D Reid, S Prabhu and F Urbina</i>	1081
Rock fill breakdown under high stress values <i>S Quintero, C Zhang, S Wijeweera, Z Ci and D Williams</i>	1091
Distinguishing between the different types of post-peak strength loss <i>D Reid</i>	1105
NorSand calibration using similarity-based optimisation – a pilot study <i>H Shen, L Kirsten and H Brandao</i>	1121
Connecting tailings from the laboratory to <i>in situ</i> through numerical modelling <i>K Song, S H Lines and M Llano-Serna</i>	1127
Numerical validation of equivalent strength methods – a case study on a stone column-stabilised tailing dam <i>M Sottile, J Rola, A Hubaut, A Sfriso and L Roldan</i>	1137
Effect of mud farming and drying on shear strength of bauxite tailings <i>S Srinivasan, D Reid and M Kyaw</i>	1147
Strength, liquefaction and cone penetration test results in unsaturated silty tailings <i>Y Wang, A Russell and R Rekowski</i>	1151

Estimating *in situ* void ratio for tailings deposits using a novel advanced sampling device 1153
W R Wood, P Looijen, V Suárez Méndez and B J Dalton

Calibration of N_{kt} value for iron ore tailings 1161
J Zhang and W Dressel

Tailings dam breach and runout analysis

Comparative analysis of dam breach modelling using the Eulerian approach and geometrical debris flows 1173
P Abbasimaedeh, C Hogg and P Atmajaya

Proof-of-concept probabilistic inundation model based on probabilistic distribution of tailings dam breach release volumes 1187
G Bullard, M McKellar, V Rojanschi and B Russell

Impact of topography accuracy and resolution on the results of dam breach analysis inundation simulations 1195
V Nell, A Ng and A Ellithorpe

Identifying the best fit distributions for tailings dam breach parameters 1207
L Newby and K Warman

Common mistakes when trying to arrange emergency preparedness for tailings storage facility failure 1217
O Wennstrom

Author index