

PROCEEDINGS OF SPIE

***Optical Architectures for Displays
and Sensing in Augmented, Virtual,
and Mixed Reality (AR, VR, MR) VII***

**Naamah Argaman
Hong Hua
Daniel K. Nikolov**
Editors

**19–21 January 2026
San Francisco, California, United States**

Sponsored and Published by
SPIE

Volume 13821

Proceedings of SPIE 0277-786X, V. 13821

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Architectures for Displays and Sensing in Augmented, Virtual, and Mixed Reality (AR, VR, MR) VII*, edited by Naamah Argaman, Hong Hua, Daniel K. Nikolov, Proc. of SPIE 13821, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510695535

ISBN: 9781510695542 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix Conference Committee

NANOIMPRINT LITHOGRAPHY FOR WAVEGUIDE COMBINERS

13821 02 **Dual-side NIL: angular alignment accuracy and first-side protection for AR applications**
[13821-1]

NOVEL ARCHITECTURES AND SYSTEMS

13821 03 **Lightweight and distortion-free Maxwellian AR display enabled by flat optical elements**
[13821-5]

13821 04 **Freeform optical system with catadioptric relay for high efficiency and magnification**
[13821-7]

13821 05 **A single panel slim foveated lightfield near-eye display with edge blending using a pinhole array and a spatial transfective modulation** [13821-9]

RECONSTRUCTION AND MAPPING

13821 06 **Coded aperture optimization for mitigating aberration in large-format Fresnel lens towards shadowless projection mapping** [13821-43]

13821 07 **Effects of view-dependent highlights and specular intensity on gloss perception in projection mapping** [13821-44]

13821 08 **Online optimization of contrast and brightness of target images for radiometric compensation in projection mapping** [13821-45]

13821 09 **Exploring thermal contact potentials for hand-object interaction refinement** [13821-46]

WAVEGUIDE COMBINERS MANUFACTURING PROCESSES

13821 0A **Automated mastering of holographic waveguide displays** [13821-15]

13821 0B **Progress in high-performance large-FoV diffractive optical waveguide technology**
[13821-16]

- 13821 0C **Fully integrated workflow for scalable and cost-effective manufacturing of high-quality AR waveguides** [13821-17]
- 13821 0D **Unlocking high-throughput low-cost fabrication of AR waveguides via Cypris X600 nanoimprint platform** [13821-75]

METROLOGY AND EVALUATION TECHNIQUES OF VR AND AR DEVICES

- 13821 0E **A comprehensive set of evaluation techniques for VR pancake lenses, polarization beam splitters, and AR waveguides** [13821-18]
- 13821 0F **Compact metrology for AR projectors and AR devices** [13821-19]
- 13821 0G **A comprehensive EL testing approach for the leading MicroLED manufacturing methods** [13821-20]
- 13821 0H **Impact of prescription lenses on image quality measurement in waveguide displays** [13821-22]

EYE TRACKING ARCHITECTURES AND SENSORS

- 13821 0I **Deep-learning-based eye-tracking from deflectometric information** [13821-26]
- 13821 0J **Wearable DPI system with Offner optical layout for lightweight XR** [13821-27]
- 13821 0K **Self-mixing interferometry and holography for camera-free eye tracking** [13821-28]

LIGHT UNIFORMITY IN WAVEGUIDE DISPLAYS

- 13821 0L **Uniform pupil expansion of full-color AR waveguides enabled by transfer-based PVGs on sapphire substrates** [13821-32]

TITANIUM OXIDE MANUFACTURING FOR WAVEGUIDE COMBINERS

- 13821 0M **Sputtering deposition of TiO₂ combining high thickness, high amorphosity, high refractive index, and low defect level for surface relief grating manufacturing** [13821-34]
- 13821 0N **Hermetic sealing provides sunlight stable high refractive index waveguides for AR/VR/MR devices** [13821-37]

NOVEL TECHNIQUES FOR WAVEGUIDE-BASED SYSTEMS

- 13821 OO **Achromatic metagratings for single-layer waveguide near-eye display** [13821-39]
- 13821 OP **A scanning waveguide-based path to a >30MP display in a phone camera form-factor** [13821-40]

PERCEPTION, UTILITY, AND RX CORRECTION

- 13821 OQ **A survey of augmented and virtual reality wearable displays in medical and surgical applications: architectures, requirements, performance, and benefits** [13821-10]
- 13821 OR **Objective evaluation of vision-through image quality in XR devices: a lab-based approach** [13821-11]
- 13821 OS **Impact of backgrounds on virtual image quality in AR glasses** [13821-12]
- 13821 OT **From faces to HDR scenes: objective and perceptual metrics for AI smart glasses image quality** [13821-13]

MATERIALS FOR WAVEGUIDE COMBINERS

- 13821 OU **Non-fluorinated low-refractive-index coatings for XR applications** [13821-47]
- 13821 OV **High-refractive-index, low-birefringence polymers with wavelength selectivity for AR/VR devices** [13821-48]
- 13821 OW **Solution-processed high-refractive-index coatings for SiC index-matched gratings enabling wide field-of-view augmented-reality displays** [13821-49]
- 13821 OX **Engineering $n \sim 2.0$ nanomaterials for scalable reliable extended-reality applications** [13821-50]

AR LIGHT ENGINES

- 13821 OY **Downscaling AR microdisplay architectures below 0.5cc: a comparative study of μ LED, LCOS, and LBS** [13821-51]
- 13821 OZ **Patterning perovskite colour converters for AR/VR microdisplays** [13821-53]
- 13821 IO **384-channel 2D-addressable blue VCSEL arrays** [13821-54]

LASER-BASED AR LIGHT ENGINES I

- 13821 11 **High-resolution Lissajous scanning light engine with wide field of view for AR glasses** [13821-56]
- 13821 12 **Small and scalable laser source for AR glasses by flip chip of bare laser diode in silicon nitride PIC technology** [13821-59]

LASER-BASED AR LIGHT ENGINES II

- 13821 14 **Compact and scalable laser beam scanner architecture for consumer AR applications** [13821-61]
- 13821 15 **On the path to wafer-level integrated laser beam scanning micro display engines for AR** [13821-62]

GHOST AND STRAYLIGHT REDUCTION IN WAVEGUIDE DISPLAYS

- 13821 16 **Ghost mitigation in polarized waveguide augmented-reality devices** [13821-63]
- 13821 17 **Stray light analysis of AR waveguides in k-space** [13821-64]
- 13821 18 **Polarization-based ghost reduction for light field display with diffractive waveguide** [13821-65]

WAVEGUIDE DISPLAYS DESIGN

- 13821 19 **Impact of nanoimprint lithography distortion-induced grating pitch variation on AR waveguide combiner image resolution** [13821-67]

POSTER SESSION

- 13821 1A **Iterative interface design of a virtual reality module for civil infrastructure inspection** [13821-69]
- 13821 1B **High refractive index coating inks for nanoimprint** [13821-70]
- 13821 1C **PFAS-free working stamp resin with high release performance and dimensional stability for UV nanoimprint in AR waveguide fabrication** [13821-71]
- 13821 1D **Steganographic XR contact lenses** [13821-72]
- 13821 1E **Scalable atomic layer deposition of titanium dioxide films for high-volume manufacturing of AR waveguides** [13821-74]

- 13821 1F **Ensuring correlation and consistency in image quality measurements for waveguide displays** [13821-76]
- 13821 1G **Adaptive safety bubbles in mixed reality: optical feedback with machine learning optimisation** [13821-77]
- 13821 1H **System-level optimized high-efficiency compact RGB laser LCoS AR light engine** [13821-80]
- 13821 1I **Enhanced 3D AR display system using color-optimized holographic microlens array via holographic printing based on time-scheduled exposure** [13821-82]
- 13821 1K **Tolerancing of AR/VR optical assemblies with NEST: enhancing eye tracker accuracy through mounting constraints** [13821-86]
- 13821 1L **Smoothness improvement of blazed and anti-blaze silicon dioxide surfaces via ion beam etch for high-volume manufacturing** [13821-87]
- 13821 1M **Compact optical module with RGB superluminescent diodes and collinearly aligned collimated output beams** [13821-88]
- 13821 1N **High-refractive-index and low-birefringence polymers for AR/VR/MR applications** [13821-94]
- 13821 1O **Modeling and evaluation of ADAS camera jitter due to road-induced random vibration using Ansys Speos** [13821-95]
- 13821 1P **A thin and lightweight lens solution for vision correction of AI-powered smart glasses** [13821-96]