

PROCEEDINGS OF SPIE

Advances in Patterning Materials and Processes XLIII

**Ryan Callahan
Anuja De Silva**
Editors

**23–26 February 2026
San Jose, California, United States**

Sponsored by
SPIE

Cosponsored by
IBM (United States)
Tokyo Electron America, Inc. (United States)

Published by
SPIE

Volume 13983

Proceedings of SPIE 0277-786X, V. 13983

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Advances in Patterning Materials and Processes XLIII*, edited by Ryan Callahan, Anuja De Silva, Proc. of SPIE 13983, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510699120

ISBN: 9781510699137 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi *Conference Committee*

DESIGN FOR OR SIMULATION OF NEW PROCESSES AND APPLICATIONS

- 13983 04 **Fundamental mechanisms during EUV exposure and crosslinking of model organometallic photoresists** [13983-1]
- 13983 05 **Physics-based dry metal-oxide-resist simulations** [13983-2]

NOVEL DEVELOPMENT TECHNIQUES

- 13983 07 **Development methods for metal oxide photoresists: a fundamental investigation using lithography simulations** [13983-4]
- 13983 08 **Development of EUV CAR-NTD process with new organic solvent based-developer for scaling** [13983-5]
- 13983 0A **Overcoming pattern collapse in metal oxide resists using a new rinse technology for EUV lithography** [13983-7]

NEW PROCESSING TECHNIQUES AND APPLICATIONS

- 13983 0B **Discovering new NTD developers via HSP-assisted and AI-copiloted HTE** [13983-8]
- 13983 0C **Metal-oxide resist material and process advancements for positive- and negative-tone high-NA EUV lithography applications** [13983-9]
- 13983 0E **Progress towards a new class of area selective deposition using photoassisted chemical vapor deposition on thermally sensitive substrates** [13983-64]

PHOTORESISTS FOR EUV AND 193NM (IMMERSION) LITHOGRAPHY I

- 13983 0F **Optimization of polymer for lithography performance improvement in EUV** [13983-12]
- 13983 0H **Advances by multitrigger resist towards high resolution EUV lithography** [13983-14]
- 13983 0I **Formulation consideration on PAG design for EUV tight pitch applications** [13983-15]

13983 OJ **Deciphering EUV-induced chemistry in photoresists through in situ and ex situ characterization techniques** [13983-16]

PHOTORESISTS FOR EUV AND 193NM (IMMERSION) LITHOGRAPHY II

13983 OL **Improving stochastic performance of EUV lithography with 3D engineered photoresists** [13983-19]

13983 OM **Progress of PFAS-free materials and resist for ArF immersion photolithography** [13983-20]

13983 ON **Synthesis and lithographic evaluation of bismuth complexes using EUV and E-Beam** [13983-21]

MULTI-LAYER PATTERNING MATERIALS

13983 OP **Interpreting NP-SIMS correlation results: a guide** [13983-23]

13983 OQ **Evaluating three dimensionally engineered dry resist film performance for 0.33NA and High-NA EUV patterning** [13983-24]

13983 OR **Mo-based multilayer for beyond EUV lithography** [13983-25]

13983 OS **Development of high thermal spin-on carbon as sacrificial layer** [13983-26]

PHOTORESISTS FOR EUV AND 193NM (IMMERSION) LITHOGRAPHY III

13983 OU **Technical challenges and material solutions for high-absorbance chemically amplified EUV photoresists** [13983-28]

13983 OV **Sequence-defined polypeptoid resists for molecularly precise stochastic control and mechanistic innovation in EUV lithography** [13983-29]

13983 OX **Positive-tone photoresists based on tin-oxo nanoclusters for electron-beam and extreme UV lithography** [13983-31]

13983 OY **Step-resolved outgassing behavior in EUV lithography: correlation with photoresist composition** [13983-32]

13983 OZ **Reactions at play in the EUV exposure of a model PFAS-free chemically amplified resist** [13983-33]

13983 10 **Effect of processing environment on film morphology and resist characteristics of indium nitrate photoresists** [13983-34]

13983 11 **Estimation of dose requirements for exposures at Blue-X wavelengths** [13983-35]

RESIST FUNDAMENTALS AND ASSESSMENT OF PATTERNING AND MATERIALS SCALING LIMITS I

- 13983 12 **Unraveling a new dose reduction strategy for metal oxide resist by the atmospheric environment of the post exposure bake** [13983-36]

PFAS/PFOS ALTERNATIVE MATERIALS, ROADMAP FOR DEALING WITH REGULATORY LEGISLATION I

- 13983 18 **Progress toward the achievement of a non-fluorine (NF) patterning materials toolbox** [13983-42]
- 13983 1A **Separation of PFAS substance contained in waste liquid** [13983-44]
- 13983 1B **Evaluation of a non-fluorine (non-PFAS) ArF-immersion photoresist used in semiconductor manufacturing** [13983-45]
- 13983 1C **Development of topcoat-less PFAS-free ArF Immersion resist with novel additive and PAG design** [13983-46]

RESIST FUNDAMENTALS AND ASSESSMENT OF PATTERNING AND MATERIALS SCALING LIMITS II

- 13983 1D **Understanding the underlayer effect using lithographic modeling** [13983-47]
- 13983 1F **Exploring the limits of contact hole patterning with high-NA EUV lithography** [13983-49]
- 13983 1G **Chemical origins of environmental modifications to the lithographic chemistry of metal oxide resists** [13983-50]

PFAS/PFOS ALTERNATIVE MATERIALS, ROADMAP FOR DEALING WITH REGULATORY LEGISLATION II

- 13983 1H **Challenges and progress of PFAS alternatives for ArF resist** [13983-51]
- 13983 1I **PFAS-Free 193 immersion resist for 28 nm node metal-1 Layer: electrical performance meets POR quality** [13983-52]

SINGLE AND MULTIPLE PATTERNING

- 13983 1K **Optimizing lithography conditions in 0.33 NA EUV SADP towards 14nm metal pitch patterning** [13983-54]

VARIABILITY, STOCHASTICS, AND DEFECTIVITY

- 13983 1L **Beyond line edge roughness and local CD uniformity: calibration and verification metrics for EUVL stochastic models** [13983-56]
- 13983 1N **Solvent-assisted transport of PAG in EUV photoresists and underlayers** [13983-58]
- 13983 1O **Random logic via patterning: materials-process-imaging co-optimization for dose reduction, DoF, and defect mitigation** [13983-55]

MATERIALS AND PROCESSES USED IN VERTICAL INTEGRATION OF DEVICES, STACKED STRUCTURES, ETC.

- 13983 1P **Ultrasonic spray coating combined with maskless lithography for advanced singulation of wafers with complex bump geometry** [13983-59]
- 13983 1Q **A preliminary study on chip warpage prediction using lithography distortion for HBM applications** [13983-60]

NEW PROCESSING TECHNIQUES AND APPLICATIONS

- 13983 1R **A simple temperature gradient PEB approach for improved lithographic scaling** [13983-61]
- 13983 1U **N-heterocycles for inducing high-sensitivity to inorganic resist compositions** [13983-11]

POSTER SESSION

- 13983 1W **Radiation chemistry of organotin** [13983-65]
- 13983 1X **Novel EUV photoresists for positive tone development** [13983-66]
- 13983 1Y **Iodinated alternating copolymer as a chemically amplified resist for extreme UV lithography** [13983-67]
- 13983 1Z **PFAS free PAG development for chemically amplified photoresist** [13983-68]
- 13983 20 **Design of molecular photoresists and all-dry processing strategies for EUV lithography** [13983-69]
- 13983 21 **LEAPing the bounds of optical lithography** [13983-70]
- 13983 22 **Single resin co-printing for integrated conductive/dielectric features and patterning** [13983-71]

- 13983 23 **A novel purifier for acid-sensitive applications: suppressing dimerization and metal impurities in solvent system** [13983-73]
- 13983 25 **Comparing the extreme ultraviolet performance of amorphous zeolitic imidazolate resists deposited by atomic/molecular layer deposition and spin coating** [13983-75]
- 13983 28 **Self-assembly of hydrogel photoresists: bio roll-up** [13983-130]
- 13983 29 **Process and material synergies for high-NA extreme ultraviolet lithography** [13983-80]
- 13983 2B **Dual-component functionalized allylated calix[4]arene-dibutyltin diacrylate blends as organic-inorganic hybrid resist compositions for nanolithography** [13983-83]
- 13983 2C **Targeted metal contaminant removal in advanced lithography via novel functionalized membrane purifier** [13983-84]
- 13983 2D **Non-fluorine KrF photoresist for 28nm node application** [13983-85]
- 13983 2E **Next-generation polyethylene membrane with ultra-fine pores beyond sub-1nm for lithography chemical filtration** [13983-86]
- 13983 2F **Dependence of dissolution kinetics of thin resist film on polymer protection ratio in alkyl trimethylammonium hydroxide aqueous developers** [13983-87]
- 13983 2G **PGMEA quality improvement throughout solvent manufacturing, handling, and delivery processes** [13983-88]
- 13983 2H **Probing latent image contrast in metal oxide resists by density-based analysis** [13983-89]
- 13983 2I **Materials development for next-generation liquid enabled advanced pitch** [13983-90]
- 13983 2J **A high-flow 2nm nylon membrane filter for next-generation lithography applications** [13983-91]
- 13983 2K **Examination of ammonia adsorption on the SiO₂ surface after HMDS treatment** [13983-92]
- 13983 2L **Post treatment effects on EUV lithography materials** [13983-93]
- 13983 2M **Sensitivity modulation by benzyl substituents on acetal dissolution inhibitors in chemically amplified three-component novolac resists** [13983-94]
- 13983 2O **Ultra-clean nylon filtration for EUV underlayer defect mitigation at the N2 node** [13983-96]
- 13983 2P **Optimization of resist underlayer and novel development method for extreme ultraviolet** [13983-97]
- 13983 2Q **Response of indium-tin sol-gel films under UV and electron-beam stimulation** [13983-98]

- 13983 2S **Electron beam lithography validation of a new resist development for ultrafine patterns** [13983-100]
- 13983 2T **Evaluation of H⁺ generation ability of iodine compounds for EUV lithography using chemical analysis** [13983-101]
- 13983 2U **Development of a compositional analysis method for photoacid generator (PAG)-bound polymers using diffusion ordered spectroscopy (DOSY) and evaluation of its impact on lithographic performance** [13983-102]
- 13983 2V **Shelf-life and crystallinity of negative-tone organotin resists** [13983-132]
- 13983 2X **Optimizing photo efficiency of PDQs to improve ArF photoresist performance** [13983-105]
- 13983 2Y **Overlay in a bottle for self-aligned backside power delivery** [13983-106]
- 13983 2Z **Point-of-use UPE membrane filter optimization for EUV chemically amplified photoresist** [13983-107]
- 13983 30 **Measurements of net electron and reaction range in PMMA: an organometallic resists, and a chemically amplified resist for EUV lithography** [13983-109]
- 13983 31 **Effect of chemical structure on non-PFAS biomass EUV resist** [13983-110]
- 13983 32 **Vapor-phase dry development enabling high-resolution and improved CDU in EUV photoresists** [13983-111]
- 13983 33 **Evaluation of a positive-tone organometal resist by EB patterning** [13983-112]
- 13983 38 **Hybrid metal-organic clusters resist for next-generation high-NA EUV lithography** [13983-118]
- 13983 39 **Systematic investigation of tin-based metal-organic cluster resists for high-resolution next generation lithography** [13983-119]
- 13983 3A **Development of a new thinner for next-generation EUV using machine learning** [13983-120]
- 13983 3B **Topography-controlled TiN-based spacer engineering via plasma ALD for pitch-walking suppression in EUV SADP-based MP18 integration** [13983-121]
- 13983 3E **Negative-tone organotin resists for EUV & E-beam with alkenyl and alkynyl ligands** [13983-131]
- 13983 3F **Fluorine-free and PEB-less i-line chemically amplified resist for panel level packaging (PLP)** [13983-125]
- 13983 3G **Design and performance of organic metal resists for next-generation EUV** [13983-126]

- 13983 3H **Progress in organic molecular resist development for advanced EUV patterning** [13983-127]
- 13983 3J **An efficient calibration method for physical photoresist models in lithography** [13983-129]