

PROCEEDINGS OF SPIE

***Eleventh Symposium on Novel  
Optoelectronic Detection  
Technology and Applications  
(NDTA 2025)***

**Ping Chen**  
*Editor*

**5–7 December 2025**  
**Taiyuan, China**

*Organized by*  
Chinese Society for Optical Engineering (China)  
North University of China (China)  
Changchun University of Science and Technology (China)  
Science and Technology on Low-Light-Level Night Vision Laboratory (China)  
Aviation Key Laboratory of Science and Technology on Infrared Detector (China)  
Guoke Semiconductor Optoelectronic Institute (China)

*Sponsored by*  
Chinese Society for Optical Engineering (China)

*Published by*  
SPIE

**Volume 14177**  
Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 14177

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Eleventh Symposium on Novel Optoelectronic Detection Technology and Applications (NDTA 2025)*, edited by Ping Chen, Proc. of SPIE 14177, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9798902324089

ISBN: 9798902324096 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

[SPIE.org](http://SPIE.org)

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

xxiii Conference Committee

## Part One

### 11TH SYMPOSIUM ON NOVEL OPTOELECTRONIC DETECTION TECHNOLOGY AND APPLICATIONS (NDTA 2025)

---

- 14177 02 **Application of the minimum error detection threshold strategy for wide-area moving target detection in aerospace remote sensing [14177-1]**
- 14177 03 **Deep-learning-based subpixel processing for full-field optical distortion measurement [14177-2]**
- 14177 04 **Research on jellyfish classification algorithm based on improved YOLOv8 [14177-3]**
- 14177 05 **WESR-TCNet: a wavelet-enhanced, scale-reconstruction-based tropical cyclone detection method using geostationary infrared satellite imagery [14177-5]**
- 14177 06 **Optimization of Gaussian film transmittance detection systems [14177-7]**
- 14177 07 **Research on vibration analysis of the telescope for space gravitational wave detection [14177-8]**
- 14177 08 **Performance limits for joint localization and calibration in cooperative visible light positioning systems [14177-9]**
- 14177 09 **A multiscale parallel network method based on attention mechanism for occlusion-resistant vehicle detection [14177-10]**
- 14177 0A **Photonic generation of high-speed and wideband multilevel frequency-hopping signal [14177-11]**
- 14177 0B **Blind estimation method for non-cooperative OTFS modulation parameters in LEO satellite communication systems [14177-12]**
- 14177 0C **Microwave photonic joint radar and secure communication with phase-modulated radar signal masking for enhanced security [14177-13]**
- 14177 0D **Adaptive blind equalization of RSOP compensation in high-speed power OPGW optical cable communication [14177-14]**
- 14177 0E **A readout IC with weak-bias input stage and linearized source follower for colloidal quantum dots photoconductive infrared focal-plane array [14177-16]**
- 14177 0F **Physics-informed spatio-temporal fringe-pattern analysis [14177-20]**

- 14177 OG **Computational optimization for microwave photonic synthetic aperture radar imaging without 2D ambiguity** [14177-21]
- 14177 OH **Joint power allocation and beam alignment for UAV-to-UAV free-space optical communications with improved DDPG** [14177-22]
- 14177 OI **High-bandwidth evaluation board for single-carrier 800 Gb/s coherent optical sub-assembly** [14177-23]
- 14177 OJ **Research on high-performance gated power supply based on the high-speed gated image intensifier** [14177-24]
- 14177 OK **Temperature profile retrieval from ground-based hyperspectral observation with an optimal estimation driven unrolled neural network** [14177-25]
- 14177 OL **Dual-core PCF-based SPR sensor for simultaneous detection of DNA concentration and temperature** [14177-26]
- 14177 OM **Dual heterogeneous graph transformer-driven ACO for routing and wavelength assignment in LEO optical satellite networks** [14177-27]
- 14177 ON **Radiation-resistant performance of erbium-cerium co-doped optical fibers for satellite communication applications** [14177-28]
- 14177 OO **Research on fixed error estimation algorithm for improving positioning accuracy based on airborne photoelectric equipment** [14177-30]
- 14177 OP **Research on a high energy 355nm all solid state laser for aerosol Lidar** [14177-31]
- 14177 OQ **Optical frequency-shifting loop enabled multifunctional radar for integrated active and passive detection** [14177-32]
- 14177 OR **Co-evolutionary mechanism of Cs/O adsorption stability and work function on GaAs(100) surface** [14177-33]
- 14177 OS **High-precision 3D reconstruction method for bleached coral reefs using binary structured light** [14177-34]
- 14177 OT **High-speed nonreciprocal modulation in bidirectional links based on periodically poled lithium niobate modulator** [14177-35]
- 14177 OU **Mid-wave AOTF multispectral image acquisition using FPGA** [14177-36]
- 14177 OV **Research progress and prospects of GaN-based blue and green semiconductor lasers for laser display** [14177-37]
- 14177 OW **Research on mixed 10G-100G optical transport network system co-transmission** [14177-40]
- 14177 OX **Research on optical technology of ultra-short-focus lenses** [14177-41]

- 14177 0Y **Double-layer quasi-complementary filtering method for improving dynamic performance of attitude and heading reference system (AHRS)** [14177-42]
- 14177 0Z **Power-tunable multichannel microwave photonic instantaneous frequency measurement system** [14177-43]
- 14177 10 **Dual-pulse nonlinear photoacoustic imaging for viscoelasticity detection: a phantom study** [14177-48]
- 14177 11 **Design of a narrowband high-shape factor filter based on silicon-based cascaded microrings** [14177-49]
- 14177 12 **Low bending loss broadband hollow-core anti-resonant fiber with multisize cladding tubes** [14177-51]
- 14177 13 **Full-aperture testing of a large-aperture convex aspheric surface** [14177-54]
- 14177 14 **Free-form surface flexible polishing process and tool path control** [14177-56]
- 14177 15 **Polarized imagination and bionic navigation method inspired by insect compound eye** [14177-57]
- 14177 16 **In situ stable synthesis of HgTe colloidal quantum dots and its photovoltaic detector** [14177-59]
- 14177 17 **The synthesis of HgTe colloidal quantum dots by the critical nucleation method and their optical properties** [14177-60]
- 14177 18 **Numerical simulation of temperature and morphology evolution of fused silica optics under beam-shaped CO<sub>2</sub> laser irradiation** [14177-61]
- 14177 19 **Efficient industrial photometric 3D reconstruction based on digital twins** [14177-62]
- 14177 1A **Time-window extended analog correlator enabled by parallel optical bidirectional frequency-shifting loops** [14177-64]
- 14177 1B **An efficient viewpoint planning method for 3D structured-light measurement based on adaptive segmentation** [14177-66]
- 14177 1C **System design of infrared three-band common aperture optical system** [14177-67]
- 14177 1D **Dual-stepper-motor control method for a continuous zoom system** [14177-70]
- 14177 1E **Research on the anti-motion sickness mechanism of augmented reality head-up displays** [14177-71]
- 14177 1F **Research on methods for improving the cutoff line quality of projection-type passing-beam headlight system** [14177-72]

- 14177 1G **Research on light strip extraction of corrugated beam guardrail under complex background** [14177-73]
- 14177 1H **Research on the distribution law of subsurface defects of fused silica components under different grinding processes** [14177-75]
- 14177 1I **Research on high-performance massive access technology for IoT platform** [14177-76]
- 14177 1J **Intelligent optical cable network and the feature applications in IoT** [14177-77]
- 14177 1K **Bidirectional online fiber monitoring based on dual macrobend and dual-channel detection** [14177-78]
- 14177 1L **Low-power digital infrared focal-plane readout circuit based on a column-level extended-counting ADC** [14177-79]
- 14177 1M **Investigating coupling between transmitting antennas and actuators in PASS** [14177-80]
- 14177 1N **Spatial datum transfer for high-precision pose measurement of large-scale optical systems** [14177-81]
- 14177 1O **Simulation and verification of image noise in qCMOS sensors** [14177-83]
- 14177 1P **Research on multiframe coherent integration SNR enhancement technology for space-based centimeter-level debris detection** [14177-84]
- 14177 1Q **Optical signal to noise ratio monitoring and modulation format identification based on multiscale channel attention network** [14177-85]
- 14177 1R **Development of an ADC core for linear-mode laser focal plane arrays** [14177-86]
- 14177 1S **A behavioral model of SPAD LiDAR sensor for system simulation** [14177-88]
- 14177 1T **Design and process optimization of a FSI SPAD for LiDAR applications in 55nm BCD technology** [14177-89]
- 14177 1U **The influence of high-precision optoelectronic encoder on collaborative robots** [14177-90]
- 14177 1V **High-resolution photonic real-time Fourier transformation** [14177-91]
- 14177 1W **High-fidelity modeling of photodetector based on field-link co-simulation** [14177-93]
- 14177 1X **Proposal for broadband high-accuracy analog-to-digital converter based on optoelectronic synergy design** [14177-94]

- 14177 1Y **Infrared/visible image target decision-level fusion method based on improved D-S evidence theory** [14177-95]
- 14177 1Z **The influence of preheat start-up on the dynamic characteristics of 200N DT-3 thruster** [14177-96]
- 14177 20 **Multiband radar based on photonic-assisted transceiver and coherent fusion for high-resolution range measurement** [14177-97]
- 14177 21 **Research on rapid target acquisition of optoelectronic reconnaissance equipment for low cooperative detection rate** [14177-99]
- 14177 22 **A continuous search method for electro-optical turntables** [14177-100]
- 14177 23 **Correction of refractive distortions in optical coherence tomography for guiding needle in skin** [14177-101]
- 14177 24 **An optimized microwave photonic frequency-time mapping method based on frequency-swept Gaussian pulses** [14177-102]
- 14177 25 **Precise quantitative filling method and experimental validation of rubidium vapor cells for quantum sensing applications** [14177-103]
- 14177 26 **High pulse energy, widely tunable range, far-infrared laser from a BaGa<sub>4</sub>Se<sub>7</sub> optical parametric oscillator** [14177-105]
- 14177 27 **Microring-resonator-assisted multichannel interference external cavity laser on thin-film lithium niobate** [14177-109]
- 14177 28 **Reactor neutron imaging super-resolution reconstruction driven by convolutional neural network** [14177-110]
- 14177 29 **Time-division three-generation coexistence solution for 50G-PON: candidate path to seamless migration** [14177-111]
- 14177 2A **Sparse spatiotemporal constrained correlation filter for visual tracking** [14177-112]
- 14177 2B **A generalized model for the analysis of isolation in microwave photonic circulators** [14177-113]
- 14177 2C **Cycle slip mitigation scheme aided blind carrier phase recovery algorithms** [14177-116]
- 14177 2D **Growth topology map: a discriminative feature representation for sparse aircraft target point clouds** [14177-117]
- 14177 2E **Research on automatic gain control technology for underwater optical communication based on APD** [14177-118]
- 14177 2F **Detection spectrum optimization of near-hypersonic vehicles from a space-based infrared platform** [14177-120]

- 14177 2G **UAV trajectory optimization based on optimal transmission theory** [14177-121]
- 14177 2H **The COMSOL multiphysics modeling and experimental validation analysis of wellbore temperature** [14177-122]
- 14177 2I **Analysis of the effects of low-temperature environments on lens optical performance** [14177-124]
- 14177 2J **Improving QoT estimation via EDFA parameter optimization and neural network acceleration** [14177-125]
- 14177 2K **DRL-based interruption-resilient SFC strategy for dynamic LEO satellite optical networks** [14177-126]
- 14177 2L **A large-area silicon four-quadrant detector with high responsivity and low inter-quadrant crosstalk** [14177-128]
- 14177 2M **Investigation of 1550nm laser-based decontamination technology for biological mold** [14177-130]
- 14177 2N **Research on biological mold decontamination technology based on 1064nm laser** [14177-131]
- 14177 2O **Multimode optical characterization based on multiwave lateral shearing interferometry** [14177-132]
- 14177 2P **Intention recognition of space non-cooperative targets based on radar echo signal analysis** [14177-133]
- 14177 2Q **Adaptive radiative cooler for vertical surfaces** [14177-134]
- 14177 2R **Spatially isolated magnetic enhancement** [14177-135]
- 14177 2S **BYQ: hardware architecture for rapid K-nearest neighbors search in point clouds** [14177-138]
- 14177 2T **Multichannel chaotic Lidar based on a long-cavity Fabry-Perot laser** [14177-139]
- 14177 2U **Improved YOLO-based method for infrared non-cooperative target recognition** [14177-140]
- 14177 2V **Ultra-wide bandwidth SiNx/TFLT heterogeneous integrated electro-optic modulator** [14177-141]
- 14177 2W **FDMNet: frequency decoupled modulation network for infrared small target detection** [14177-143]
- 14177 2X **Simulation and optimization of the thermal cycling module in glass molding equipment** [14177-144]

- 14177 2Y **Tunable actively mode-locked optoelectronic oscillator based on a thin-film lithium niobate integrated chip** [14177-145]
- 14177 2Z **Analysis of multichannel color moments in visible image for early blight symptoms in pepper** [14177-147]
- 14177 30 **Practical and accessible design of efficient infrared metalenses** [14177-148]
- 14177 31 **Design and simulation study of an ultra-wide field-of-view space camera for space debris detection** [14177-150]
- 14177 32 **Radar object detection with cross-scale feature fusion and adaptive temporal manifold convolution** [14177-151]
- 14177 33 **808nm five-junction VCSEL array chip for high-power applications** [14177-152]
- 14177 34 **Vibration characteristics of high-Q whispering gallery mode microcavity packaging** [14177-153]
- 14177 35 **A robust target detection method based on LED receivers** [14177-154]
- 14177 36 **Er-doped fiber laser-pumped ICL-seeded femtosecond mid-infrared optical parametric amplifier** [14177-155]
- 14177 37 **Design of an optical system for compact AR glasses based on freeform prism for sports scenes** [14177-157]
- 14177 38 **Freeform optical design of LED line projectors for structured-light metrology** [14177-158]
- 14177 39 **All-polarization-maintaining erbium-doped fiber nanosecond pulses and frequency-doubling technology based on gain switching** [14177-159]
- 14177 3A **Development of a single-pixel interferometric measurement method for wavefront reconstruction of complex freeform surface** [14177-160]
- 14177 3B **Three-dimensional measurement of freeform surfaces by single pixel phase-shifting fringe projection method** [14177-161]
- 14177 3C **The degradation mechanism of charge collection efficiency in electron multiplication layer of EBAPS** [14177-162]
- 14177 3D **Proof-of-principle demonstration of quantum Lidar using bunching effect** [14177-164]

## **Part Two**

- 14177 3E **Physical-layer key generation and distribution using gain-switched laser diode** [14177-165]

- 14177 3F **Enhancing focusing capability of self-focusing airy vortex beams with tunable polarisation helicity** [14177-166]
- 14177 3G **Integrated optoelectronic oscillator with wideband tunable and low phase noise based on a thin-film lithium niobate integrated chip** [14177-167]
- 14177 3H **A multispectral fusion recognition method for low-altitude targets based on pseudo-siamese neural network** [14177-168]
- 14177 3I **Linearly polarized, all-fiber 2.8 $\mu$ m mid-infrared laser oscillator utilizing a fluoride PM-FBG** [14177-170]
- 14177 3J **Tailoring perpendicular magnetic anisotropy in low-damping BiYIG films via sputtering pressure** [14177-171]
- 14177 3K **A framework for luminance reconstruction and photometry of road lighting in dynamic environments** [14177-172]
- 14177 3L **Design of a metamaterial structure for broadband radar absorption with low infrared emissivity** [14177-173]
- 14177 3M **Investigation of the material removal technology in chemical mechanical polishing of YAG crystals** [14177-174]
- 14177 3N **Influence of exposure time and sealing process on the reflective GaAs photocathode of photomultiplier tubes** [14177-175]
- 14177 3O **A waveguide coupled photomixer module range from 110GHz to 170GHz based on UTC-PD** [14177-176]
- 14177 3P **A diamond NV center quantum magnetic sensing module integrated with a microwave source** [14177-178]
- 14177 3Q **Progress in research on aircraft ice-shape measurement techniques** [14177-180]
- 14177 3R **A direction-sensitive method for real-time small object detection in remote sensing** [14177-181]
- 14177 3S **Improvement of polarization uniformity in spin-exchange relaxation-free comagnetometer based on pump beam reflection compensation** [14177-182]
- 14177 3T **Accelerated demonstration testing-based reliability assessment of infrared detector assembly under long-term storage environment** [14177-183]
- 14177 3U **A distributed potential game-based control method for satellite wheel formation and dynamic obstacle avoidance** [14177-184]
- 14177 3V **research on adaptive layered reception method for underwater wireless optical communication** [14177-185]

- 14177 3W **Modulation transfer function analysis of third-generation low-light image intensifier with ultra-high resolution** [14177-186]
- 14177 3X **Simulation of gas detection performance enhancement in the mid-infrared band based on frequency-doubling technology** [14177-188]
- 14177 3Y **Wideband wide-angle scanning waveguide slot array (WSA) with circular polarizer designed by meander line** [14177-189]
- 14177 3Z **A short-range single photon array edge extraction algorithm** [14177-190]
- 14177 40 **Circular dichroism with enhanced asymmetric transmission and polarization conversion by symmetry breaking** [14177-191]
- 14177 41 **Temporal evolution of free-space CV-QKD under gamma-gamma atmospheric turbulence** [14177-192]
- 14177 42 **Design of fiber-coupled single-photon sources array** [14177-195]
- 14177 43 **C-band thin-film LiNbO<sub>3</sub> phase modulators for microwave photonics applications** [14177-196]
- 14177 44 **High-linearity integrated lithium niobate modulator using a ring-assisted Mach-Zehnder interferometer** [14177-197]
- 14177 45 **Long-distance optical cable monitoring system based on frequency division multiplexing** [14177-199]
- 14177 46 **Research on human infrared multimodal feature enhancement and efficient fusion** [14177-200]
- 14177 47 **The light field display technology based on micro-lens arrays and its industrial applications** [14177-201]
- 14177 48 **Research progress on high-sensitivity chip-scale atomic magnetometers** [14177-202]
- 14177 49 **Construction and analysis of irradiation field models for solar simulators** [14177-203]
- 14177 4A **Optimization of fabrication process for Si metasurface-based midwavelength infrared polarizers** [14177-204]
- 14177 4B **Compensation for optical axis consistency in visible light-laser hybrid tracking and ranging system based on dual-mirror coupled optical path and polynomial regression regularization** [14177-205]
- 14177 4C **Design of mid-wavelength infrared multispectral filter arrays based on silicon metasurface structures** [14177-206]
- 14177 4D **Suppression of Brillouin scattering-induced relative-intensity-noise in long-haul high-power A-RoF links via phase modulation** [14177-207]

- 14177 4E **102W, 1.02mJ single-frequency nanosecond pulsed laser system at 1030nm based on tapered fiber and Yb:YAG crystal hybrid amplification** [14177-208]
- 14177 4F **Application of similarity metric learning in kinship relationships** [14177-209]
- 14177 4G **Fast and adaptive multiband fusion processing for photonics super-resolution imaging radar** [14177-210]
- 14177 4H **A preliminary exploration on the application of large language models (LLMs) in the short-term operational mission planning of the space station** [14177-211]
- 14177 4I **A joint optimization method for infrared imaging systems based on full-chain MTF-NETD coupled modeling** [14177-212]
- 14177 4J **Active laser imaging for UAV detection: exploiting cat-eye effects and normalized local gray-level characteristics** [14177-213]
- 14177 4K **Source optimization of plasmonic lithography based on stochastic parallel gradient descent algorithm** [14177-214]
- 14177 4L **Hybrid architecture for enhancing robustness in optical diffraction neural networks without vaccination training** [14177-215]
- 14177 4M **A method for recognizing ship marking characters based on multifeature fusion** [14177-216]
- 14177 4N **Research on anti-disturbance algorithm for high precision optoelectronic scanning servo system** [14177-217]
- 14177 4O **High-power continuous-wave operation of 2 $\mu$ m GaSb-based laser** [14177-218]
- 14177 4P **The application of laser tracker in the alignment process of space optical remote sensing cameras** [14177-219]
- 14177 4Q **Application of RTP crystals in high beam quality and narrow linewidth laser** [14177-220]
- 14177 4R **Modeling and design of flip-chip packaging in superconducting qubit processors** [14177-222]
- 14177 4S **Radar communication integration signal recognition using convolutional neural networks** [14177-223]
- 14177 4T **Rapid one-shot autofocus method for wafer defect inspection** [14177-224]
- 14177 4U **Enhanced all-optical wavelength conversion via parity-time symmetry in a silicon nitride-organic dual microring** [14177-225]
- 14177 4V **Multisatellite cooperative signal detection in presence of interference** [14177-226]

- 14177 4W **Design and experimental demonstration of radar-vision integration based on MWP technology** [14177-227]
- 14177 4X **Research on dynamic bandwidth adjustment optimization algorithm for satellite OTN optical service units** [14177-228]
- 14177 4Y **Towards enhanced performance of SERF atomic magnetometers: a DFT study on the anti-relaxation mechanism** [14177-229]
- 14177 4Z **Zero-sum game with adversary-specific payoffs in QKD networks** [14177-230]
- 14177 50 **Ultra-compact high-gain pixel-level transimpedance amplifiers for linear mode APD LiDAR sensor array applications** [14177-232]
- 14177 51 **Mirror fabrication technology based on ultraprecision diamond turning** [14177-233]
- 14177 52 **Design of industrial camera autofocus system** [14177-234]
- 14177 53 **A review of resource allocation techniques for multibeam satellite communication systems** [14177-235]
- 14177 54 **Research status and future prospects of grating lobe optimization methods for space antennas** [14177-236]
- 14177 55 **Design of a miniature wide-field remote sensing camera based on optical stitching** [14177-239]
- 14177 56 **The monitoring and identification of tomato early blight during the incubation period by hyperspectral image** [14177-240]
- 14177 57 **Surgical instrument image detection and recognition method based on an improved YOLO11 model** [14177-242]
- 14177 58 **Multiscene infrared image processing based on fusion algorithm** [14177-243]
- 14177 59 **Signal decoupling for vibration measurement techniques based on ghost imaging** [14177-244]
- 14177 5A **High-orbit remote sensing satellite constellation mission planning algorithm** [14177-245]
- 14177 5B **A color consistency optimization method for plant images** [14177-246]
- 14177 5C **Research on pulsed laser echo characteristics in rainy environment** [14177-248]
- 14177 5D **Low-illumination object recognition method based on laser illumination event streams** [14177-250]

- 14177 5E **Study on the factors influencing of the performance degradation of low-light-level image intensifier** [14177-251]
- 14177 5F **Optimization of morphological top-hat filtering algorithm for photoelectric tracking system** [14177-252]
- 14177 5G **Optimization methods for light source in fiber optic gyroscopes** [14177-253]
- 14177 5H **Deep-learning-based method for geographic traceability and quality recognition of dendranthema morifolium** [14177-254]
- 14177 5I **A novel active mode-locking optoelectronic oscillator employing an electro-optic phase modulator** [14177-255]
- 14177 5J **An enhanced PMHT based on LSTM-Kalman filter for moving target tracking** [14177-257]
- 14177 5K **Physics-based simulation of digital image formation in complex scenes with spatially dense small targets** [14177-258]
- 14177 5L **Study on the mechanism of brightness gain attenuation for humidity in low-light-level image intensifier** [14177-261]
- 14177 5M **Mechanism of gain degradation and life prediction of microchannel plates in hot and humid environment** [14177-262]
- 14177 5N **Generation of dual-frequency microwave signals based on mutual injection locking** [14177-264]
- 14177 5O **Vertical-reflection multipass detection method for enhancing SERF atomic spin measurement** [14177-265]
- 14177 5P **All-source optical feedback technology and its application in gyroscopes** [14177-266]
- 14177 5Q **Multimodal fusion for object detection with different fusion modules** [14177-267]
- 14177 5R **Research on multipoint tracking fusion positioning method of virtual plane based on homography transformation** [14177-268]
- 14177 5S **An LVDS interface for Geiger-mode avalanche photodiode array readout circuits** [14177-269]
- 14177 5T **An ambient light suppressing SPAD macropixel with preserved spatial resolution** [14177-270]
- 14177 5U **The fabrication technique of tunable-conduction HgTe CQDs thin films** [14177-271]
- 14177 5V **Compact coronagraph optical system design** [14177-272]

- 14177 5W **A high-precision, low-power consumption micropower supply system for focal plane detectors** [14177-273]
- 14177 5X **Transfer learning-based diffractive optical neural network** [14177-274]
- 14177 5Y **A spatially adjacent plane fusion method for LiDAR odometry based on voxel segmentation** [14177-275]
- 14177 5Z **Dense wavelength division multiplexing based on soliton crystal microcomb interweaving** [14177-276]
- 14177 60 **Preparation of PbS colloidal quantum dots using a hybrid sulfur source and their photovoltaic devices** [14177-277]
- 14177 61 **Fabrication and performance study of the HgTe/Ag<sub>2</sub>Te colloidal quantum dot heterojunction photodetector** [14177-278]
- 14177 62 **Study on the optical properties of chloride doped PbS colloidal quantum dots thin films** [14177-279]
- 14177 63 **Loss-robust fiber-optic pulse modulation and demodulation for time-frequency transfer** [14177-280]
- 14177 64 **Preparation and optical properties of iodine-doped PbS colloidal quantum dots** [14177-281]
- 14177 65 **Preparation and spectroscopic ellipsometry study of Ag<sub>2</sub>Se colloidal quantum dots films** [14177-282]
- 14177 66 **View synthesis of complex ground objects infrared characteristics based on remote sensing data** [14177-283]
- 14177 67 **Numerical simulation of reduction of scattering clutters in an underwater Lidar system by using an axicon as spatial filter** [14177-284]
- 14177 68 **Analysis and design of relative configuration evolution for spacecraft** [14177-285]
- 14177 69 **Calibration of a midwave infrared hyperspectral imager based on ground reference field** [14177-286]
- 14177 6A **Development and field evaluation of a lightweight holographic cloud particle imager (HOLICPI)** [14177-287]
- 14177 6B **Requirements and test methods for electrostatic discharge immunity of automotive chips** [14177-288]
- 14177 6C **2.9 $\mu$ m 10-watt level Er: ZBLAN all-fiber high-power laser** [14177-289]
- 14177 6D **Lightweight MobileViT for edge-based remote sensing image classification** [14177-290]

- 14177 6E **FPGA-based optical phase-locked loop for high-frequency disturbance suppression of optical link** [14177-291]
- 14177 6F **Two-port on-chip terahertz wide-range tunable power splitter based on a subwavelength grating structure** [14177-292]
- 14177 6G **Surface hydrophobicity of ultrafast laser-induced micro/nano-composite structures for blackbody applications** [14177-293]
- 14177 6H **Highly flexible and efficient coherent beam combining amplification in high-repetition-rate femtosecond fiber laser system** [14177-294]

### **Part Three**

- 14177 6I **Image optimization method for reflective tomography LiDAR based on point spread function** [14177-295]
- 14177 6J **A downward-looking scene target tracking network based on time-frequency features and spatial-channel attention mechanism** [14177-296]
- 14177 6K **Compact and broadband mode-dependent splitter based on thin-film lithium niobate** [14177-297]
- 14177 6L **Finite-time prescribed performance control of spacecraft clusters via event-triggered learning sliding mode approach** [14177-298]
- 14177 6M **Research on the development of direct-view low light level detection devices** [14177-299]
- 14177 6N **CFD study on the flow and heat transfer characteristics of high-frequency Stirling cryocoolers for HOT** [14177-301]
- 14177 6O **MEMS actuated all-dielectric metasurface filter for C+L-band optical communications** [14177-302]
- 14177 6P **Multiscale time-frequency network in noise-suppressed  $\Phi$ -OTDR systems based on UWFBG for robust footstep recognition** [14177-303]
- 14177 6Q **Low overhead phase-encoded pilot assisted ultra-fast RSOP tracking algorithm** [14177-305]
- 14177 6R **Recognition method for desert camouflage nets based on collaborative feature extraction using visible-NIR hyperspectral imaging** [14177-306]
- 14177 6S **Laser-assisted dicing of thin silicon wafers** [14177-307]
- 14177 6T **A highly integrated real-time control system based on RFSoc for quantum physics experiments** [14177-308]
- 14177 6U **Investigation of a refractive index sensor based on a long-period fiber grating** [14177-309]

- 14177 6V **High vibration resistant and low phase noise microwave optical transceiver module** [14177-310]
- 14177 6W **Thermally insensitive hollow microring resonator** [14177-311]
- 14177 6X **Research progress on directly polishable rare metal beryllium mirrors** [14177-312]
- 14177 6Y **Simulation study of a wavy metallic grating SPR refractive index sensor** [14177-313]
- 14177 6Z **Research on machining performance of laser-ultrasonic-assisted microdrilling of silicon carbide ceramics** [14177-314]
- 14177 70 **Ultra-low additive phase-noise fiber-optic frequency distribution with 64 nodes** [14177-315]
- 14177 71 **All-fiber 3.5  $\mu\text{m}$  fiber laser based on superimposed fiber Bragg grating** [14177-316]
- 14177 72 **Multipattern complementary information fusion reconstruction network for coded illumination lensless imaging** [14177-317]
- 14177 73 **Design of a pulse electric field measurement scheme with large dynamic range based on integrated optics** [14177-318]
- 14177 74 **Microwave frequency measurement method based on frequency-to-time mapping** [14177-319]
- 14177 75 **Development of a nanosecond-luminescence image intensifier** [14177-321]
- 14177 76 **Analysis of the color gamut character of RGBC four-primary laser display system** [14177-322]
- 14177 77 **Technical analysis and development trends of free-running asynchronous readout circuit design based on SPAD** [14177-324]
- 14177 78 **Integrated optical gyroscope-oriented on-chip long-range waveguide loops** [14177-325]
- 14177 79 **Target DOA estimation method based on model reconstruction in multipath electromagnetic effect environments** [14177-326]
- 14177 7A **Optical fiber sensor for label-free recognition of volatile organic compounds based on dynamic Fabry-Perot interference spectroscopy** [14177-327]
- 14177 7B **Edge-aware dual-spectral NLOS imaging architecture** [14177-328]
- 14177 7C **RF signal transceiver and processing system based on JESD204B all-optical link** [14177-329]
- 14177 7D **Enhancing light absorption and quantum efficiency in GaAs photocathodes through micronano structuring** [14177-330]

- 14177 7E **A method for achieving quasi-static support of space reflector based on plate spring groups and joint bearings** [14177-331]
- 14177 7F **Data-driven path prediction for drones in complex environment** [14177-332]
- 14177 7G **Integrated ranging system based on OEO injection-locked frequency-modulated continuous wave radar and FMCW Lidar** [14177-333]
- 14177 7H **Flat-gain response in tunable all-optical wavelength conversion** [14177-335]
- 14177 7I **Characterizations of asymmetry high-density gas jets without Abel inversion** [14177-336]
- 14177 7J **The design and simulation analysis of lightweighted telescope system without focus point** [14177-338]
- 14177 7K **Machine learning-driven correlation analysis about performance of Y3-xLuxAl5O12 phosphor-ceramic based LED light source** [14177-340]
- 14177 7L **Design and implementation of portable detector for pulsed laser** [14177-342]
- 14177 7M **Optical phased array with RF-optic beam mapping for full-field multibeam imaging and beam steering** [14177-345]
- 14177 7N **Outdoor all-weather unattended application in atmospheric aerosol spatiotemporal detection micropulse aerosol Lidar** [14177-346]
- 14177 7O **High-bandwidth thin-film lithium tantalate electro-optic modulator with dual slow-wave electrodes** [14177-349]
- 14177 7P **Long-relaxation-time vapor cells for stability enhancement in SERF atomic spin co-magnetometers** [14177-350]
- 14177 7Q **The design of EBAPS-based imaging system and tailored real-time noise reduction algorithm** [14177-352]
- 14177 7R **Research on long wave infrared hyperspectral desert camouflage net detection method based on SPA-SAM** [14177-353]
- 14177 7S **Experimental investigation on the influence of oxygen on the non-equilibrium characteristics of plasma using coherent anti-Stokes Raman scattering** [14177-354]
- 14177 7T **Research on adaptive gate shrinkage game strategy against laser deception jamming** [14177-357]
- 14177 7U **Synchronous rectification control technology for integrated starter generator based on offline learning** [14177-358]
- 14177 7V **A keystone transform-based target detection method for ultra-wideband microwave photonic radar signals** [14177-359]

- 14177 7W **An integrated paradigm of communication, sensing, and narrative in future theatre**  
[14177-360]
- 14177 7X **Design and implementation of a femtosecond-laser Z-scan scheme for measuring the nonlinear refractive index of materials** [14177-363]
- 14177 7Y **Research on the structural design of inductive readout digital microlight devices based on electronic cloud distributed computing** [14177-365]
- 14177 7Z **Research on sparse temperature measurement method for space optical sensors based on deep learning** [14177-367]
- 14177 80 **Infrared dim and small target detection algorithm based on local contrast mechanism and region growth** [14177-368]
- 14177 81 **Development of optical interconnect technologies based on different light sources**  
[14177-369]
- 14177 82 **Reconstruction method for high-curvature and complex structural morphology based on autofocusing technology** [14177-370]
- 14177 83 **Design of a visual intelligent bridge deflection monitoring system based on machine vision**  
[14177-372]
- 14177 84 **A type of miniature interferometric fiber optic gyroscope** [14177-374]
- 14177 85 **OTN bandwidth dynamic resize technology and applications** [14177-377]
- 14177 86 **Deep-learning-based robust calibration for robotic-arm-based rubber automatic tapping machine under partial occlusion** [14177-378]
- 14177 87 **Single-probe multicolor imaging via phasor plot** [14177-379]
- 14177 88 **A spatial-spectral joint recognition method for forest camouflage nets in visible hyperspectral images based on 3D convolutional neural networks** [14177-380]
- 14177 89 **Design of a low-loss multimode hollow-core anti-resonant fiber for 850nm applications**  
[14177-383]
- 14177 8A **Research on halo size control technology for generation-III low-light-level image intensifiers** [14177-384]
- 14177 8B **Remote sensing target detection system based on spiking neural networks** [14177-385]
- 14177 8C **Microwave photonic phase shifter based on a lithium niobate on insulator chip** [14177-386]
- 14177 8D **Microwave photonic angle-of-arrival measurement based on wavelength-selective modulation chip** [14177-387]

- 14177 8E **Thermal drift suppression algorithm for infrared thermal imaging gas detection systems** [14177-388]
- 14177 8F **A probability estimation method for multisatellite collaborative search and verification of time-limited targets** [14177-389]
- 14177 8G **Analysis of the influence of organic carrier film on the field of view display effect of low-light-level image intensifiers** [14177-390]
- 14177 8H **Improving mechanical stability of large-aperture Fabry-Perot tunable filter structure** [14177-391]
- 14177 8I **Design of helmet mounted infrared thermometer based on machine vision tracking** [14177-392]
- 14177 8J **Research progress on uncooled infrared detectors based on FPGA, ASIC, and SoC technologies** [14177-393]
- 14177 8K **A high-precision measurement method for freeform surface micro-hole parameters based on microscopic imaging** [14177-394]
- 14177 8L **Study on nonlinear stress error of coil-potting resin and its suppression technique in HPFOG** [14177-397]
- 14177 8M **Distributed fiber-optic vibration sensing system based on dual-chirped-pulse signal and weak fiber Bragg gratings** [14177-398]
- 14177 8N **Split federated learning via HAPs for resource-constrained LEO satellite networks** [14177-400]
- 14177 8O **Asymmetric van der Waals contacts enabling high rectification and enhanced optoelectronic performance in MoS<sub>2</sub> transistors** [14177-402]
- 14177 8P **Microwave photonics integrated sensing technology for low-slow-small (LSS) targets** [14177-403]
- 14177 8Q **Simulation and analysis of multispectral imaging system with conformal optical window** [14177-406]
- 14177 8R **An improved 3D noise model for large-format IRFPA and its analysis** [14177-407]
- 14177 8S **Microwave photonic signal generation for cognitive radar based on optical injection** [14177-408]
- 14177 8T **High-reliability 850nm SLD without Al doping in the active region** [14177-409]
- 14177 8U **Research on high-reliability 850nm SLD core packaging technology** [14177-410]

- 14177 8V **Research on a high-polarization, high-stability spontaneous emission light source**  
[14177-411]
- 14177 8W **Preparation and multifunctional optical applications of SrAl<sub>2</sub>O<sub>4</sub>: Eu<sup>2+</sup>, Dy<sup>3+</sup> phosphors**  
[14177-415]
- 14177 8X **Air target recognition method based on corner affine features** [14177-416]
- 14177 8Y **Star sensor infrared detection of faint stellar targets based on adjacent frame superposition and adaptive local weighted contrast** [14177-417]
- 14177 8Z **A lightweight edge-computing architecture based on SSA and random forest for SWIR hyperspectral hazardous chemical identification** [14177-418]
- 14177 90 **Synthesis and performances of ZnO nanoluminescent materials exhibiting ultrafast ultraviolet luminescence properties** [14177-420]
- 14177 91 **A comparative study of Cs/O activated graphene-protected photocathodes on different substrates** [14177-424]
- 14177 92 **Impact of channel crosstalk on mode division multiplexing-based optical beamforming system** [14177-427]
- 14177 93 **Optimization study of phase-shifted fiber grating filter based on Sagnac loop** [14177-428]
- 14177 94 **Cryogenic stress analysis of SiC substrate materials for large-format long-wave HgCdTe detectors** [14177-430]
- 14177 95 **Infrared small target detection based on asymmetric convolution and adaptive loss**  
[14177-431]
- 14177 96 **Research on DTOF laser ranging accuracy compensation based on GA-PSO-BP algorithm**  
[14177-432]
- 14177 97 **A review of microwave photonic spectrum sensing technologies** [14177-434]
- 14177 98 **Tolerance analysis method of the large schlieren system** [14177-435]
- 14177 99 **High-precision measurement of resonant wavelength shifts in optical sensors using optoelectronic oscillator** [14177-436]
- 14177 9A **Remote sensing change detection method for seismic landslides based on deep learning and guided filtering** [14177-437]
- 14177 9B **Resolution analysis of the large color schlieren system** [14177-438]
- 14177 9C **Properties and quantum efficiency performance of S20 multi-alkali photocathodes**  
[14177-439]

- 14177 9D **LiDAR curb detection method based on distance-adaptive feature enhancement and dynamically balanced loss** [14177-440]
- 14177 9E **Intelligent prediction of single-layer toroidal inductor performance assisted by machine learning** [14177-443]
- 14177 9F **An image fusion method for long-range weak small target detection using single-photon LiDAR and MWIR thermal imaging** [14177-448]
- 14177 9G **Measurement and three-dimensional visualization analysis of optical properties of Gaussian thin films** [14177-449]
- 14177 9H **Analysis of hygroscopic sand on the performance of coherent wind Lidar** [14177-451]
- 14177 9I **Research on photoelectric countermeasure system testing technology** [14177-455]
- 14177 9J **Application of artificial neural networks in infrared target detection** [14177-456]
- 14177 9K **Ultra-precision fabrication of high-performance hard-brittle aspheric harmonic diffractive optics** [14177-457]
- 14177 9L **Collaborative optimization method for TT&C microburst traffic using deep learning** [14177-460]
- 14177 9M **Global constrained subaperture stitching measurement for microlens array** [14177-463]
- 14177 9N **Research progress of silicon-based SPAD image sensors and analysis of low-light imaging applications** [14177-464]