

62nd Annual Microelectronics and Packaging Conference and Exhibition (NordPac 2026)

Stockholm, Sweden
9-11 June 2026

ISBN: 979-8-3313-3739-1

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2026) by International Microelectronics and Packaging Society, Nordic (IMAPS – Nordic)
All rights reserved.

Printed with permission by Curran Associates, Inc. (2026)

For permission requests, please contact International Microelectronics and Packaging Society, Nordic (IMAPS – Nordic) at the address below.

International Microelectronics and Packaging Society, Nordic (IMAPS – Nordic)
c/o Selmic Oy Oy
PO Box 350 13
FI-90501 Oulu
Finland

Phone: 358 400 687 261
Fax: 358 8 5511 511

info@imapsnordic.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

INDEX OF PAPERS AND PRESENTERS

SESSION W1A: RELIABILITY

Automated Characterization of Surface Quality and Defects of Ceramic Multilayer Packages...1

Sesha Gopal Selvakumar, Technische Universität Ilmenau (TU Ilmenau), Germany

Effect of PCB Moisture Absorption on Damage Evolution in BGA Solder Joints...10

Saeed Akbari, RISE Research Institutes of Sweden, Sweden

CNN-Based Anisotropic Homogenization Finite Element Framework for PCB Warpage Analysis...14

Chin-Hung Lai, National Cheng Kung University, Taiwan

Coupled Multiphysics Simulation with Machine Learning Approach to predict humidity effects on PCB Surface...19

Rajan Ambat, Technical University of Denmark, Denmark

Electronic Packaging Design for Humidity Robustness: Experimental and Modelling Approach...21

Rajan Ambat, Technical University of Denmark, Denmark

SESSION W1B: FLEXIBLE AND MEDICAL ELECTRONICS

Direct Attachment of RFID IC to Self-Healing Polymer-Based Tag Antenna: Towards Self-Assembly Method...23

Naveen Tiwari, Tampere University, Finland

Bio-based TPU Smart Wound Dressing with Temperature and pH Sensing on a Skin-Conformal Patch...29

Barbara Pahl, Fraunhofer Institute for Reliability and Microintegration, Germany

High-efficiency on-paper self-charging power systems free from metals and chips...34

Yujie Fu, KTH Royal Institute of Technology, Sweden

Enabling Mutual Identification of Autonomous Vehicles via Battery-less Ultrasonic Tags and 120-GHz Radar Sensing...37

Zhongxia Simon He, ChalmersIndustriTeknik, Sweden; Beijing Institute of Technology, China

SESSION T1A: MATERIALS AND PROCESSES

Micro-transfer-printing: Alternative to polymeric adhesive bonding...42

How Yuan Hwang, Tyndall National Institute, Ireland

Optimizing chip assembly bond strength...45

Guido Sordo, SINTEF Digital, Norway

Innovative UV Assisted Curing for Indium Based Low Melting Point μ Bumps used in Quantum Computing...49

Philippe Muller, SUSS MicroTec Solutions GmbH & Co., Germany

Active alignment of diffractive element for optoelectronic MEMS...51

Guido Sordo, SINTEF Digital, Norway

Electrically Insulating Heat Spreaders for High-Power Electronics: Comparing a Hexagonal Boron Nitride Composite to a Graphene Laminate...54

Sajjad Pashazadeh, Chalmers University of Technology, Sweden

SESSION T1B: ADVANCED PACKAGING

Miniaturization of Low-Power DC-DC Converters Using PCB Embedding for Avionic Applications...62

Dincer Sirkeci, Technische Universität Berlin, Germany

Gap filling processes for Quasi-Monolithic Integration applications...66

Long Lei, Fraunhofer Institute for Photonic Microsystems, Germany

Packaging Challenges for Energy-Autonomous IoT Sensing...70

Cristina Rusu, RISE Research Institutes of Sweden

Organic Steel Structural Electronics for Lightweight Composite Systems: Reduced Copper Architectures and Electromagnetic Integration...76

Tatu Luuk, Organic Steel LTD

Glass Package Trends & Technology with Glass Core Evaluation Testing Method...79

Tetsuya Onishi, Grand Joint Technology Ltd

1 μ m diameter TGV formation by single-shot ultrafast Bessel pulses in GHz burst mode...82

Keiji Sakai, Enplas Corporation, Japan