

PROCEEDINGS OF SPIE

Optical Sensing and Detection IX

Francis Berghmans
Ioanna Zergioti
Francesco Chiavaioli
Editors

12–16 April 2026
Strasbourg, France

Sponsored by
SPIE

Cooperating Organisations
EOS—European Optical Society
SIOF—Società di Ottica e Fotonica (Italy)
Photonics21 (Germany)

Published by
SPIE

Volume 14086

Proceedings of SPIE 0277-786X, V. 14086

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optical Sensing and Detection IX*, edited by Francis Berghmans, Ioanna Zergioti, Francesco Chiavaioli, Proc. of SPIE 14086, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9798902321316

ISBN: 9798902321323 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi *Conference Committee*

OPTICAL FIBER-BASED SENSORS I

- 14086 02 **Dual-resonance D-shaped optical fiber sensors for simultaneous multi-analyte detection (Invited Paper)** [14086-1]
- 14086 04 **Multichannel photonic interrogators for fiber optic sensing and vital signs monitoring** [14086-3]
- 14086 05 **Multiplexed TFBG array for quasi-distributed RI sensing using derivative spectrum analysis** [14086-4]
- 14086 06 **Etched fiber Bragg gratings: a promising platform for environmental and biological analyte sensing** [14086-5]
- 14086 07 **Hollow-core fiber Raman gas sensing with signal enhancement via lens-assisted active reflection coupling** [14086-6]

INTEGRATED, LAB-ON-CHIP AND RESONANCE-BASED SENSORS I

- 14086 09 **Transfer learning for chip-independent biosensing with optical microresonators (Invited Paper)** [14086-7]
- 14086 0B **Effect of sensing location on the sensing functionality of coated microresonators for exosome detection** [14086-9]

OPTICAL FIBER-BASED SENSORS II

- 14086 0C **Building-block validation of photonic structural health monitoring for aerospace composites using embedded and surface-mounted FBG sensors (Invited Paper)** [14086-11]
- 14086 0D **3D-printed packaged FBG strain sensor for wind turbine structural health monitoring: field validation and EMD-based analysis** [14086-12]
- 14086 0E **Investigation of FBG sensor length effects on fault detection and damage location in rotating systems (SPIE Best Student Paper Award)** [14086-13]

OPTICAL FIBER-BASED SENSORS III

- 14086 OG **Shape sensing with optimized accuracy in single-channel BOTDA** [14086-15]
- 14086 OH **Monitoring fabrication process of three-dimensional-printed composite coupons and residual strain measurements using distributed fiber sensing** [14086-16]
- 14086 OI **Event detection and localization using a multiple-input-multiple-output distributed fiber sensor with birefringence and phase estimation** [14086-17]
- 14086 OJ **Characterization of germanium fibers and their applications as solar irradiance sensors** [14086-18]

OPTICAL FIBER-BASED SENSORS IV

- 14086 ON **Multipoint optical fiber speckle sensing with event-based sensors for high-bandwidth applications (SPIE Best Student Paper Award)** [14086-23]
- 14086 OP **Advancing sustainable crude oil transportation through optical fiber asphaltene precipitation monitoring** [14086-25]

INTEGRATED, LAB-ON-CHIP AND RESONANCE-BASED SENSORS II

- 14086 OQ **Silicon photonic sensors for induction welding joints in aerospace composite manufacturing (Invited Paper)** [14086-26]
- 14086 OR **An intrinsically accurate optomechanical accelerometer for inertial navigation** [14086-28]
- 14086 OT **High-spatiotemporal scintillation imaging dosimetry for conventional and ultrahigh-dose-rate proton therapy beams** [14086-30]
- 14086 OU **Silicon photonics phase-shifted Bragg-grating filter for temperature sensing applications** [14086-77]

VOLATILE ORGANIC COMPOUND AND GAS SENSING I

- 14086 OV **Electro-optic dual-comb spectroscopy system for methane detection in the mid-infrared region (Invited Paper)** [14086-31]
- 14086 OW **Methane concentration, pressure, and temperature using MA-WMS and machine learning algorithms** [14086-32]
- 14086 OX **WMS-2f gas detection using a picosecond OPO: a proof-of-concept for future multigas and remote sensing applications** [14086-33]

- 14086 0Z **Field validation of quartz-enhanced photoacoustic sensors for trace gas monitoring in urban and volcanic environments** [14086-39]
- 14086 10 **Echo-pulse differential absorption spectroscopy for large-scale multichannel methane monitoring** [14086-36]

VOLATILE ORGANIC COMPOUND AND GAS SENSING II

- 14086 12 **Integration of gas chromatography and quartz-enhanced photoacoustic spectroscopy analytical domains: enhancing sensitivity and selectivity in natural gas analysis** [14086-38]

SPECTROSCOPY I

- 14086 15 **Fluorescence spectroscopy for multimycotoxin detection (Invited Paper)** [14086-42]
- 14086 16 **Nondestructive Raman spectroscopy for monitoring metabolite changes in tomato plants** [14086-43]
- 14086 17 **Predicting deoxynivalenol contamination in cereals using optical spectroscopy and regression analysis** [14086-44]
- 14086 18 **Optical sensing system based on visible reflectance spectroscopy for classification of strawberry leaves** [14086-45]

SPECTROSCOPY II

- 14086 1B **Compact mid-infrared tunable interband cascade laser-based spectrometers with thin-film waveguides for protein sensing** [14086-48]
- 14086 1C **Sensing ultralight dark matter with molecular spectroscopy in an optical network** [14086-49]

SPECTROSCOPY III

- 14086 1F **Fast detection of Clostridia contamination in milk by Raman spectroscopy** [14086-52]
- 14086 1G **Quantitative online Li monitoring in liquids using laser-induced breakdown spectroscopy** [14086-53]
- 14086 1H **Towards implementing optical computation in transmission filters for spectral imaging** [14086-54]

- 14086 1I **Beyond the NIR: hyperspectral imaging in the MWIR range for enhanced identification of composite objects in e-waste recycling applications** [14086-55]
- 14086 1J **An optical fiber Bragg grating sensor for tracing perfluoro-octanoic acid in water (Invited Paper)** [14086-21]

REMOTE SENSING, DRONE AND LIDAR APPROACHES

- 14086 1K **3D imaging FMCW flash LIDAR: wide field-of-view optical solutions** [14086-56]
- 14086 1L **An unmanned aerial vehicle (UAV)-based photonic method for the humane elimination of Colorado potato beetles** [14086-57]
- 14086 1M **Confocal coherent laser Doppler velocimeter for the remote detection of underwater moving targets and scattering particles** [14086-58]

DETECTOR TECHNOLOGIES

- 14086 1N **Graphene adjustable-barriers phototransistor with tunable ultrahigh responsivity** [14086-61]
- 14086 1O **Interfacial defect-mediated fast hole transport for efficient Al:ZnO/Si photodetectors** [14086-62]
- 14086 1P **Near-infrared antireflection coating film operated over a wide range of incident angles** [14086-63]
- 14086 1Q **Reconfigurable unipolar quantum photodetector** [14086-64]
- 14086 1R **Highly efficient single-photon detectors on a 3D femtosecond-laser-written photonic platform** [14086-65]
- 14086 1S **Linear-mode photon counting performance and intrinsic dark current in HgCdTe APDs for quantum optical applications** [14086-66]
- 14086 1T **On-chip MIR sensing with high specific detectivity and high speed** [14086-67]
- 14086 1U **Assessment of passivation conditions on arsenic ion-implanted LWIR HgCdTe gated photodiodes** [14086-68]

POSTER SESSION

- 14086 1V **Enhanced sensitivity in linear regime of long period fiber gratings with deposition of two-layer thin films** [14086-69]
- 14086 1W **Real-time optical tracking of ITO thin films via lossy mode resonances** [14086-70]

- 14086 1X **Development of an auto-detecting method based on HSV color space and YOLO model for ship hull paint deterioration and corrosion** [14086-71]
- 14086 1Z **Nondispersive Raman spectroscopy for hydrogen detection** [14086-73]
- 14086 20 **Quasidistributed FBG-based strain characterization of a rotating inner race in deep-groove ball bearings** [14086-75]
- 14086 21 **Highly sensitive optical fiber taper temperature sensor based on plasma technique** [14086-76]
- 14086 22 **Phi-OTDR-based distributed acoustic sensing for structural health monitoring of wind turbines** [14086-78]
- 14086 23 **Progress towards ultrahigh-count-rate superconducting nanowire single photon detectors** [14086-79]
- 14086 24 **Sidelobe reduction for ghost image suppression in silicon photonic OPA-based FMCW LiDAR** [14086-80]
- 14086 25 **A design framework for laser-based structured illumination systems for object detection** [14086-82]
- 14086 27 **Disordered biosensing-aimed plasmonic metasurfaces: from analytical modeling to experimental realization** [14086-84]
- 14086 28 **Investigation of a dual-channel optical fiber plasmonic sensor for simultaneous detection of heavy metals** [14086-85]
- 14086 2A **Event detection and localization in aerial optical fiber cable using distributed strain sensing** [14086-87]
- 14086 2C **Improving detection performance with noise measurements from avalanche photodiode-based optical receiver** [14086-89]
- 14086 2E **Noncontact simultaneous optical power measurement of multifiber arrays using near-infrared imaging** [14086-91]
- 14086 2G **Comprehensive performance assessment of a broadly tunable mid-infrared interband cascade laser** [14086-93]
- 14086 2H **Optimization of NbN thin film deposition for waveguide-integrated superconducting nanowire single-photon detectors** [14086-94]
- 14086 2I **A novel method for mitigating polarization fading with reduced post-processing in a DAS employing Stokes parameters** [14086-95]
- 14086 2J **Effects of speckle size and temporal evolution in a common-path out-of-plane ESPI system with a pixelated polarization camera** [14086-96]
- 14086 2L **All-optical fiber speckle sensing of perturbations using genetic algorithms** [14086-98]

- 14086 2N **High-resolution fiber optic sensing based on self-mode-locked optoelectronic oscillator**
[14086-100]
- 14086 2P **High-pressure H₂O detection with a compact GaAs-based single-mode VCSEL sensor**
[14086-103]
- 14086 2Q **Self-written waveguide Fabry-Perot sensor for temperature and humidity detection: a curing study** [14086-104]
- 14086 2S **Compact mid-infrared laser spectrometer based on ATR-flow cell for on-line measurement of protein hydrolysates** [14086-106]
- 14086 2T **Comparison of vortex beams propagation characteristics in turbulence** [14086-107]
- 14086 2U **Super-spectral-resolution Raman spectroscopy using an angle-tuned Fabry-Pérot etalon: application to natural and lab grown diamond characterization** [14086-108]
- 14086 2V **Compact holmium-doped fiber laser system for photoacoustic hydrogen detection**
[14086-109]
- 14086 2W **Dual-comb coherent lidar generated using a bidirectional frequency shifting loop for simultaneous range and velocity measurements** [14086-110]
- 14086 2X **Quantum cascade detectors for 8µm spectral range** [14086-112]
- 14086 2Y **The development of an SI-traceable calibration sphere for low-temperature phosphor thermometry** [14086-113]
- 14086 32 **Development of a compact and highly sensitive surface plasmon resonance (SPR) sensor using a deep metal grating** [14086-117]
- 14086 33 **Probing external environment with nanoparticle-doped optical fiber based on interaction between evanescent field and surrounding medium** [14086-118]
- 14086 34 **Overcoming the black plastics sorting barrier with a portable nondestructive specular-reflection MEMS-FTIR spectrometer** [14086-119]
- 14086 35 **Impact of SNR and fiber asymmetry on the accuracy of distributed shape sensing**
[14086-120]
- 14086 37 **Super-resolution spectroscopy with random Raman fiber laser** [14086-122]
- 14086 38 **Visible light communication for adaptive AGV fleet coordination** [14086-123]
- 14086 3C **Design and development of a high-performance electro-optical receiver for laser ranging and spectroscopy** [14086-127]
- 14086 3D **High-resolution tunable lithium niobate resonant grating filter array for optical spectroscopy**
[14086-128]

- 14086 3E **Passive SWIR imaging of flame front dynamics and thermodynamic parameters identification in a constant-volume chamber using the 1.38 μ m H₂O band** [14086-129]
- 14086 3F **Comparative analysis of machine learning algorithms for FBG-based damage detection in glass fiber composites** [14086-130]
- 14086 3H **Self-injection-locked DFB lasers with fiber ring cavities for distributed fiber sensing** [14086-133]
- 14086 3I **High-sensitivity point-type temperature sensor based on fluorescence intensity ratio via down-conversion in Er³⁺-doped tellurite optical fiber** [14086-134]
- 14086 3K **Method for simultaneous measurements of hydrostatic pressure and temperature in a single optical fiber line using Rayleigh scattering-based distributed fiber measurements and a K-type side-hole optical fiber** [14086-137]
- 14086 3L **Optical sensors for water quality measurement** [14086-138]