

PROCEEDINGS OF SPIE

Third International Conference on Optoelectronic Information and Optical Engineering (OIOE 2026)

Lingfeng Shi
Harith Bin Ahmad
Editors

20 - 22 March 2026
Changchun, China

Organized by
Changchun University of Science and Technology (China)
Changchun College of Electronic Technology (China)

Sponsored by
AEIC—Academic Exchange Information Centre (China)

Published by
SPIE

Volume 14235

Part One of Two Parts

Proceedings of SPIE 0277-786X, V. 14235

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Third International Conference on Optoelectronic Information and Optical Engineering (OI/OE 2026)*, edited by Lingfeng Shi, Harith Bin Ahmad, Proc. of SPIE 14235, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9798902325307

ISBN: 9798902325314 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xv Conference Committee

Part One

PHOTONIC MATERIALS AND DEVICES

- 14235 02 **Mg²⁺ electrolyte regulation and properties of WO₃-NiO inorganic electrochromic laminated glass** [14235-31]
- 14235 03 **Near-field optical responses of plasmonic nanostructures** [14235-131]
- 14235 04 **Field control of plasmonic Fano resonance structures** [14235-127]
- 14235 05 **InAs quantum dot hybrid photodetectors based on surface ligand exchange** [14235-221]
- 14235 06 **High-responsivity ultraviolet photodetectors based on MBE-grown (In_xGa_{1-x})₂O₃ films** [14235-21]
- 14235 07 **High-mobility, low-voltage oxide TFTs achieved through ALD-processed HfO₂/ZnO heterostructure** [14235-25]
- 14235 08 **Nanofabrication strategies for high-performance c-Si and TiO₂ metasurfaces** [14235-135]
- 14235 09 **Broadband near-infrared hot-carrier photodetector based on disordered Ag/Si nanowires for infrared imaging** [14235-165]
- 14235 0A **Multilayer film-based stealth for visible, LiDAR, and infrared bands** [14235-159]
- 14235 0B **Tuning Schottky barriers in MoS₂ field-effect transistors via MXene interface engineering** [14235-34]
- 14235 0C **Design of a metamaterial solar absorber based on TiN triangular-core coaxial cylinder-ring** [14235-111]
- 14235 0D **Solid-state carbon dots for color tunable white-light light emitting diodes** [14235-61]
- 14235 0E **Fabrication and characterization of few-layer graphene cantilever vibrations** [14235-112]
- 14235 0F **High-responsivity graphene nanomechanical resonator embedded in a photonic crystal slab** [14235-102]

- 14235 OG **Enhancing the luminous efficiency of GaN/InGaN MQWs LEDs by embedding EBL into active region** [14235-194]
- 14235 OH **Sidewall damage repair of GaN-based Micro-LED by combination of atomic layer etching and atomic layer deposition** [14235-106]
- 14235 OI **Design and performance study of metamaterial visible light absorber based on titanium nitride (TiN) nanodisk arrays** [14235-126]
- 14235 OJ **High-light-extraction-efficiency Micro-LED integrated with random GaN nanopillar array** [14235-67]
- 14235 OK **Low-operating-voltage organic ferroelectric synaptic transistors** [14235-122]
- 14235 OL **Flexible, dual-band, multicolor electrochromic films based on micro-metal mesh electrode** [14235-158]
- 14235 OM **Bipolar non-volatile memory based on WSe₂/h-BN/graphene van der Waals heterojunction: study of dual-window characteristics and mechanism** [14235-168]
- 14235 ON **Electrostatically actuated suspended silicon waveguide mode separator using cascaded directional couplers for routing** [14235-33]
- 14235 OO **Near-infrared broadband absorber based on Zr and TiN double-ring metasurface** [14235-130]
- 14235 OP **Design and performance study of an ultra-broadband, wide-angle solar absorber based on titanium nitride (TiN) metamaterials** [14235-223]
- 14235 OQ **Zeroth-order-free high-density speckle structured light projection by polarization-converting metasurfaces** [14235-116]
- 14235 OR **Enhancing Purcell effect of one-dimensional photonic moiré lattice via plasmonic antenna** [14235-58]
- 14235 OS **Bending-induced birefringence stability in PM HC-PBGs for FOG applications** [14235-155]
- 14235 OT **Geometry-invariant dynamic tuning of high-Q quasi-BIC resonances in a dielectric split-ring metasurface** [14235-150]
- 14235 OU **Epitaxial growth of nonpolar m-plane AlN by PLD and their application in vacuum ultraviolet photodetectors** [14235-198]
- 14235 OV **Optimizing adiabatic taper vertical tapered couplers using quadratic, cubic, and Bessel taper profiles** [14235-109]
- 14235 OW **Dual-functional reflective metasurface for highly efficient and broadband polarization conversion in the near-infrared band** [14235-215]
- 14235 OX **AC-driven single-contact LED matrix display with perceptually optimized grayscale control** [14235-22]

- 14235 0Y **Effects of discontinuous heterojunctions on the electrical and photosensitive properties of OFETs** [14235-166]
- 14235 0Z **Thickness engineering of plasmonic nanostructures for enhancing second-harmonic generation in semiconductor monolayers** [14235-225]
- 14235 10 **Design and research of a flexible infrared radiation characteristic simulation material** [14235-187]
- 14235 11 **Structural color generation with WS₂ dielectric nanostructures** [14235-118]
- 14235 12 **The key technology for global planarization of large-size planar optical elements** [14235-145]
- 14235 13 **Study of the Brewster effect in magnetic media via multipole decomposition** [14235-96]
- 14235 14 **Temperature and voltage-dependent photoluminescence of interlayer excitons in MoS₂/WS₂/MoS₂ trilayer heterostructures** [14235-78]
- 14235 15 **Controlled growth of two-dimensional GaN using a bidirectional gas-flow system and indirect hydrogen supply** [14235-97]
- 14235 16 **Influence of graphene layer number on the Imbert–Fedorov shift** [14235-108]
- 14235 17 **Engineering hyperbolic phonon polaritons in h-BN via van der Waals crystal of ferroelectric CuInP₂S₆** [14235-207]
- 14235 18 **Design of an O-band thin-film lithium niobate edge coupler based on subwavelength gratings** [14235-171]
- 14235 19 **Dual modulation of broadband spintronic terahertz emitters based on vanadium dioxide** [14235-105]
- 14235 1A **Cost-effective and solution-processable P-25 TiO₂ nanoparticles as cathode buffer layer for high-efficient and stable organic solar cells** [14235-120]
- 14235 1B **A broad-spectrum RGB LED spectral control model based on transfer learning** [14235-231]
- 14235 1C **Scalable photonic tensor core coupled with direct optimization strategy for optical neural networks** [14235-1]
- 14235 1D **Bidirectional deep neural network scheme for prediction and inverse design of accidental bound states in the continuum in photonic crystals** [14235-41]
- 14235 1E **Multiple electromagnetic resonance couplings in cross-square nano-brick stacking for broadband infrared absorption in the long-wavelength range** [14235-189]
- 14235 1F **Numerical simulation of femtosecond laser double-pulse ablation on gallium nitride** [14235-56]

- 14235 1G **Process intensification in Taylor–Couette photocatalytic reactors via hydrodynamic modulation: a CFD-DPM study on electron generation kinetics** [14235-83]
- 14235 1H **Vitrification behavior and high-performance x-ray imaging of ethyltriphenylphosphonium manganese bromide (ETP₂MnBr₄) glass** [14235-40]
- 14235 1I **Subwavelength grating-assisted tapered coupler for heterogeneous mid-infrared photonic integration** [14235-156]
- 14235 1J **Gradient-free topology optimization for broadband and omnidirectional light trapping at the Yablonovitch limit** [14235-26]
- 14235 1K **Highly compact T2SL gas detector based on an on-chip spectro-polarimetric filters** [14235-37]
- 14235 1L **Finite element simulation of the influence of wavy microstructures on the bending mechanical properties of silicon nanowires** [14235-144]
- 14235 1M **Progress in electrocatalytic research on metal-organic frameworks ZIF8 and ZIF67** [14235-13]
- 14235 1N **Framework-optimized structural beams with spatially superimposed modes** [14235-103]
- 14235 1O **Influence of Mn and Cr on microstructures and tensile properties for 3.5% and 6.5% silicon steel** [14235-176]
- 14235 1P **Research progress of catalyst-modified separators for lithium–sulfur batteries** [14235-211]
- 14235 1Q **Research on the application of solar phase change thermal storage windows in substations** [14235-210]
- 14235 1R **Systematic analysis of ideal spectral absorptivity for solar heating** [14235-132]

LASER SYSTEMS AND OPTICAL COMMUNICATION

- 14235 1S **Study on the irradiation damage mechanism of the Nd: YAG laser crystal** [14235-200]
- 14235 1T **Flexible near-infrared broadband hot-carrier photodetectors based on disordered gold–silicon nanoholes for telecommunication** [14235-164]
- 14235 1U **Random lasing in polymer composite thin films doped with TiO₂ nanoparticles** [14235-199]
- 14235 1V **Design of high-slope-efficiency quantum dot photonic crystal surface-emitting lasers with metal reflector** [14235-6]
- 14235 1W **Broadband compact silicon-based MZI magneto-optical isolator based on non-reciprocal phase shift optimization** [14235-167]

- 14235 1X **Research on compact silicon-based subwavelength grating polarization beam splitter** [14235-216]
- 14235 1Y **High-coherence supercontinuum generation using orbital angular momentum modes in gas-filled hollow-core fibers** [14235-12]
- 14235 1Z **Based on CFD numerical simulation for flow field optimization in vertical-cavity surface-emitting laser oxidation furnaces** [14235-59]
- 14235 20 **Optimized polynomial taper for miniaturized and efficient multilayer optical interconnects** [14235-183]
- 14235 21 **Modular design of underwater decoy-state quantum key distribution** [14235-213]
- 14235 22 **Research of 400Gbps DR4 LPO optical transceiver module** [14235-192]
- 14235 23 **Fully connected optical routing based on a reconfigurable microring array using Ge₂Sb₂Te₅ phase-change material** [14235-47]
- 14235 24 **Research on 400G Q112 SR8 optical module** [14235-185]
- 14235 25 **Design and fabrication of intracavity-coupled vertical-cavity surface-emitting lasers** [14235-28]
- 14235 26 **Generation of ternary optical chains with multi-ring fan-shape filter** [14235-202]
- 14235 27 **High-power single-frequency continuous-wave 780nm laser based on a frequency-doubled 1560nm MOPA system** [14235-180]
- 14235 28 **Research on low phase noise photonic generation of millimeter wave reference source** [14235-42]
- 14235 29 **High peak power nanosecond optical pulses generated from semiconductor lasers** [14235-203]
- 14235 2A **Design of a narrowband achromatic and spherical aberration-corrected metalens for confocal endoscopic imaging** [14235-32]
- 14235 2B **Generation of deep ultraviolet femtosecond 194.3 nm laser by cascaded optical parametric amplification** [14235-77]
- 14235 2C **Research on modeling and parameter optimization methods for VCSEL electro-optical characteristics** [14235-197]
- 14235 2D **Design and optimization of a miniature physics package for coherent population trapping atomic clocks** [14235-7]
- 14235 2E **Research on design and experimental verification of high-efficiency LCoS picture generation unit** [14235-142]

- 14235 2F **Research on structural design of a small lens assembly for star tracker applications** [14235-49]
- 14235 2G **Research on 50Gbps 40km optical module based on SFP56 and DSP chip** [14235-99]
- 14235 2H **Coherent transmission based on a single optical frequency extracted from femtosecond optical frequency comb** [14235-57]
- 14235 2I **3D light field distribution modeling for wireless ultraviolet communication** [14235-174]
- 14235 2J **Scenario-indexed Q/R selection for EKF-based Doppler tracking in coherent satellite laser links** [14235-95]
- 14235 2K **Design of an innovative weight-compensated turntable system for optoelectronic testing** [14235-60]
- 14235 2L **Research on anti-vibration isolation acoustic technology of fiber optic interferometer** [14235-115]
- 14235 2M **Factors and quantitative evaluation of laser dazzle effects** [14235-8]
- 14235 2N **Radar fiber optic data acquisition and storage system based on VPX architecture** [14235-196]
- 14235 2O **Signal processing and feature extraction methods for electro-optical detection systems** [14235-70]
- 14235 2P **Artificial intelligence-driven dual-channel signal distortion compensation method for fiber optic microphones** [14235-91]
- 14235 2Q **Photonic measurement of microwave frequency using a thin-film lithium niobate chip** [14235-90]
- 14235 2R **Research on laser-optical communication cooperative sensing system based on optoelectronic integration** [14235-19]
- 14235 2S **On-chip interferometric method for low-loss doppler velocimetry** [14235-149]
- 14235 2T **Study on the transport and detection of acoustic waves on optical surfaces generated by laser-induced damage** [14235-53]
- 14235 2U **An integrated, 3D-printed optomechanical sensing system based on diamond NV centers** [14235-182]
- 14235 2V **Research on high-precision positioning for cooperative targets in satellite formation ranging** [14235-14]
- 14235 2W **Development of a laser radiation safety window-penetrating monitoring device** [14235-80]

- 14235 2X **Research on a new near-space full-spectrum detection and warning camera** [14235-219]
- 14235 2Y **Integrated communication and ranging for inter-satellite coherent optical systems under non-integer oversampling** [14235-20]
- 14235 2Z **Dual-band anti-jamming target detection optical system** [14235-138]

Part two

- 14235 30 **An LS-SEM-Katsev analytical model for LiDAR underwater backscatter returns and laboratory validation with the GQ-Osprey-20** [14235-23]
- 14235 31 **Polarization ray tracing simulation framework for nanoscale high-precision wafer inspection objective systems** [14235-51]
- 14235 32 **Lightweight design of large-aperture and wide-field transmission optical systems** [14235-46]
- 14235 33 **Analysis of coupled misalignment errors in Fourier ptychographic microscopy system** [14235-172]
- 14235 34 **Gradient-descent-based ptychographic imaging** [14235-92]
- 14235 35 **Moving-platform APT system based on integrated navigation and compound-axis tracking: design and field experiments** [14235-29]
- 14235 36 **Assessments of wholesomeness for ASO-S based on telemetry data set** [14235-16]
- 14235 37 **Coded aperture optimization for wide-band spatio-spectral compressive imaging via genetic algorithm** [14235-4]
- 14235 38 **Review on the application of expanded microchannel plates in the field of photoelectric detection and imaging** [14235-146]
- 14235 39 **Ray tracing: physical optics propagation anti-backscatter algorithm using four-dimensional joint filtering** [14235-86]
- 14235 3A **Indoor visible light positioning system based on smartphone CMOS camera and random forest algorithm** [14235-224]
- 14235 3B **Dynamics of ring-shaped cavitation bubbles induced by long pulse laser** [14235-69]
- 14235 3C **An FPGA-based laser semi-active guidance information processing architecture** [14235-184]
- 14235 3D **Construction method of high-quality dataset for optoelectronic image human behavior analysis towards public security** [14235-52]

- 14235 3E **3D microscopy technique based on brightness-normalized gradient operators** [14235-5]
- 14235 3F **Modeling and simulation analysis of spatially-varying resolution in slit-free digital scanned light-sheet microscopy** [14235-10]
- 14235 3G **Research on robust nonadiabatic holonomic quantum gate via path design** [14235-84]
- 14235 3H **Research on repeated quantum error detection based on surface codes** [14235-85]
- 14235 3I **Static pressure-resistant distributed feedback fiber laser acoustic sensor** [14235-82]

OPTICAL SENSING, IMAGING AND PRECISION METROLOGY

- 14235 3J **Optimizing impact point measurement station layout via dynamic field of view adjustment** [14235-3]
- 14235 3K **A study of blue light radiation testing methods for in-vehicle entertainment displays** [14235-147]
- 14235 3L **Preliminary study on the performance of scintillator neutron detector based on light distribution method for position reconstruction** [14235-54]
- 14235 3M **Study on liquid-phase nanodispersions for equivalent calibration of transmission-type instruments for concentration measurement of gas-phase nanodispersions** [14235-113]
- 14235 3N **Design and optimization of an optical radiometric measurement chain for weak Brillouin scattering detection** [14235-195]
- 14235 3O **Highly directional silicon grating-metal reflector structure for enhancement of ratio fluorescence sensing in the second near-infrared window** [14235-39]
- 14235 3P **Leveraging nanocavities for remote photoluminescence detection of monolayer semiconductors** [14235-204]
- 14235 3Q **Research on the influencing factors and formation mechanism of texture defects in fiber optic imaging components** [14235-45]
- 14235 3R **Study on the SERS activity of Pd–Au–Ag NCs prepared via galvanic replacement** [14235-64]
- 14235 3S **Standardized detection and characterization of graphene in textile fibers via an integrated SEM/XRD/Raman approach** [14235-222]
- 14235 3T **Research on internal stress measurement method of single crystal silicon based on blind hole method** [14235-178]
- 14235 3U **Research on spectral calibration technology of hyperspectral imaging system** [14235-139]

- 14235 3V **Rapid localization method for the worst-case value of polarization extinction ratio based on Stokes vector** [14235-161]
- 14235 3W **Research on positioning accuracy of LRU components based on sphere center positioning method and experimental verification** [14235-148]
- 14235 3X **Research on precise measurement of silicon carbide epitaxial layer thickness based on multibeam interference-corrected Fourier analysis model** [14235-73]
- 14235 3Y **Research on a distributed optical fiber sound monitoring device** [14235-143]
- 14235 3Z **Research on damage identification of carbon fiber composite materials based on FBG and strain mode shape analysis** [14235-75]
- 14235 40 **Quantitative analysis of mixed solution components based on photoelectric sensing system combined with dual-wavelength method** [14235-117]
- 14235 41 **Research on the design of sensors based on the fiber focal ratio degradation effect** [14235-162]
- 14235 42 **Accuracy improvement for stainless steel spectral analysis using intelligent line-selection-enhanced modified internal reference self-absorption correction** [14235-44]
- 14235 43 **Continuous intraocular pressure monitoring using a contact-lens-type passive fiber Bragg grating sensor** [14235-173]
- 14235 44 **Study on a sensitivity-enhanced optical fiber sensor for dual-parameter detection of pH and temperature** [14235-71]
- 14235 45 **A zoom-based visual measurement method for structural deformation monitoring** [14235-66]
- 14235 46 **Vision screening instrument field calibration device** [14235-87]
- 14235 47 **Dual-wavelength shearography for non-destructive defect detection** [14235-98]
- 14235 48 **Research on photoelectric detection and characteristic analysis methods of colloidal gold test strip** [14235-38]
- 14235 49 **Effect of polarization mismatch between interfering beams on phase fringe quality in electronic speckle pattern interferometry** [14235-17]
- 14235 4A **Influence of packaging method on ϕ -OTDR-based acceleration sensing** [14235-214]
- 14235 4B **Band-edge-tagged interferometric temperature sensing using a GaAs-coated fiber-tip Fabry-Pérot cavity** [14235-36]
- 14235 4C **A high-sensitivity marine temperature sensor based on fiber optic FP cavity** [14235-76]

- 14235 4D **Robust DOA estimation via covariance calibration and multi-loss complex-valued CNN**
[14235-157]
- 14235 4E **Ultrahigh-sensitivity seawater salinity sensor based on second-order vernier effect**
[14235-123]
- 14235 4F **Theoretical proposal and optimization of highly sensitive Li and Na-based SPR sensors**
[14235-137]
- 14235 4G **High-precision measurement method for semiconductor epitaxial layer thickness based on multibeam interference correction and nonlinear fitting** [14235-152]
- 14235 4H **High-aspect-ratio micro-hole measurement system based on a dual-aperture optical path and an adaptive algorithm** [14235-151]
- 14235 4I **Research on quantitative analysis methods for laser-induced breakdown spectroscopy**
[14235-114]
- 14235 4J **Influence of structural parameters on measurement performance of small-size fiber optic current sensor rings** [14235-218]
- 14235 4K **Design of a displacement sensor based on a 45° grinding fiber F-P structure** [14235-48]
- 14235 4L **Research on knee joint tension measurement sensor based on flexible FBG** [14235-18]
- 14235 4M **In-situ magnetic field compensation for SERF atomic magnetometers: a review** [14235-35]
- 14235 4N **Multivariate classification of manganese ore using Raman and laser-induced breakdown spectroscopy** [14235-9]
- 14235 4O **Phase nonlinearity correction in fringe projection profilometry** [14235-110]
- 14235 4P **A study on data consistency in hyperspectral detection of tobacco shred based on multidistance whiteboard calibration and fitting optimization** [14235-232]
- 14235 4Q **Surface topography measurement of microlens arrays based on phase-only spatial light modulator and phase-shifting interferometry** [14235-170]
- 14235 4R **Multistation optimization of laser tracker system for large-scale measurement field based on Monte Carlo method** [14235-181]
- 14235 4S **Study on the effect of feature correlation on the accuracy of chromium quantification in steel by laser-induced breakdown spectroscopy** [14235-100]
- 14235 4T **Lunar orientation method for optical measurement equipment based on edge circle fitting**
[14235-136]
- 14235 4U **Terahertz dual-channel sensing based on multiple bound states in the continuum**
[14235-119]

- 14235 4V **Enhancing steel classification accuracy using LIBS based on XGBoost-integrated feature selection** [14235-104]
- 14235 4W **Phase denoising for sound field measurement in off-axis digital holography using VMD** [14235-208]
- 14235 4X **A quadratic aberration correction method for digital holographic microscopy based on phase gradient information extraction** [14235-177]
- 14235 4Y **Ultra-sensitive hydrogen sensing using femtosecond-laser-inscribed dual Fabry–Pérot vernier interferometers** [14235-93]
- 14235 4Z **Inline digital laser holography for particle size measurement of deep-sea suspended particles** [14235-175]
- 14235 50 **Advancements in the identification of aquatic pollutant sources via three-dimensional excitation-emission matrix fluorescence spectroscopy: a critical review and prospective analysis** [14235-193]
- 14235 51 **A deep learning model for multiscale aerosol extinction profile forecasting** [14235-101]
- 14235 52 **Polarization-dependent bifocal compound lens enabled optoelectronic edge detection under incoherent illumination** [14235-11]
- 14235 53 **Defect identification and depth assessment of optical components based on Mueller matrix imaging** [14235-15]
- 14235 54 **Advancements in aquatic pollutant origin identification through three-dimensional excitation–emission matrix (3D-EEM) fluorescence profiling** [14235-212]
- 14235 55 **Mueller matrix polarimetric mapping of brain glioma across ultraviolet: visible wavelengths** [14235-68]
- 14235 56 **Iterative self-supervised denoising for low-SNR fluorescence microscopy** [14235-206]
- 14235 57 **Dim target detection under complex backgrounds for space observation** [14235-121]
- 14235 58 **Method for evaluating smoke screen jamming effectiveness based on target image quality variation** [14235-133]
- 14235 59 **Image enhancement method based on multiscale Retinex with parameter-adaptive guided filtering** [14235-217]
- 14235 5A **Infrared HDR fusion algorithm based on cross-guided filtering** [14235-228]
- 14235 5B **Research on depth estimation method based on binocular vision and neural network** [14235-209]

- 14235 5C **Small-sample point cloud target classification method based on LSHW-Mamba network**
[14235-125]
- 14235 5D **Terahertz reflection tomography via fusion of signal decoupling and virtual projection**
[14235-186]
- 14235 5E **Problems and optimization methods in an online high-precision multicomponent helium analyzer in large-scale commercial hydrogen liquefaction plants** [14235-169]
- 14235 5F **A multistage occlusion-aware network for unsupervised stereo matching** [14235-89]
- 14235 5G **Noise-robust ghost imaging based on multiscale convolutional attention U-Net** [14235-227]
- 14235 5H **Denoising algorithm for background-oriented schlieren images based on convolutional neural networks** [14235-134]
- 14235 5I **Polarization 3D imaging with enhanced stability: direct diffuse parameter extraction to mitigate specular reflection interference** [14235-2]
- 14235 5J **Vision transformer for precise quantification of emitters within the diffraction limit**
[14235-107]
- 14235 5K **Benchmarking large multimodal models for structured illumination microscopy quality assessment** [14235-154]
- 14235 5L **Unsupervised aliasing artifact suppression for CBCL via adjacent slice feature fusion GAN**
[14235-24]