
Learning to Control Free-Form Soft Swimmers

Changyu Hu¹ Yanke Qu¹ Qiuhan Yang^{2,1} Xiaoyu Xiong^{2,1}
Kui Wu³ Wei Li^{3,4} Tao Du^{1,2}

¹ Tsinghua University ² Shanghai Qi Zhi Institute

³ LIGHTSPEED ⁴ Shanghai Jiao Tong University

Abstract

Swimming in nature achieves remarkable performance through diverse morphological adaptations and intricate solid-fluid interaction, yet exploring this capability in artificial soft swimmers remains challenging due to the high-dimensional control complexity and the computational cost of resolving hydrodynamic details. Traditional approaches often rely on morphology-dependent heuristics and simplified fluid models, which constrain exploration and preclude advanced strategies like vortex exploitation. To address this, we propose an automated framework that combines a unified, reduced-mode control space with a high-fidelity GPU-accelerated simulator. Our control space naturally captures deformation patterns for diverse morphologies, minimizing manual design, while our simulator efficiently resolves the crucial fluid-structure interactions required for learning. We evaluate our method on a wide range of morphologies, from bio-inspired to unconventional. From this general framework, high-performance swimming patterns emerge that qualitatively reproduce canonical gaits observed in nature without requiring domain-specific priors, where state-of-the-art baselines often fail, particularly on complex topologies like a torus. Our work lays a foundation for future opportunities in automated co-design of soft robots in complex hydrodynamic environments. The code is available at <https://github.com/changyu-hu/FreeFlow>.

1 Introduction

Underwater swimming exemplifies nature’s ability to generate versatile movement strategies through free-form morphological adaptations—from the traveling waves of eel-like swimmers to the jet propulsion of cephalopods (Dickinson et al., 2000; Hinch et al., 2012). This diversity in soft-body organisms demonstrates how complex yet efficient control emerges from the interplay between body deformations and fluid dynamics, offering inspiration for bioinspired robotics and adaptive underwater systems. However, exploring such capabilities in artificial free-form soft swimmers poses two challenges. First, unlike articulated rigid-body robots with standardized joint-torque actuation, soft bodies require high-dimensional control policies to coordinate continuum deformations across arbitrary morphologies, lacking a unified control paradigm. Second, learning these policies demands physically-grounded simulations that balance computational efficiency with hydrodynamic fidelity—a tradeoff often skewed toward speed in existing frameworks. As a result, current approaches typically resort to morphology-dependent heuristics, e.g., predefined muscle layouts (Min et al., 2019; Ma et al., 2021) or voxel-aligned contractions (Bhatia et al., 2021), which require fine tuning and restrict exploration of control space. Furthermore, although recent simulation environments (Wang et al., 2023a; Xian et al., 2023) enable data-driven control through simplified fluid models, these approximations omit critical hydrodynamic phenomena like vortex shedding—limiting the discovery of efficient gaits observed in biological swimmers.

To address the limitations of domain-expert, morphology-dependent actuation design, we present a unified control framework that automates both deformation space construction and policy learning

for free-form soft swimmers. Our approach is grounded in a key biological insight (Zhang et al., 2022): natural swimmers exploit spatially low-frequency deformation modes to interact efficiently with fluids, rather than activating the infinitely many degrees of freedom in their soft body. Inspired by this, we introduce morphology-agnostic reduced modes, which compactly encode dominant deformation patterns across arbitrary morphologies with a few parameters. We first leverage geodesic farthest-point sampling to distribute control points adaptively over the swimmer’s body. Coupled with linear blend skinning (LBS), these points define a deformation basis that interpolates coarse motions across the entire body. We propose a dynamics correction process to further adjust deformations to physically plausible configurations while preserving kinematic intent. This approach also ensures motions are entirely driven by internal forces, avoiding unphysical momentum injection.

To address the accuracy-efficiency tradeoff of existing simulation environments, we develop a GPU-accelerated simulator tailored for learning swimming strategy, ensuring both hydrodynamic fidelity and computational efficiency required for reinforcement learning (RL). Our simulator integrates the Lattice Boltzmann Method (HOME-LBM by Li et al., 2023) for fluid dynamics, for its inherent parallelism and physical plausibility. The soft swimmers are modeled as finite elements in order to express different morphologies freely, integrated with the state-of-the-art GPU solver (Chen et al., 2024). We incorporate a two-way coupling framework, ensuring that body deformations dynamically interact with fluid—a mechanism essential for thrust generation. Our simulator supports training policies on a $128 \times 128 \times 512$ grid in only a few hours, successfully reproducing physically plausible swimming phenomena.

We evaluate our framework on a diverse set of 3D soft swimmer morphologies, from bio-inspired fish to unconventional morphologies (Fig. 2), demonstrating universal applicability. Our method achieves observable movement patterns in the majority of tested models in forward swimming task, achieving a 50% higher success rate in learning effective swimming gaits compared to state-of-the-art baselines (Wang et al., 2023a), which struggle to produce meaningful motion for the majority of tested morphologies. Furthermore, it learns sophisticated behaviors like vortex exploitation, which simplified fluid models cannot capture. From this general framework, gaits corresponding to canonical biological swimming strategies (e.g., undulation, oscillation, pulsation) emerge automatically without prior kinematic assumptions, establishing a robust pipeline for automated soft swimmer control.

In summary, our work presents the following contributions:

1. We introduce a unified, reduced mode control framework for free-form soft swimmers that automates policy learning for various morphologies. Our approach significantly reduces reliance on human-designed priors while preserving deformation expressiveness.
2. We present a GPU-accelerated simulator optimized for learning soft-body swimming strategies, enabling efficient RL training while capturing hydrodynamic phenomena critical to swimming.
3. Our experiments demonstrate state-of-the-art swimming performance over prior works across a diverse set of morphologies.

2 Related Work

Unified control for diverse morphologies Many studies on the robot design aim at optimizing general control model for different input structures. Some works are based on articulated rigid bodies due to their simplicity, including Zhao et al. (2020); Gupta et al. (2022); Lu et al. (2025). However, the restriction of degrees of freedom (DoFs) of rigid bodies inhibits them from encoding high-DoF motions. On the other hand, many works turn to soft body design instead, including Bhatia et al. (2021) using mass-spring method and Hu et al. (2019); Wang et al. (2023a,b); Spielberg et al. (2019) using material point method (MPM). Besides, there are other soft-body works based on reduced modes (Zhang et al., 2017; Liang et al., 2023; Barbic and James, 2005) and finite element method (FEM) (Ma et al., 2021; Du et al., 2021; Geilinger et al., 2019; Tan et al., 2012). Leveraging the advantage of efficiency in rigid bodies and flexibility in soft bodies, some studies (Liu et al., 2022; Xu et al., 2021; Xu, 2019; Wang et al., 2019; Li et al., 2024) combine these two representations to form a bone-flesh structure. However, these works focus on actuating soft bodies by rigid link, limiting their control to the underlying rigid joints. The task of optimizing a unified control for soft robot with free structure is still worth exploring. Moreover, most work in this field focuses on terrestrial

robot locomotion, and their extension to swimmers is unobvious and non-trivial due to the high computational costs in fluids simulation and the coupling between fluids and solids.

Robot-learning environments There has recently been an increasing interest in and demand for physics-based learning environments in artificial intelligence and robotics research. Most works (Makoviychuk et al., 2021; Xiang et al., 2020; Todorov et al., 2012; Coumans, 2015; Graule et al., 2022; Huang et al., 2021) focus on high-performance learning environments for simulating and controlling rigid or soft robots alone. Among these works, efforts in building learning environments for fluids are less common due to the computational cost of solving physics-based fluids and solid-fluid interactions. Most existing works (Min et al., 2019; Ma et al., 2018; Ren et al., 2022) build elastic swimmers with biomimetic actuators in simplified fluids and learns their swimming skills with deep RL (Min et al., 2019) or differentiable simulation (Ma et al., 2021). As these simplified fluid models overlook fluid properties (e.g., vorticity and incompressibility) and two-way elastic-fluid coupling, learning advanced swimming skills like jellyfish pulsation and handling multiple swimmers are intrinsically difficult (Min et al., 2019) in these works. There are some works involving the simulation of flow field, including Liu et al. (2022); Wang et al. (2023a); Ma et al. (2021); Holl and Thuerey (2024); Xian et al. (2023), but they either do not support fluid-elastic coupling or suffer from sticking artifacts, which limits their capability of modeling diverse and flexible swimming robots.

Aquatic animal locomotion Animal swimming has long been an intriguing research topic in biology (Dickinson et al., 2000; Hinch et al., 2012) and mechanics (Zhang et al., 2022; Lauder, 2015; Costello et al., 2021). Previous works have identified several distinctive swimming skills commonly shared by aquatic animals which can be divided into three mainstream underwater swimming skills – undulation, oscillation, pulsation – which our pipeline can all automatically discover from their representative swimmers’ morphologies.

3 Swimmer Modeling

Following the body-brain paradigm (Lipson and Pollack, 2000), we model swimmers through two synergistic components: shape (morphology representation) and controller (deformation policy).

3.1 Shape Modeling

We represent the geometry of free-form soft swimmers using a volumetric mesh $\mathcal{M} := \{\mathbf{X}, \mathbf{E}\}$ defined by its rest-shape vertices $\mathbf{X} \in \mathbb{R}^{d \times n}$ and its volumetric element structure $\mathbf{E}$, where $d \in \{2, 3\}$ is the dimension of space and n the number of vertices. We also define the deformed vertices as $\mathbf{x}(t) \in \mathbb{R}^{d \times n}$ and the nodal displacements as $\mathbf{u}(t) = \mathbf{x}(t) - \mathbf{X}$, where t denotes the time. This formulation generalizes across 2D and 3D. While our main results focus on 3D tetrahedral meshes, more 2D results are included in the supplementary materials.

3.2 Controller Modeling

Soft body control can generally be categorized into external and internal approaches. External approaches apply forces directly to the body. While simple to implement, they often violate momentum conservation and tend to drag the body toward the target rather than generating propulsion through fluid interaction. Internal approaches generate forces by specifying muscle fibers within the soft body, preserving momentum and offering more physically realistic behavior. However, existing methods typically define these muscle fibers either manually by domain experts or through morphology-dependent heuristics. As a result, they suffer from limited control expressiveness, low automation, and insufficient generalization across diverse body designs. We propose a novel internal controller that automatically modulates the entire rest shape $\mathbf{X}$ of the soft swimmer, ensuring momentum conservation and morphology-agnostic control.

Kinematic displacement field In order to obtain efficient control across varying mesh resolutions and diverse morphologies, we adopt reduced modes defined by linear blend skinning (LBS, Jacobson et al., 2014) as a compact, low-dimensional control space. We modify the rest shape by kinematically proposed displacements $\mathbf{u}_{\text{kin}}$ constructed through reduced modes derived from geodesic control points.




Figure 1: We use a deformable square bar to illustrate our reduced mode control space. Two LBS control points, p_1 and p_2 , are leveraged to generate motions in this example. (a) Upper left shows the normalized weights distributed on the bar, and w_1 and w_2 are the weights of p_1 and p_2 respectively. (b) The deformed green mesh (left) is generated by applying vertex-wise weighted combinations of rotations $\mathbf{R}$ and translations $\mathbf{t}$ from control points p_1 and p_2 , with weights w_1 and w_2 . The red region indicates the self-inverted elements. Right figure shows the mesh with dynamic correction. (c) Deformation patterns generated by different distributions of control parameters.

We sample m control points $\mathbf{p}_i$ via farthest-point sampling on rest-shape vertices $\mathbf{X}$ with geodesic distance, which takes into account the mesh's topology and reflects the shortest path in the volume of the mesh. The displacement for each vertex $\mathbf{X}_j$ is calculated as a weighted sum of transformations from all m control points:

$$(\mathbf{u}_{\text{kin}})_j = \sum_{i=1}^m w_{ij}(\mathbf{X}_j, \mathbf{p}_i)(\mathbf{R}_i \mathbf{X}_j + \mathbf{t}_i - \mathbf{X}_j) \quad (1)$$

where $\mathbf{R}_i$ and $\mathbf{t}_i$ are learnable rotation and translation modes defined on $\mathbf{p}_i$ and weight w_{ij} determines the influence of control point i on vertex j . This function is defined as a radial basis function (RBF) based on the geodesic distance between the vertex $\mathbf{X}_j$ and the control point $\mathbf{p}_i$ (Fig. 1, a). This formulation assigns higher weights to vertices closer to $\mathbf{p}_i$, producing a smooth and spatially localized blend of transformations (see ablation studies in supplementary for details). The weights are normalized on each vertex. This formulation enables resolution-independent control of free-form deformations with only $6m$ degrees of freedom defined on $\mathbf{p}_i$ ($3m$ for rotation and $3m$ for translation).

Dynamic correction While $\mathbf{u}_k$ provides expressive shape changes, it may introduce inverted elements as the LBS formulation ignores the mesh's volumetric integrity (Fig. 1, b left). Inspired by complementary dynamics (Zhang et al., 2020), we compute a correction $\mathbf{u}_d^*$ by solving a perturbation $\mathbf{u}_d$ from the following energy minimization problem:

$$\mathbf{u}_d^* = \arg \min_{\mathbf{u}_d} \Psi(\mathbf{X} + \mathbf{u}_{\text{kin}} + \mathbf{u}_d, \mathbf{X}) + \frac{1}{2}k\|\mathbf{u}_d\|_2^2 \quad (2)$$

where $\Psi(\mathbf{x}, \mathbf{X})$ is the hyperelastic potential energy of a body in its deformed configuration $\mathbf{x}$ relative to its rest configuration $\mathbf{X}$ (see Sec. 4.1), and k a stiffness coefficient that determines the extent of preserving the original deformation modes. This correction projects the kinematically proposed displacement $\mathbf{u}_k$ onto the manifold of dynamically feasible configurations (Fig. 1, b right), while retaining most of the kinematic deformation modes. The total rest shape deformation $\mathbf{u} = \mathbf{u}_{\text{kin}} + \mathbf{u}_d^*$ consists of both the kinematically proposed displacements and dynamic correction.

Control space properties Compared with previous methods that offer only limited or non-physically plausible actuation, the combined displacement field $\mathbf{u}$ satisfies three critical requirements: (1) *Intrinsic actuation* via rest-shape modulation avoids external momentum injection; (2) *Generality* across arbitrary mesh topologies through geodesic sampling; (3) *Compact dimensionality* with $6m$ parameters ($m \ll n$) achieved through LBS control points enabling efficient RL training. As shown in Fig. 1 c, varying coefficients generates diverse rest-shape changes while maintaining dynamical plausibility.

4 Swimming Simulation

Efficient underwater locomotion involves rich, dynamic interaction with the surrounding fluid, manifesting complex flow phenomena such as vortex shedding, wake capture and reverse Kármán vortex streets. Accurately capturing these effects requires a simulation framework that balances physical fidelity and computational efficiency. Prior work often relies on simplified fluid or coupling models, limiting the expressiveness of swimmer dynamics (Min et al., 2019; Ma et al., 2021). We address this limitation by integrating state-of-the-art fluid and solid solvers with a GPU-accelerated, two-way coupling scheme.

4.1 Elastic Simulation

Given discrete volumetric mesh representation of the soft body, deformed nodal positions $\mathbf{x}$ is governed by the Cauchy momentum equation. The internal elastic forces are derived from the strain energy potential, which depends on the current shape $\mathbf{x}$ and the modulated rest shape $\mathbf{X} + \mathbf{u}$:

$$\mathbf{M}\ddot{\mathbf{x}} + \nabla\Psi(\mathbf{x}, \mathbf{X} + \mathbf{u}) = \mathbf{f}_{\text{ext}}, \quad (3)$$

where $\mathbf{M} \in \mathbb{R}^{dn \times dn}$ is the mass matrix, Ψ the strain energy, and $\mathbf{f}_{\text{ext}}$ the total external force. We discretize time with standard implicit Euler integration to calculate the updated $\mathbf{x}'$ from the current position $\mathbf{x}$ and velocity $\mathbf{v}$ over a time step Δt , by iteratively minimizing the incremental potential at each step (Gast et al., 2015):

$$\min_{\mathbf{x}'} \frac{1}{2\Delta t^2} (\mathbf{x}' - \mathbf{y})^\top \mathbf{M} (\mathbf{x}' - \mathbf{y}) + \Psi(\mathbf{x}', \mathbf{X} + \mathbf{u}), \quad (4)$$

where $\mathbf{y}$ is the inertia term $\mathbf{y} = \mathbf{x} + \Delta t\mathbf{v} + \Delta t^2\mathbf{M}^{-1}\mathbf{f}_{\text{ext}}$, a constant computed at the beginning of the time step. We utilize the state-of-the-art GPU-accelerated solvers dedicated to elastics (Chen et al., 2024) to improve computational efficiency.

4.2 Fluid Simulation

We consider the lattice Boltzmann method (LBM) as our fluid simulator because it allows for explicit computation of updates. Fluid dynamics can be evolved by a mesoscopic distribution function $f(\mathbf{v}_f, \mathbf{x}_f, t)$, which describes the probability of finding a particle at position $\mathbf{x}_f$ with velocity $\mathbf{v}_f$ at time t . The macroscopic quantities of fluid such as density ρ and velocity $\mathbf{v}$ can be derived from f . LBM evolves fluid behavior by tracking distribution functions f at discrete lattice nodes on a Cartesian grid. The time integration proceeds through a collision-streaming scheme:

$$f_i(\mathbf{x} + \mathbf{c}_i\Delta t, t + \Delta t) = f_i(\mathbf{x}, t) + \Omega_i(\mathbf{f}), \quad (5)$$

where f_i is the distribution function for lattice direction $\mathbf{c}_i$ and Ω_i the collision operator which relaxes the distribution function towards a local thermodynamic equilibrium state. We refer interested readers to Lallemand and Luo (2000) for more details.

The explicit nature of LBM's update rule enables massively parallel computation on Cartesian grids. Each lattice node's state is updated independently, minimizing synchronization overhead and maximizing GPU utilization. Our simulator adopts high-order moment-encoded LBM (Li et al., 2023) which achieve higher computational efficiency using less memory while ensuring the accuracy of fluid details.

4.3 Elastic-Fluid Coupling

We adopt a weak two-way coupling strategy that alternately updates the fluid and solid at each time step. Compared with other coupling schemes (e.g. strong coupling), it well balances stability and efficiency in the context of learning soft-body swimming controller. The solid influences the fluid through boundary conditions, while the fluid applies pressure forces back onto the solid, which are numerically estimated over the interface. To address the computational challenges posed by extensive fluid-solid interactions, we further develop a fully parallelized intersection detection method that exploits parallelism across both boundary elements and all lattice directions, resulting in significant performance gains. More details are presented in the supplementary materials.

5 Swimming-Skill Learning

Building upon the reduced-mode control space and high-fidelity elastic-fluid coupling, we model the task of acquiring locomotion skills as a reinforcement learning (RL) problem. Our physical simulator serves as the dynamic environment, where the agent must learn deformation policies that exploit hydrodynamic interactions to generate thrust.

Task modeling and policy training. We model the task as a Markov decision process (MDP) with a state space $\mathcal{S}$ and an action space $\mathcal{A}$. We adopt the standard multi-layer perceptron (MLP) network controller to map the state of a swimmer to actions applied to its actuators. Our simulator serves as the transition function in this MDP that evolves the current state-action pair $(\mathbf{s}, \mathbf{a})$ to the new state $\mathbf{s}'$ after one simulation frame. Each task contains a reward function $R(\mathbf{s}, \mathbf{a}, \mathbf{s}')$ and aims to maximize its discount accumulation in time (Sutton, 2018) $\sum_{i=0} \gamma^i R_i$, where $R_i = R(\mathbf{s}_i, \mathbf{a}_i, \mathbf{s}_{i+1})$ stands for the reward collected in the i -th simulation frame. We train all tasks with the soft actor-critic (SAC) method (Haarnoja et al., 2018), a widely adopted deep reinforcement learning (DRL) method known for its stability, sample efficiency, and ability to handle continuous action spaces effectively.

Unified state representation. Designing an effective state representation for soft swimmers poses unique challenges: (1) their high-dimensional deformations preclude exhaustive state encoding; (2) morphological diversity demands topology-agnostic observations to avoid case-by-case engineering. To address these, we design a morphology-robust state space $\mathbf{s}$ defined as

$$\mathbf{s} = \{\mathbf{x}_{\text{local}}, \mathbf{v}_{\text{local}}, \mathbf{v}_{\text{mean}}, \mathbf{d}, l, \mathbf{a}_{\text{last}}\}, \quad (6)$$

which includes the local positions $\mathbf{x}_{\text{local}}$ and velocities $\mathbf{v}_{\text{local}}$ of a set of sample points on the model, the average velocity of all vertices $\mathbf{v}_{\text{mean}}$, the direction $\mathbf{d}$, distance to the target position l and the action of the last step $\mathbf{a}_{\text{last}}$ for a typical smooth term (see Eq. 7). In our implementation, we take the LBS control points as sample points directly. At each step, we treat the current sample points as a point cloud and solve the Procrustes problem (Solomon, 2015) to obtain closest rotation and translation from its original pose. The positions, velocities, and target direction are then transformed into this local coordinate frame to more effectively capture the local deformation patterns of the soft swimmer and ensure the learned policy is rotation- and translation-invariant by construction.

Action. Leveraging our novel soft-body control representation, we query an action vector $\mathbf{a} \in \mathbb{R}^{6m}$ at each control step, where m is the number of LBS control points (Sec. 3.2). Each control point has 6 degrees of freedom—3 for translation and 3 for rotation—within bounded ranges to ensure plausible motion. The number of control points can be fixed or manually specified, enabling resolution-independent control.

Reward. Since we use LBS control points and the weights are normalized on each vertex, the mapping from the action space to the deformation space is not injective but exhibits some redundancy. For instance, when all the control points take the same action of rotation and translation, there is no actual actuation applied to the model because of the unchanged rest shape. Therefore, we employ a penalty term in the reward to restrict the redundant degrees of freedom in action space. A typical smooth term is also added. The reward is defined as

$$\begin{aligned} R &= R_{\text{task}} + \lambda_{\text{smooth}} p_{\text{smooth}} + \lambda_{\text{reg}} p_{\text{reg}}, \\ R_{\text{task}} &= \mathbf{v}_{\text{mean}} \cdot \mathbf{d}, \\ p_{\text{smooth}} &= -\|\mathbf{a} - \mathbf{a}_{\text{last}}\|_2^2 / (6m), \\ p_{\text{reg}} &= -\|\mathbf{a}\|_2^2 / (6m). \end{aligned} \quad (7)$$

It consists of three components: a task-specific term R_{task} , a smoothness term p_{smooth} with coefficient λ_{smooth} that encourages natural actions, and a regularization term p_{reg} with coefficient λ_{reg} that penalizes redundant actions. The task-specific terms of reward R_{task} is the dot product of velocity and the direction to target. See supplementary materials for details.

Task Setup. Our primary evaluation focuses on the forward swimming task in 3D. To further probe the versatility of our framework, we also introduce three advanced tasks evaluated on a 2D swimmer: target navigation, energy-efficient locomotion, and flow resistance. The detailed setup and results for these tasks are presented in the supplementary materials, demonstrating the framework's adaptability to diverse objectives.




Figure 2: A collection of swimmer morphologies used in our experiments. The top six are bionic morphologies, while the bottom six are abstract morphologies with unconventional topologies.

6 Results

6.1 Experimental Setup

Dataset We construct a novel collection of 12 soft swimmer morphologies (Fig. 2), including 6 bio-inspired and 6 abstract morphologies. The bio-inspired morphologies cover representative swimming mechanisms implemented by aquatic animals after millions of years of evolution in nature: eel-like undulation, octopus-like oscillation, and jellyfish-like pulsation. The abstract morphologies are deliberately designed to test the framework’s ability in unconventional swimming scenarios beyond biological templates—scenarios where effective deformation patterns may not exist. These morphologies intentionally lack obvious deformation pathways for propulsion, forcing the controller to discover novel fluid-structure interaction strategies through exploration. All meshes are normalized to the same scale and tetrahedralized by fTetWild (Hu et al., 2020), comprising about 400 to 1,500 vertices and 1,000 to 6,000 finite elements.

Baselines We evaluate our method against three baselines:

Domain-expert controller. Following expert-designed templates (Lin et al., 2019), we implement manually tuned actuators for well-understood morphologies—axial muscles for clownfish and circular muscles for jellyfish. We directly transfer the clownfish’s muscle design to the eel since they are geometrically analogous. For the torus, we apply four segments of tangential-direction muscles following the actuation approach outlined in DiffPD (Du et al., 2021) for terrestrial environments.

Clustering-based controller. DiffuseBot/SoftZoo (Wang et al., 2023b,a) are two state-of-the-art approaches in soft swimmer control, so we adopt their clustering-based method as one of the SOTA baselines. Following the approach, we segment swimmers into user-defined body regions via K-means clustering on centers of finite elements and then use principal component analysis (PCA) to extract dominant deformation directions for each region to define muscle orientations.

Differentiable controller. We test SoftZoo’s controller design in their open-sourced pipeline (Wang et al., 2023a). For comprehensive comparison, we adapt the framework by freezing morphology and material properties to isolate actuator optimization effects. However, this baseline faces critical technical limitations in our experimental setting: (1) its differentiable MPM simulation becomes numerically unstable beyond 3 seconds of simulated time (compared with 15 seconds in our task), causing gradient explosions that prevent policy convergence; (2) It fails to achieve $128 \times 128 \times 512$ spatial resolution due to memory constraints. These two factors prevent the baseline from completing all 12 experiments under our temporal and spatial settings. We therefore exclude it from quantitative comparisons. Qualitative results in the supplementary materials show that its learned policies tend to repeat similar stretching patterns with limited diversity.

More details for all baselines are provided in our supplementary materials.

6.2 Quantitative Results

As shown in Tbl. 1, our method outperforms baseline controllers across most morphologies in the forward-swimming task. Performances are evaluated by rewards reflecting swimming distance.

Table 1: Normalized reward (mean $\pm$ std over 5 trials) for the forward swimming task. Bold indicates the best performance per morphology; gray entries denote controllers failing to make a visible movement (reward less than 0.3).

Method	Model					
	Clownfish	Eel	Octopus	Leaf	Turtle	Jellyfish
Domain-expert	11.96 $\pm$ 0.10	0.17 $\pm$ 0.06	-	-	-	18.85 $\pm$ 0.42
Clustering-based	-1.12 $\pm$ 0.22	13.2 $\pm$ 1.0	0.15 $\pm$ 0.05	1.78 $\pm$ 0.07	-1.18 $\pm$ 0.16	0.87 $\pm$ 0.13
Ours	10.34 $\pm$ 0.42	6.26 $\pm$ 1.18	-0.03 $\pm$ 0.03	0.88 $\pm$ 0.29	8.67 $\pm$ 0.94	23.43 $\pm$ 1.14
	Torus	Eight	Spiral	Trumpet	Tube	Enneper
Domain-expert	-0.31 $\pm$ 0.31	-	-	-	-	-
Clustering-based	-0.07 $\pm$ 0.01	-0.04 $\pm$ 0.01	-0.13 $\pm$ 0.02	0.16 $\pm$ 0.05	1.02 $\pm$ 0.56	0.20 $\pm$ 0.03
Ours	15.05 $\pm$ 1.27	3.99 $\pm$ 0.43	3.20 $\pm$ 0.37	-0.16 $\pm$ 0.22	3.99 $\pm$ 1.24	12.33 $\pm$ 1.02

Domain-expert designed muscle templates (Fig. 3 bottom two rows) perform well on bio-inspired shapes like the clownfish, achieving up to 115% of our method's performance due to their well-understood swimming patterns. However, this advantage quickly deteriorates on eel (3%), which is geometrically similar but different in proportion of its parts, revealing high sensitivity to geometric changes. Moreover, muscle templates originally optimized for terrestrial locomotion (e.g., torus) exhibit poor transferability underwater (fails), highlighting the limits of human intuition.

The clustering-based controllers implemented by one of the SOTA methods in soft swimmer learning fails to produce effective gaits for 8 out of 12 morphologies and breaks down entirely on abstract shapes, often resulting in unstable oscillations or nearly motionless poses. This is because the clustering method restricts deformations to the principal axes of precomputed muscle fibers, insufficient to produce extensive fluid interaction necessary for effective swimming.

In contrast, our framework demonstrates robust performance, enabling over 80% of the tested morphologies to achieve forward locomotion. This high success rate, particularly on unconventional shapes like the torus and Enneper surface, suggests a broader implication: swimming potential may be a latent property in a wider range of geometries than previously assumed. This generality stems from our automated pipeline, which adapts naturally to diverse topologies, and our novel rest-shape deformation strategy, which enables expressive yet effective motions. Consequently, our framework acts not just as a controller, but as a computational tool to reveal and realize the swimming aptitude of arbitrary designs, challenging prior assumptions about what constitutes a viable swimmer.

Training Stability To address the stochastic nature of reinforcement learning, we evaluated the training stability of our framework. We trained policies for a fish-like swimmer in 2D across six independent runs with different random seeds while keeping all hyperparameters constant. The learning process proved to be highly consistent, with all runs converging to a similar high level of performance. The final mean normalized reward was 6.71 with a low standard deviation of 0.77. The learning curves, which we detail in the supplementary materials, show a stable and monotonic increase in reward, confirming that our method is robust and its performance is reproducible.

6.3 Qualitative Analysis

Our method learns effective swimming strategies across diverse morphologies (Fig. 3), producing biologically plausible motions for novel topologies. Several key observations are summarized below. Please refer to our videos in the supplementary materials for their full motions.

Torus The torus-shaped swimmer achieves propulsion through a periodic deformation cycle, dynamically balancing body-fluid momentum exchange (Fig. 3, a. left). First, the torus undergoes controlled self-twisting into an 8-shaped configuration. Then it obtains angular momentum from fluid and starts to rotate, generating vortex-induced forces for forward motion. In contrast, the clustering baseline struggles to make a movement (Fig. 3, a. right).

Enneper Surface Resembling a saddle-shaped skirt, the swimmer performs rhythmic stretching/relaxation cycles, creating a "dancing" motion that leverages pressure gradients across its curved surface (Fig. 3, b. left). This emergent behavior achieves stable locomotion despite the morphology's




Figure 3: Key frames of some swimmers' motions: (a) torus (b) Enneper surface (c) clownfish (d) jellyfish. Swimmers in (a) and (b) are compared with clustering baseline, while swimmers in (c) and (d) are compared with domain-expert baseline. The structures of fluid field are visualized by extracting the isosurface of q criterion (Hunt et al., 1988) of velocity field.

negative Gaussian curvature. In contrast, the clustering baseline make slight deformation and can hardly move (Fig. 3, b. right).

Eel/Clownfish The controllers produce traveling-wave body undulations (Fig. 3, c. left), qualitatively reproducing the canonical undulatory propulsion common to natural anguilliform (eel-like) and carangiform (fish-like) locomotion (Fig. 3, c. right). Leveraging our realistic LBM fluid simulator, the swimmers effectively harness vortex shedding from the tail for propulsion, closely aligning with biological observations—an effect unattainable in simplified simulation environments (Ma et al., 2021; Wang et al., 2023a).

Jellyfish For the jellyfish, the learned policy is based on pulsation-based propulsion, a canonical swimming mode. However, instead of the synchronized bell contraction common in nature (Fig. 3, d. right), our policy discovers a novel variant that propels fluid through alternating contractions along two mutually orthogonal directions (Fig. 3, d. left). It is worth noting that this strategy achieves higher speed than the domain-expert actuation design described above (Sec. 6.1).

6.4 Extensions to Energetic Efficiency

Beyond maximizing travel distance, a key performance metric for both biological and robotic swimmers is energetic efficiency. To demonstrate that our framework can optimize for such objectives, we conducted an experiment to learn energy-efficient gaits. Following established biomechanics literature Verma et al. (2018), we define energy cost as the total work done by the internal forces to deform the swimmer's body. This physically-grounded metric is efficiently computed at each simulation step.

We augmented the reward function with an energy penalty term: $R_{\text{eff}} = R_{\text{task}} - w_e \cdot E$, where E is the energy cost and w_e is a tunable penalty coefficient. We trained policies for the clownfish morphology with varying w_e and evaluated the trade-off between distance and efficiency using the **Cost of Transport (CoT)**, defined as total energy consumed per meter traveled.

The results in Tbl. 2 show a clear and predictable trade-off. As the energy penalty increases, the learned gaits become more conservative, consuming significantly less energy and achieving a better CoT. An excessively high penalty ($w_e = 0.05$) correctly suppresses movement almost entirely,

Table 2: CoT (lower is better) and travel distance for different energy penalty weights (w_e).

w_e	Forward Distance	Energy Cost	CoT
0 (Baseline)	1.68 m	433.2 J	258.3 J/m
0.005	1.57 m	211.0 J	134.3 J/m
0.02	1.06 m	78.8 J	74.7 J/m (Optimal)
0.05	-0.01 m	0.3 J	N/A

confirming that the policy robustly optimizes the combined objective. This demonstrates the flexibility of our framework to incorporate and optimize for complex, physically-grounded objectives beyond simple locomotion. The precise formulation for the energy cost is detailed in the supplementary material.

6.5 Ablation Studies

In this section, we conduct a series of ablation studies to analyze key components of our method, including the effect of control point count on motion, the selection of geodesic distance in LBS process, the choice of LBM for fluid simulation, and momentum conservation enabled by internal actuators. Results show that: (1) geodesic distance proves critical for capturing geometry-aware deformation modes compared to Euler distance; (2) the number of control points may affect the magnitude and the complexity of the motion, depending on the morphology; (3) our LBM fluid solver captures hydrodynamic details for swimming where simplified fluid model fails; (4) we ablate fluid interactions to show that our internal actuator does not introduce non-physical momentum.

Details including figures and videos can be found in our supplementary materials.

7 Conclusions

This work presents a unified framework for learning to control free-form soft swimmers. By constructing morphology-agnostic reduced control spaces through LBS and dynamics correction, our framework automates actuator design across diverse morphologies, bypassing the need for domain-expert manual design while preserving physical consistency. Coupled with a GPU-accelerated simulator resolving vortex-mediated thrust mechanisms, our approach enables the emergence of bio-inspired gaits without domain-expert priors and generalizes to unconventional morphologies where prior methods fail, and demonstrates robust performance on a range of advanced locomotion tasks.

While our framework advances automated control, several open challenges remain. Our focus on fixed morphologies paves the way for future work in full morphology-control co-design, for which our unified controller and high-fidelity simulator provide a critical foundation. Another significant hurdle is sim-to-real transfer; the policies learned in our idealized environment can serve as a vital baseline for future research aimed at bridging the reality gap. Finally, while our method learns specialized policies, developing a universal controller that generalizes across unseen soft-body geometries in fluid remains a challenging open problem, likely requiring breakthroughs in meta-learning.

Acknowledgments and Disclosure of Funding

We would like to thank Dr. Chao Yu for her valuable advice on reinforcement learning training. Tao Du acknowledges the research funding support from Tsinghua University and Shanghai Qi Zhi Institute, and Wei Li benefits from SJTU’s startup funds.

References

Jernej Barbic and Doug L. James. 2005. Real-Time Subspace Integration for St. Venant-Kirchhoff Deformable Models. *ACM Transactions on Graphics* 24, 3 (2005), 982–990.

- Jagdeep Singh Bhatia, Holly Jackson, Yunsheng Tian, Jie Xu, and Wojciech Matusik. 2021. Evolution gym: a large-scale benchmark for evolving soft robots. In *Proceedings of the 35th International Conference on Neural Information Processing Systems*. Article 169, 14 pages.
- Anka He Chen, Ziheng Liu, Yin Yang, and Cem Yuksel. 2024. Vertex Block Descent. *ACM Transactions on Graphics* 43, 4, Article 116 (2024), 16 pages.
- John H Costello, Sean P Colin, John O Dabiri, Brad J Gemmell, Kelsey N Lucas, and Kelly R Sutherland. 2021. The hydrodynamics of jellyfish swimming. *Annual Review of Marine Science* 13, 1 (2021), 375–396.
- Erwin Coumans. 2015. Bullet physics simulation. In *ACM SIGGRAPH 2015 Courses*. 1.
- Michael H Dickinson, Claire T Farley, Robert J Full, MAR Koehl, Rodger Kram, and Steven Lehman. 2000. How animals move: an integrative view. *Science* 288, 5463 (2000), 100–106.
- Tao Du, Kui Wu, Pingchuan Ma, Sebastien Wah, Andrew Spielberg, Daniela Rus, and Wojciech Matusik. 2021. DiffPD: Differentiable Projective Dynamics. *ACM Transactions on Graphics* 41, 2, Article 13 (2021), 21 pages.
- Theodore F. Gast, Craig Schroeder, Alexey Stomakhin, Chenfanfu Jiang, and Joseph M. Teran. 2015. Optimization Integrator for Large Time Steps. *IEEE Transactions on Visualization and Computer Graphics* 21, 10 (2015), 1103–1115.
- Martin Geilinger, Jonas Zehnder, Christian Schumacher, Bernhard Thomaszewski, Robert W Sumner, and Stelian Coros. 2019. SoftCon: Simulation and Control of Soft-Bodied Animals with Biomimetic Musculature. *ACM Transactions on Graphics* 38, 6 (2019), 1–12.
- Moritz A. Graule, Thomas P. McCarthy, Clark B. Teeple, Justin Werfel, and Robert J. Wood. 2022. SoMoGym: A Toolkit for Developing and Evaluating Controllers and Reinforcement Learning Algorithms for Soft Robots. *IEEE Robotics and Automation Letters* 7, 2 (2022), 4071–4078.
- Agrim Gupta, Linxi Fan, Surya Ganguli, and Li Fei-Fei. 2022. MetaMorph: Learning Universal Controllers with Transformers. In *International Conference on Learning Representations*.
- Tuomas Haarnoja, Aurick Zhou, Pieter Abbeel, and Sergey Levine. 2018. Soft actor-critic: Off-policy maximum entropy deep reinforcement learning with a stochastic actor. In *International conference on machine learning*. PMLR, 1861–1870.
- SG Hinch, SJ Cooke, AP Farrell, KM Miller, M Lapointe, and DA Patterson. 2012. Dead fish swimming: a review of research on the early migration and high premature mortality in adult Fraser River sockeye salmon *Oncorhynchus nerka*. *Journal of Fish Biology* 81, 2 (2012), 576–599.
- Philipp Holl and Nils Thuerey. 2024. Φ_{Flow} (PhiFlow): Differentiable Simulations for PyTorch, TensorFlow and Jax. In *International Conference on Machine Learning*.
- Yuanming Hu, Jiancheng Liu, Andrew Spielberg, Joshua B Tenenbaum, William T Freeman, Jiajun Wu, Daniela Rus, and Wojciech Matusik. 2019. Chainqueen: A real-time differentiable physical simulator for soft robotics. In *2019 International conference on robotics and automation*. IEEE, 6265–6271.
- Yixin Hu, Teseo Schneider, Bolun Wang, Denis Zorin, and Daniele Panozzo. 2020. Fast Tetrahedral Meshing in the Wild. *ACM Transactions on Graphics* 39, 4, Article 117 (2020), 18 pages.
- Zhiao Huang, Yuanming Hu, Tao Du, Siyuan Zhou, Hao Su, Joshua B Tenenbaum, and Chuang Gan. 2021. PlasticineLab: A Soft-Body Manipulation Benchmark with Differentiable Physics. In *International Conference on Learning Representations*.
- Julian CR Hunt, Alan A Wray, and Parviz Moin. 1988. Eddies, streams, and convergence zones in turbulent flows. *Studying turbulence using numerical simulation databases*, 2. *Proceedings of the 1988 summer program* (1988).
- Alec Jacobson, Zhigang Deng, Ladislav Kavan, and J. P. Lewis. 2014. Skinning: real-time shape deformation (full text not available). In *ACM SIGGRAPH 2014 Courses*. Article 24, 1 pages.

- Pierre Lallemand and Li-Shi Luo. 2000. Theory of the lattice Boltzmann method: Dispersion, dissipation, isotropy, Galilean invariance, and stability. *Physical Review E* 61 (Jun 2000), 6546–6562. Issue 6.
- George V Lauder. 2015. Fish locomotion: recent advances and new directions. *Annual review of marine science* 7, 1 (2015), 521–545.
- Muhan Li, Lingji Kong, and Sam Kriegman. 2024. Generating Freeform Endoskeletal Robots. In *The Thirteenth International Conference on Learning Representations*.
- Wei Li, Tongtong Wang, Zherong Pan, Xifeng Gao, Kui Wu, and Mathieu Desbrun. 2023. High-Order Moment-Encoded Kinetic Simulation of Turbulent Flows. *ACM Transactions on Graphics* 42, 6, Article 190 (2023), 13 pages.
- Chen Liang, Xifeng Gao, Kui Wu, and Zherong Pan. 2023. Learning Reduced-Order Soft Robot Controller. *2023 IEEE/RSJ International Conference on Intelligent Robots and Systems* (2023), 574–581.
- Zhaowu Lin, Andrew Hess, Zhaosheng Yu, Shengqiang Cai, and Tong Gao. 2019. A fluid–structure interaction study of soft robotic swimmer using a fictitious domain/active-strain method. *J. Comput. Phys.* 376 (2019), 1138–1155.
- Hod Lipson and Jordan B Pollack. 2000. Automatic design and manufacture of robotic lifeforms. *Nature* 406, 6799 (2000), 974–978.
- Wenji Liu, Kai Bai, Xuming He, Shuran Song, Changxi Zheng, and Xiaopei Liu. 2022. Fishgym: A high-performance physics-based simulation framework for underwater robot learning. In *2022 International Conference on Robotics and Automation*. IEEE, 6268–6275.
- Haofei Lu, Zhe Wu, Junliang Xing, Jianshu Li, Ruoyu Li, Zhe Li, and Yuanchun Shi. 2025. BodyGen: Advancing Towards Efficient Embodiment Co-Design. In *The Thirteenth International Conference on Learning Representations*.
- Pingchuan Ma, Tao Du, John Z Zhang, Kui Wu, Andrew Spielberg, Robert K Katzschmann, and Wojciech Matusik. 2021. DiffAqua: A Differentiable Computational Design Pipeline for Soft Underwater Swimmers with Shape Interpolation. *ACM Transactions on Graphics* 40, 4 (2021), 132.
- Pingchuan Ma, Yunsheng Tian, Zherong Pan, Bo Ren, and Dinesh Manocha. 2018. Fluid directed rigid body control using deep reinforcement learning. *ACM Transactions on Graphics* 37, 4 (2018), 1–11.
- Viktor Makovychuk, Lukasz Wawrzyniak, Yunrong Guo, Michelle Lu, Kier Storey, Miles Macklin, David Hoeller, Nikita Rudin, Arthur Allshire, Ankur Handa, and Gavriel State. 2021. Isaac Gym: High Performance GPU-Based Physics Simulation For Robot Learning.
- Sehee Min, Jungdam Won, Seunghwan Lee, Jungnam Park, and Jehee Lee. 2019. Softcon: Simulation and control of soft-bodied animals with biomimetic actuators. *ACM Transactions on Graphics* 38, 6 (2019), 1–12.
- Bo Ren, Xiaohan Ye, Zherong Pan, and Taiyuan Zhang. 2022. Versatile Control of Fluid-directed Solid Objects Using Multi-task Reinforcement Learning. *ACM Transactions on Graphics* 42, 2, Article 15 (2022), 14 pages.
- Justin Solomon. 2015. *Numerical algorithms: methods for computer vision, machine learning, and graphics*. CRC press.
- Andrew Spielberg, Allan Zhao, Yuanming Hu, Tao Du, Wojciech Matusik, and Daniela Rus. 2019. Learning-in-the-loop optimization: End-to-end control and co-design of soft robots through learned deep latent representations. *Advances in Neural Information Processing Systems* 32 (2019).
- Richard S Sutton. 2018. Reinforcement learning: An introduction. *A Bradford Book* (2018).
- Jie Tan, Greg Turk, and C Karen Liu. 2012. Soft Body Locomotion. *ACM Transactions on Graphics* 31, 4 (2012), 1–11.

- Emanuel Todorov, Tom Erez, and Yuval Tassa. 2012. MuJoCo: A physics engine for model-based control. In *2012 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 5026–5033.
- Siddhartha Verma, Guido Novati, and Petros Koumoutsakos. 2018. Efficient collective swimming by harnessing vortices through deep reinforcement learning. *Proceedings of the National Academy of Sciences* 115, 23 (2018), 5849–5854.
- Bohan Wang, George Matcuk, and Jernej Barbič. 2019. Hand modeling and simulation using stabilized magnetic resonance imaging. *ACM Transactions on Graphics* 38, 4 (2019), 1–14.
- Tsun-Hsuan Wang, Pingchuan Ma, Andrew Everett Spielberg, Zhou Xian, Hao Zhang, Joshua B Tenenbaum, Daniela Rus, and Chuang Gan. 2023a. SoftZoo: A Soft Robot Co-design Benchmark For Locomotion In Diverse Environments. In *The Eleventh International Conference on Learning Representations*.
- Tsun-Hsuan Johnson Wang, Juntian Zheng, Pingchuan Ma, Yilun Du, Byungchul Kim, Andrew Spielberg, Josh Tenenbaum, Chuang Gan, and Daniela Rus. 2023b. Diffusebot: Breeding soft robots with physics-augmented generative diffusion models. *Advances in Neural Information Processing Systems* 36 (2023), 44398–44423.
- Zhou Xian, Bo Zhu, Zhenjia Xu, Hsiao-Yu Tung, Antonio Torralba, Katerina Fragkiadaki, and Chuang Gan. 2023. FluidLab: A Differentiable Environment for Benchmarking Complex Fluid Manipulation. In *The Eleventh International Conference on Learning Representations*.
- Fanbo Xiang, Yuzhe Qin, Kaichun Mo, Yikuan Xia, Hao Zhu, Fangchen Liu, Minghua Liu, Hanxiao Jiang, Yifu Yuan, He Wang, Li Yi, Angel X. Chang, Leonidas J. Guibas, and Hao Su. 2020. SAPIEN: A SimULATED Part-based Interactive ENvironment. In *The IEEE Conference on Computer Vision and Pattern Recognition*.
- Jie Xu. 2019. *Modeling Full-Body Human Musculoskeletal System and Control*. Ph. D. Dissertation. Massachusetts Institute of Technology.
- Jie Xu, Viktor Makoviychuk, Yashraj Narang, Fabio Ramos, Wojciech Matusik, Animesh Garg, and Miles Macklin. 2021. Accelerated Policy Learning with Parallel Differentiable Simulation. In *International Conference on Learning Representations*.
- Dong Zhang, Jun-Duo Zhang, and Wei-Xi Huang. 2022. Physical models and vortex dynamics of swimming and flying: a review. *Acta Mechanica* 233, 4 (2022), 1249–1288.
- Jiayi Eris Zhang, Seungbae Bang, David I. W. Levin, and Alec Jacobson. 2020. Complementary dynamics. *ACM Transactions on Graphics* 39, 6, Article 179 (2020), 11 pages.
- Zhongkai Zhang, Thor Morales Bieze, Jérémie Dequidt, Alexandre Kruszewski, and Christian Duriez. 2017. Visual Servoing Control of Soft Robots Based on Finite Element Model. In *2017 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2895–2901.
- Allan Zhao, Jie Xu, Mina Konaković-Luković, Josephine Hughes, Andrew Spielberg, Daniela Rus, and Wojciech Matusik. 2020. Robogrammar: graph grammar for terrain-optimized robot design. *ACM Transactions on Graphics* 39, 6 (2020), 1–16.

NeurIPS Paper Checklist

The checklist is designed to encourage best practices for responsible machine learning research, addressing issues of reproducibility, transparency, research ethics, and societal impact. Do not remove the checklist: **The papers not including the checklist will be desk rejected.** The checklist should follow the references and follow the (optional) supplemental material. The checklist does NOT count towards the page limit.

Please read the checklist guidelines carefully for information on how to answer these questions. For each question in the checklist:

- You should answer [Yes] , [No] , or [NA] .
- [NA] means either that the question is Not Applicable for that particular paper or the relevant information is Not Available.
- Please provide a short (1–2 sentence) justification right after your answer (even for NA).

The checklist answers are an integral part of your paper submission. They are visible to the reviewers, area chairs, senior area chairs, and ethics reviewers. You will be asked to also include it (after eventual revisions) with the final version of your paper, and its final version will be published with the paper.

The reviewers of your paper will be asked to use the checklist as one of the factors in their evaluation. While "[Yes]" is generally preferable to "[No]", it is perfectly acceptable to answer "[No]" provided a proper justification is given (e.g., "error bars are not reported because it would be too computationally expensive" or "we were unable to find the license for the dataset we used"). In general, answering "[No]" or "[NA]" is not grounds for rejection. While the questions are phrased in a binary way, we acknowledge that the true answer is often more nuanced, so please just use your best judgment and write a justification to elaborate. All supporting evidence can appear either in the main paper or the supplemental material, provided in appendix. If you answer [Yes] to a question, in the justification please point to the section(s) where related material for the question can be found.

IMPORTANT, please:

- **Delete this instruction block, but keep the section heading “NeurIPS Paper Checklist”,**
- **Keep the checklist subsection headings, questions/answers and guidelines below.**
- **Do not modify the questions and only use the provided macros for your answers.**

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope?

Answer: [Yes]

Justification: The main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope.

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [Yes]

Justification: The paper discuss the limitations of the work performed by the authors.

Guidelines:

- The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate "Limitations" section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.

- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory assumptions and proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [NA]

Justification: The paper does not include theoretical results.

Guidelines:

- The answer NA means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental result reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: The paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and conclusions of the paper.

Guidelines:

- The answer NA means that the paper does not include experiments.
- If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same

dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.

- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
 - (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
 - (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
 - (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
 - (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: [\[Yes\]](#)

Justification: We open-source our full codebase—including the GPU-accelerated simulator and training pipelines—at <https://github.com/changyu-hu/FreeFlow>.

Guidelines:

- The answer NA means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so “No” is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental setting/details

Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

Answer: [\[Yes\]](#)

Justification: The paper specify all the training and test details (e.g., data splits, hyper-parameters, how they were chosen, type of optimizer, etc.) necessary to understand the results.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment statistical significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [Yes]

Justification: The paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments compute resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: The paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code of ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>?

Answer: [Yes]

Justification: The research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>.

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [NA]

Justification: There is no societal impact of the work performed.

Guidelines:

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

Answer: [NA]

Justification: The paper poses no such risks.

Guidelines:

- The answer NA means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.

- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [Yes]

Justification: The creators or original owners of assets (e.g., code, data, models), used in the paper, are properly credited and the license and terms of use are explicitly mentioned and properly respected.

Guidelines:

- The answer NA means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.
- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. New assets

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [Yes]

Justification: The new assets introduced in the paper are well documented and the documentation is provided in our open source repository: <https://github.com/changyu-hu/FreeFlow>

Guidelines:

- The answer NA means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. Crowdsourcing and research with human subjects

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional review board (IRB) approvals or equivalent for research with human subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

16. Declaration of LLM usage

Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the core methods in this research? Note that if the LLM is used only for writing, editing, or formatting purposes and does not impact the core methodology, scientific rigorousness, or originality of the research, declaration is not required.

Answer: [NA]

Justification: The core method development in this research does not involve LLMs as any important, original, or non-standard components.

Guidelines:

- The answer NA means that the core method development in this research does not involve LLMs as any important, original, or non-standard components.
- Please refer to our LLM policy (<https://neurips.cc/Conferences/2025/LLM>) for what should or should not be described.