

PROCEEDINGS OF SPIE

Infrared Technology and Applications LII

Gabor F. Fulop
Michael H. MacDougal
David Z. Ting
Masafumi Kimata
Editors

27–30 April 2026
National Harbor, Maryland, United States

Sponsored and Published by
SPIE

Volume 14037

Proceedings of SPIE 0277-786X, V. 14037

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Infrared Technology and Applications LI*, edited by Gabor F. Fulop, Michael H. MacDougall, David Z. Ting, Masafumi Kimata, Proc. of SPIE 14037, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9798902320302

ISBN: 9798902320319 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii *Conference Committee*

COOLED FPAS I

- 14037 02 **LYNRED's extended shortwave infrared product line and recent developments** [14037-1]
- 14037 03 **Recent advances in SWIR sensors by NIT: complement to existing ISR solutions and/or specific usage** [14037-3]
- 14037 04 **Advances in low-persistence high-uniformity SWIR InGaAs FPA technology at Teledyne Technologies** [14037-4]
- 14037 05 **1280×1024 8µm extended SWIR type-II superlattice detectors and camera at i3system** [14037-5]
- 14037 06 **High-definition nBn T2SL MWIR detector with low-RFPN and high-MTF** [14037-6]

COOLED FPAS II

- 14037 07 **T2SL technology developments in MWIR band operating at a high temperature** [14037-7]
- 14037 09 **Advancements in small-pitch high-resolution DWB and HOT MWIR arrays at Leonardo UK** [14037-9]
- 14037 0A **640x512 15µm HgCdTe MWIR detector with a highly linear low-noise focal-plane array for demanding airborne infrared systems** [14037-10]

GRAPHENE AND OTHER NEW IR IMAGING TECHNIQUES

- 14037 0B **Performance of low-dimensional solid infrared detectors: summary (Invited Paper)** [14037-11]
- 14037 0D **Hybrid graphene/InGaAs-based SWIR photodetectors** [14037-12]

UNCOOLED FPAS

- 14037 0E **Enhancing temperature measurement accuracy of SOI diode uncooled IRFPA in shutterless operation using mathematical optimization** [14037-13]

- 14037 OF **Demonstration of thermal infrared imaging using a microbolometer array with single-walled carbon nanotubes** [14037-14]
- 14037 OG **A high-resolution SXGA+8.5µm pitch uncooled IRFPA with improved performances** [14037-15]
- 14037 OH **Performance of achromatic Si-based metalens for LWIR uncooled IRFPA** [14037-16]

FPAS FOR 3D IMAGING AND RANGING

- 14037 OJ **SWIR Geiger-mode APD sensors for covert range-gating and passive target acquisition** [14037-18]
- 14037 OK **3D flash LiDAR fusion on a 640x512 SWIR FPA: depth calibration, TOF characterization, and path to next-gen ROICs** [14037-19]
- 14037 OL **Revolutionizing warfare: eSWIR focal plane cameras in next-generation combat systems** [14037-20]

COOLED FPAS III

- 14037 OO **Extension of p-on-n II-VI HOT technology to the LW and VLW spectral bands at LYNRED** [14037-24]
- 14037 OP **Advancements in strained layer superlattice-based infrared focal plane arrays at L3Harris Technologies** [14037-25]
- 14037 OQ **Latest developments of type-II superlattice products at IRnova** [14037-26]
- 14037 OR **SXGA IR detector solutions at IRnova** [14037-27]
- 14037 OS **Low-dark-current 640×512 type-II superlattice long-wave infrared focal plane array enabled by photolithographic vacuum contact pressure optimization** [14037-28]

IR TECHNOLOGY USE IN SENSORS/SYSTEMS

- 14037 OT **Engineering trade-offs at 2.1µm: SWIR detector-limited performance and hybrid receiver integration beyond NIR** [14037-32]
- 14037 OU **Space-qualified infrared image sensor for space application** [14037-33]
- 14037 OV **Expanding the reach of SWIR sensing for affordable military systems** [14037-34]

ROIC

- 14037 0X **Line-array SWIR image sensor for the next generation of spectroscopy** [14037-37]
- 14037 0Y **Event-driven ROICs optimized for high sensitivity and event throughput at MWIR** [14037-38]
- 14037 0Z **Leonardo UK development of linear mode midinfrared wavelength APD array technology for high- and low-photon flux applications** [14037-39]

ARTIFICIAL INTELLIGENCE II: JOINT SESSION WITH CONFERENCES 14031 AND 14037

- 14037 10 **Parameter-efficient visible-to-thermal adaptation of YOLO-world via modality prompts and LoRA** [14037-40]

CRYOGENIC COOLERS

- 14037 11 **Cryocooler selection and system-level integration: a customer-oriented roadmap** [14037-41]
- 14037 12 **Compact linear piston compressor for low-SWaP cryocooler** [14037-43]
- 14037 13 **Thales rotary cooler efficiency improvement** [14037-44]
- 14037 14 **Integration and experimental validation of a high-performance electronic driver with an ultra-low-power linear split stirling cryocooler** [14037-45]
- 14037 15 **Pulse-tube cryocooler for integrated detector dewar cooler assembly** [14037-66]

NOVEL CONCEPTS FOR IMPROVED IR DETECTION I

- 14037 17 **MWIR assessment of hypersonic models in flight: first results from a new calibrated high-definition stop-motion solution** [14037-47]
- 14037 18 **Pushing the limits of midwave infrared detection with superconducting nanowire single-photon detectors** [14037-48]
- 14037 19 **Simulating effects of cavity detuning on temporal pulse walk-off in a mid-IR pulsed GaSe SPOPO** [14037-49]
- 14037 1A **Cooled IR detectors with integrated optics for detection and imaging applications** [14037-50]

NOVEL CONCEPTS FOR IMPROVED IR DETECTION II

- 14037 1B **High-definition and ultra-high-definition IR camera technology** [14037-51]
- 14037 1C **Enhanced midinfrared photodetection via composite pyramid silicon structures exploiting localized surface plasmons** [14037-52]
- 14037 1D **Improved scene interpretability and detection in LWIR sensors via polarimetric filtering and NEDT mitigation techniques** [14037-53]
- 14037 1E **Demonstration of mid-wave and long-wave resonant cavity infrared detectors at SK Infrared** [14037-54]
- 14037 1F **Design and simulation of novel 2.05 μ m antimonide-based extended short-wave infrared (eSWIR) avalanche photodiode (APD)** [14037-55]

POSTER SESSION

- 14037 1G **Infrared detectivity in p-GeSn/n-Ge junction for multispectral sensing** [14037-56]
- 14037 1H **Weyl semimetal metasurfaces for infrared detection** [14037-57]
- 14037 1I **Graphene/hBN van der Waals heterostructures with metasurfaces for wavelength-reconfigurable infrared sensors** [14037-58]
- 14037 1J **Infrared holographic image projection by all-dielectric metasurfaces** [14037-59]
- 14037 1K **Frequency-aware open-vocabulary object detection for thermal imaging** [14037-60]
- 14037 1L **Impact of exfoliation parameters on the structural characteristics of 2D WSe₂-based detectors** [14037-61]
- 14037 1M **Multispectral pre-fire hazard screening with an exponentially tilted L₁ surrogate: loss-centered analysis on a fixed satellite scaffold** [14037-63]
- 14037 1N **Investigation of heterogeneous integration of GaAsSb with GaP/Si for SWIR applications** [14037-64]