

PROCEEDINGS OF SPIE

6th International Conference on Laser, Optics, and Optoelectronic Technology (LOPET 2026)

Zhongsheng Man
Mohd Syuhaimi Ab Rahman
Editors

15 - 17 May 2026
Zibo, China

Organized by
Shandong University of Technology (China)

Sponsored by
AEIC—Academic Exchange Information Centre (China)

Published by
SPIE

Volume 14314

Proceedings of SPIE 0277-786X, V. 14314

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *6th International Conference on Laser, Optics, and Optoelectronic Technology (LOPET 2026)*, edited by Zhongsheng Man, Mohd Syuhaimi Ab Rahman, Proc. of SPIE 14314, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9798902327318

ISBN: 9798902327325 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi *Conference Committee*

LASER TECHNOLOGY, ULTRAFAST PHOTONICS, AND FIBER OPTICS

- 14314 02 **Design of D-shaped high-sensitivity photonic crystal SPR fiber sensor based on Ag-Al₂O₃ coating** [14314-88]
- 14314 03 **2 μ m narrow linewidth pulsed fiber laser** [14314-46]
- 14314 04 **Self-mixing interference characteristics of a semi-external-cavity dual-frequency He-Ne laser under long-path optical feedback and external-cavity tuning** [14314-90]
- 14314 05 **Optimization of adiabatic vertical conicity coupler based on polynomial curve** [14314-67]
- 14314 06 **Research progress on passively Q-switched all-solid-state lasers based on WS₂ saturable absorbers** [14314-130]
- 14314 07 **Mass trimming of micro-shell resonators by femtosecond laser** [14314-20]
- 14314 08 **Design of optical system for light source homogenization in laser ranging** [14314-72]
- 14314 09 **Tunable channelized filter technology based on the optically injected semiconductor laser** [14314-96]
- 14314 0A **Experimental study on excimer laser scanning etching of Si₃N₄ ceramics** [14314-156]
- 14314 0B **Fabrication and tribological properties of surface microstructures on high-strength steel by shaped flat-top femtosecond laser** [14314-157]
- 14314 0C **A dual-channel high-precision laser temperature control system for low and high-power lasers** [14314-116]
- 14314 0D **Multiphysics-coupling-regulated modeling of a biomimetic bone scaffold with hierarchically ordered functional architectures** [14314-102]
- 14314 0E **Femtosecond laser quasi-3D machining of dielectric refractive index sensors based on diamond** [14314-5]
- 14314 0F **Ultrafast intervalley scattering and excitation-energy-tunable carrier dynamics in SnS₂** [14314-127]
- 14314 0G **Low-frequency on-demand targeting strategy for high-repetition-rate LPP-EUV platforms** [14314-112]

- 14314 OH **Ultrafast relaxation and spatial transport behavior of photogenerated carriers in α -Fe₂O₃: a transient spectroscopic study** [14314-137]
- 14314 OI **Surface exposure curing additive manufacturing porous electrospray thruster electrode** [14314-62]
- 14314 OJ **High-quality large-period HDC modulation structures fabricated via multi-exposure spatial shaping and polarization-controlled femtosecond laser processing** [14314-28]
- 14314 OK **Ultrafast femtosecond laser micromachining of porous silicon nitride emitter arrays for electrospray microthruster applications** [14314-126]
- 14314 OL **Geometric tailoring of asymmetric micro-holes for high-flux oil transport: hydrodynamic mechanisms and separation performance** [14314-143]
- 14314 OM **Influence of protrusions formed by solidified material on the spreading behavior of dissimilar powders in multi-material laser powder bed fusion within a single layer** [14314-160]
- 14314 ON **Collaborative beam shaping of wide-angle white laser using freeform lens and microlens array** [14314-16]
- 14314 OO **Pulse-duration-dependent light scattering of amorphous silicon microspheres excited by femtosecond pulses** [14314-92]
- 14314 OP **Structural design and parameter optimization of an indium self-sealed reference cavity based on finite element simulation** [14314-113]
- 14314 OQ **Laser pointing control for breathing angle compensation in space gravitational wave detection** [14314-134]
- 14314 OR **The modified growth of the InGaAs quantum well via in-situ laser interference patterning** [14314-29]
- 14314 OS **Critical superconductivity terahertz dynamics in YBCO** [14314-165]
- 14314 OT **Efficiency enhancement strategies for solar-pumped Nd:YAG lasers** [14314-101]
- 14314 OU **Effect of substrate temperature on GaAs quantum rings fabricated by in-situ laser irradiation** [14314-30]
- 14314 OV **Design and analysis of an ultra-low-loss graded-index bend-resistant large-mode-area single-mode fiber** [14314-148]
- 14314 OW **High-sensitivity SPR refractive index sensor based on dual C-shaped microstructured optical fiber** [14314-107]
- 14314 OX **Design of a tunable phase-shifted cascaded Bragg grating filter** [14314-76]
- 14314 OY **Prediction of optical properties of photonic crystal fiber based on neural network** [14314-24]

- 14314 0Z **High-uniformity Bessel beam generation through hybrid SA-NM optimization of diffractive axicon** [14314-121]
- 14314 10 **Passive Q-switching in 2 μm solid-state laser using MoWS₄ saturable absorber** [14314-161]
- 14314 11 **Numerical study of electron beam parameter retrieval via coherent transition radiation in laser wakefield acceleration** [14314-85]
- 14314 12 **Ultrafast dynamics of femtosecond laser ablation on zirconium nitride thin films** [14314-142]
- 14314 13 **LIPSS-based stainless steel surface colouration and mechanism investigation** [14314-19]

OPTICAL MATERIALS, METASURFACES, AND INTEGRATED OPTOELECTRONICS

- 14314 14 **Modification of manganese-based materials and their application in zinc-ion batteries** [14314-155]
- 14314 15 **Design of visible light absorber based on TiN metamaterials** [14314-23]
- 14314 16 **Infrared optical windows for electromagnetic interference shielding based on the crack template method** [14314-44]
- 14314 17 **Dual-band wavelength-selective metalens for wavelength-selective focal-plane switching** [14314-147]
- 14314 18 **Cr/TiN eccentric cylinder metasurface for broadband absorber in optical communication band** [14314-45]
- 14314 19 **Dynamic infrared emitter enabled by ultrafast laser-induced In₃SbTe₂ gratings** [14314-129]
- 14314 1A **Synthesis of a novel azobenzene material and its nonlinear optical properties** [14314-163]
- 14314 1B **Strategies for implementing electrical contacts in tunable QD-nanopost single photon source** [14314-2]
- 14314 1C **Study on ultra-precision manufacturing of fused silica optics using gas cluster ion beam technology** [14314-115]
- 14314 1D **A metasurface design method based on an improved Gerchberg–Saxton algorithm** [14314-83]
- 14314 1E **TCAD simulation framework and interface trap-induced degradation mechanism analysis of a-IGZO TFTs** [14314-59]
- 14314 1F **Highly efficient nonreciprocal thermal emission at near-normal incidence driven by a weak magnetic field in hybrid metasurfaces** [14314-12]
- 14314 1G **Nonlinear activation units of optical neural networks designed with transformation optics** [14314-63]

- 14314 1H **A dual circularly polarized 2-bit programmable metasurface** [14314-146]
- 14314 1I **Full-Stokes polarimetry via a titanium dioxide metasurface with hexagonal close-packed arrangement** [14314-14]
- 14314 1J **Simulation and design of $\text{Al}_x\text{Ga}_{1-x}\text{N}/\text{AlN}$ distributed Bragg reflectors for ultraviolet applications** [14314-3]
- 14314 1K **Design and gain characteristic analysis of erbium-doped aluminum oxide slot waveguide amplifiers** [14314-31]
- 14314 1L **Anisotropic diffraction induced by excitation of surface plasmon polaritons in ITO-coated Fe-doped LiNbO_3 crystals** [14314-41]
- 14314 1M **A visible light perfect absorber based on titanium nitride (TiN)** [14314-158]
- 14314 1N **Design and gain characteristic analysis of silicon nitride-based $\text{Er}:\text{Ta}_2\text{O}_5$ large-mode-area waveguide amplifiers** [14314-21]
- 14314 1O **Design of GaN-based broadband circular dichroism chiral metasurfaces in the visible spectrum** [14314-54]
- 14314 1P **Circular dichroism metasurface with all-dielectric and achiral nanostructures** [14314-55]
- 14314 1Q **Simulation study on the photoexcited hyperpolarizability of petroporphyrins and heavy oil compounds** [14314-33]
- 14314 1R **Waveguide device of SiC metasurface for augmented reality** [14314-57]
- 14314 1S **SOI-based compact five-channel mode division (de)multiplexer: design and simulation** [14314-132]
- 14314 1T **Study on VDMOS characteristics in planar gate highly doped JFET region** [14314-133]
- 14314 1U **Photonic anomalous Floquet edge states in the continuum** [14314-74]
- 14314 1V **Triangular metal-islands suppress polarization distortion in array photoconductive antennas** [14314-77]
- 14314 1W **Polarization-responsive photodetection in two-dimensional MXene materials** [14314-8]
- 14314 1X **Polarization-enhanced reflectance of V4C3 thin films near the total internal reflection critical angle at 632.8 nm** [14314-61]
- 14314 1Y **Theoretical design and numerical simulation of pupil-coded liquid crystal tunable filters for spectral imaging** [14314-65]
- 14314 1Z **High light extraction efficiency micro-LED integrated with TiO_2 metasurface** [14314-139]
- 14314 20 **Inverse design of space infrared camouflage device compatible with radiative cooling** [14314-35]

- 14314 21 **High-resolution methane monitoring waveguide spectrometer based on a two-stage cascaded AWG** [14314-154]
- 14314 22 **An anti-resonant hollow-core waveguide-based high-sensitivity fluidic sensor for terahertz applications** [14314-86]
- 14314 23 **Influence of external conditions on the detectivity characteristics of quantum dot infrared photodetectors** [14314-53]
- 14314 24 **Influencing factors of full spatial frequency range surface errors in chemical mechanical polishing of high-power laser optical flats** [14314-99]
- 14314 25 **Energy transfer-enabled efficient white-light phosphor for high color-rendering index white LED** [14314-13]
- 14314 26 **Perovskite photodetectors based on organic hole transport layers** [14314-117]
- 14314 27 **Dual-color quadrant photodetector based on N-I-P-I-N structure with crosstalk suppression** [14314-39]
- 14314 28 **First-principles investigation of anomalous thermal expansion in borate crystals for high-stability optical applications** [14314-71]
- 14314 29 **Effect of Si donor doping concentration in AlGaIn quantum barriers on band alignment and carrier injection in InGaIn blue light-emitting diodes** [14314-105]

OPTICAL IMAGING, PRECISION METROLOGY, AND OPTICAL DETECTION

- 14314 2A **Improved photovoltaic panel defect detection algorithm based on YOLOv11** [14314-69]
- 14314 2B **Error state evaluation method of current transformer based on weight constraint and particle swarm optimization algorithm** [14314-34]
- 14314 2C **Hilbert transform method based on polarization system realizes single exposure analysis of modulation from structured light fringe** [14314-89]
- 14314 2D **Imaging flow cytometry combined with spatial light modulator** [14314-118]
- 14314 2E **Design of a solar radiation simulation device for civil aircraft cockpits and associated comfort experiment** [14314-119]
- 14314 2F **Estimation of the direction of arrival based on the three-channel Rydberg atomic receiver** [14314-66]
- 14314 2G **Laser speckle interferometry-based micro-displacement sensor** [14314-159]
- 14314 2H **Infrared gas cloud detection algorithm based on background subtraction** [14314-36]
- 14314 2I **Infrared image super-resolution algorithm based on global channel attention** [14314-26]

- 14314 2J **Feature of optical wavelength bands associated with propagating positive leader corona system for laboratory-scale lightning-like discharge** [14314-164]
- 14314 2K **Research on light field imaging technology based on microlens** [14314-110]
- 14314 2L **Fast high-precision dual-wavelength digital holography using normalized superimposed cross-correlation spectrum for phase extraction** [14314-100]
- 14314 2M **Solar tracking method via confocal spherical ellipse polarization pattern fitting for polarimetric imaging sensor** [14314-79]
- 14314 2N **Boundary analysis of infrared temperature measurement under limited target coverage** [14314-84]
- 14314 2O **Research on high-speed train fireworks detection based on multiwavelength and multiparameter approaches** [14314-40]
- 14314 2P **Characteristics of global rainbow intensity distribution and inversion study** [14314-111]
- 14314 2Q **Projection correction hybrid-domain CT reconstruction algorithm for 18650 power batteries** [14314-6]
- 14314 2R **Morphology-adaptive convolution for infrared gas plume segmentation** [14314-123]
- 14314 2S **Wearable FBG sensor with a five-bar force-sensitive structure for radial artery pulse wave detection** [14314-136]
- 14314 2T **Inverting the thickness of thin MoS₂ coating in the time-frequency domain through reflective terahertz time-domain spectroscopy** [14314-18]
- 14314 2U **Lightweight and compact high-precision 3D attitude angle measurement research** [14314-98]
- 14314 2V **Research on non-contact measurement device based on dual-telecentric lenses** [14314-93]
- 14314 2W **A hardware-friendly subpixel localization method based on optimized Zernike moments for FPGA implementation** [14314-97]
- 14314 2X **Study on cryogenic lens support structure based on low-stress non-adhesive elastic elements** [14314-152]
- 14314 2Y **Spectral stability enhancement by polarization-resolved LIBS with vector-beam focusing metalens** [14314-104]
- 14314 2Z **Theoretical and experimental study on stray-light suppression in a ground-based near-infrared coronagraph** [14314-9]
- 14314 30 **Research on influence factors in calibration of photoelectric pyrometer by comparison method** [14314-124]

- 14314 31 **Research on the impact of target characteristics on detection performance of infrared imaging systems** [14314-37]
- 14314 32 **A state-of-the-art survey on 3D volumetric data processing for industrial surface irregularity inspection** [14314-120]
- 14314 33 **Hyperspectral imaging for early fire detection: spectral basis, imaging platforms, and challenges** [14314-43]
- 14314 34 **A review of the current research status of deep-sea LiDAR detection technology** [14314-22]
- 14314 35 **Implementation and verification of a real-time high-precision initial pointing algorithm for LEO satellite laser terminals** [14314-68]
- 14314 36 **Sub-band pulse compression and SERVS-based coherent fading suppression for LFM ϕ -OTDR** [14314-109]
- 14314 37 **Design and experimental validation of an internal electric-field measurement system for converter transformers** [14314-15]
- 14314 38 **Coaxial laminar flow-strengthened photothermal lens microscopy** [14314-27]
- 14314 39 **Robust phase demodulation for 3×3 fiber couplers based on 3D-DBSCAN-assisted ellipse fitting under weak-signal conditions** [14314-108]
- 14314 3A **Performance analysis and nonlinear calibration of GP2Y0A21 infrared distance sensor using MATLAB** [14314-80]
- 14314 3B **Research on target azimuth angle identification based on dual-mode vortex light superposition state** [14314-7]
- 14314 3C **Precision measurement of spatial multiparameters for beam transverse displacement and deflection** [14314-75]
- 14314 3D **Precision measurement of spatial parameters for optical field beam waist mismatch in cavity-enhanced systems** [14314-78]
- 14314 3E **Research on multiscale feature fusion and adaptive optimization method for complex light field reconstruction** [14314-131]
- 14314 3F **Research on fusion optics for extending the depth of field and enhancing the resolution of surgical microscopes** [14314-128]
- 14314 3G **A spectra-level modeling workflow for laser-induced breakdown spectroscopy with strict leakage control: a case study of vanadium quantification in steel alloys** [14314-25]
- 14314 3H **Monocular distance estimation: from geometric foundations and deep learning innovations to industrial deployment challenges** [14314-56]
- 14314 3I **Power-dependent effects of terahertz radiation on anxiety-like behavior in male C57BL/6 mice** [14314-47]

- 14314 3J **Underwater sediment particle size detection based on laser curtain and image recognition: method and application** [14314-162]
- 14314 3K **Optical design of a large relative aperture Schmidt spectroscopic imaging system** [14314-125]
- 14314 3L **Infrared radiation and LiDAR image fusion method** [14314-42]
- 14314 3M **Image laser interference removal network driven by transformer and spot loss** [14314-95]
- 14314 3N **A visual SLAM navigation method for unmanned aerial vehicles based on sky polarized light assistance** [14314-145]
- 14314 3O **Analysis of sparse representation for spaceborne infrared remote sensing based on compressed sensing** [14314-166]
- 14314 3P **Rapid identification of low-grade and processed counterfeit ginseng slices using VIS/NIR multispectral imaging and machine learning** [14314-114]
- 14314 3Q **Prioritising geometric saliency: rethinking point sampling as a discriminative mechanism for 3D point cloud learning** [14314-4]