

2026 IEEE/JSAP Symposium on VLSI Technology and Circuits (VLSI Technology and Circuits 2026)

**Honolulu, Hawaii, USA
14-18 June 2026**

IEEE Catalog Number:
ISBN:

CFP26VTS-POD
979-8-3315-8097-1



Copyright © 2026, IEEE

All Rights Reserved

Copyright and Reprint Permissions:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	CFP26VTS-POD
ISBN (Print-On-Demand):	979-8-3315-8097-1
ISBN (Online):	979-8-3315-8096-4
ISSN:	0743-1562

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA

Phone:	(845) 758-0400
Fax:	(845) 758-2633
E-mail:	curran@proceedings.com
Web:	www.proceedings.com

TABLE OF CONTENTS

An 8Bit 4.8GS/s 10.9fJ/Conv.-Step TI-SAR ADC with 4Bit/3Cycle Ping-Pong Architecture and Data-Driven Zero-Overhead Background Calibration.....	1
<i>Changjoo Kim, Sooho Park, Minkyun Shim, Woojin Lee, Hyunjin Kim, Donghwi Seo, Jaeuk Lee, Chulwoo Kim</i>	
Uni4D: A 12nm 0.16mJ/Frame 4D Gaussian Spatial Video Rendering Processor with Unified Deformation and On-Chip Hierarchical Sorting.....	4
<i>Cheng Nian, Xiaorui Mo, Jiaqi Zhang, Jiaying Peng, Fasih Ud Din Farrukh, Yifan Li, Wen Jia, Fei Chen, Liang Lu, Chun Zhang</i>	
3D Orthogonal Die Stacking Technology for DRAM-on-GPU Integration Using Contactless Die-to-Die Interface.....	7
<i>Yuki Mitarai, Masaya Kawano, Hung-Chih Huang, Takafumi Fukushima, Tadahiro Kuroda, Mototsugu Hamada, Atsutake Kosuge</i>	
A Full-MWPM Surface Code Decoder with On-the-Fly Weight Computation and Cross-Platform Adaptability Achieving 1.9×10^{-6} LER and 20.8-ns Decode Time at 4K	10
<i>Haoran Lyu, Yulong Chen, Humiao Li, Zhengke Yang, Wang Liao, Jiamin Li, Longyang Lin</i>	
A 248.5 GFLOPS/mm ² , 1.67 TFLOPS/W Streaming Processor with Hardware-Level Scheduling for Advanced Spectrum Sensing.....	13
<i>Hyunwon Chung, Parin Senta, Jason Yu, Yukun Fang, Pierre Abillama, Kuan-Yu Chen, Ronald Dreslinski, David Blaauw, Hun-Seok Kim</i>	
TinyNPU: A3nm 0.06-134.36 μ J/Token DCIM-Based Ultra Low Power NPU for Always-On Reasoning on Wearables.....	16
<i>Yi-Yen Hsieh, En-Jui Chang, Chieh-Fang Teng, Po-Hua Huang, Hsien-Kai Kuo, Hsing-Chang Chou, Kai-Siang Yang, Shiyi Ou, Chiao-Chun Huang, Cheng-Xin Xue, Wei-Ting Hung, Zhe Wan, Hung-Wei Lin, Gajanan Jedhe, Yi-Chen Chu, Tun-Yi Chang, Chia-Hsien Chou, Kun-Geng Lee, Perry H. Wang, Chetan Deshpande, Jenwei Liang, Chien-Hung Lin, Tsung-Yao Lin, Yucheun Kevin Jou</i>	
A 14b 500MS/s Pipelined-SAR ADC with Loop-Unrolled Correlated Level Shifting and Rapid Sequential Sampling.....	19
<i>Yong Huo, Yuefeng Cao, Minglei Zhang, Yan Zhu, Rui. P. Martins, Chi-Hang Chan</i>	
Breaking Mobility–V _{th} -R _{sd} Trade-off in Oxide Semiconductor FETs: Novel p-NiO Junction Engineering	22
<i>Weibing Hao, Jiawei Xie, Leming Jiao, Jingguang Lu, Chen Sun, Yuxuan Wang, Kai Ni, Gengchiao Liang, Xiao Gong</i>	
A 28nm CMOS-Integrated VCMA-MTJ Dual-Function Macro for Deterministic In-Memory Computing Synapses and Stochastic Poisson Neurons in Hybrid Vision.....	25
<i>Yaoru Hou, Zhihua Xiao, Xuezhao Wu, Shuyu Wang, Zheng Zhu, Di Wu, Jiayong Wang, Yuesheng Li, Hao Cai, Qiming Shao</i>	
A 32Gb/s Optical Receiver Utilizing a Differential TIA with -17.3dBm Sensitivity in a 3D-Stacked Silicon Photonics Platform	28
<i>Georgios Kalogerakis, Sanquan Song, Li Xu, Nandish Mehta, Angad Rekhi, Nikola Nedovic, Benjamin G. Lee, Brian Zimmer, Steve Tell, Yoshinori Nishi, Xi Chen, Ward Lopes, Trey Greer, C. Thomas Gray</i>	

A 16.8-33.6 Gb/s, 0.93pJ/b Direct-Frequency-Tracking Digital CDR with an SSC Profile Replicator for Per-Lane Data-Rate Variation and High Jitter Tolerance Under Deep SSC	31
<i>Jongwha Kim, Yongwoo Jo, Seongyun Min, Juntak Chun, Yuhwan Shin, Hyunjun Song, Seohyeon Kwak, Kwanseo Park, Jaehyouk Choi</i>	
A 16 Mb 28 nm FD-SOI STT-MRAM Achieving 2.0 ns Read Access Time at 0.9 V via a PVT-Variation-Tolerant Dual-Reference Sensing Scheme.....	34
<i>Donguk Seo, Youjin Choi, Mingyu Kim, Heeyeon Kim, Kyungjun Lee, Jaerok Kim, Donggyu Kim, Shin Han, Yoonmyung Lee</i>	
A 300-Channel Photometry Neural Probe with In-Pixel Adaptive-Noise $\Delta\Sigma$ Modulators Achieving 16.8 fA / $\sqrt{\text{Hz}}$ Noise for High-Sensitivity Fluorescence Recording	37
<i>Mengyu Li, Xiaolin Yang, Alejandro Lopez Rodriguez, Bastien Duckert, Pieter Neutens, Valentina Restrepo Jaramillo, Phillippe Coppejans, Carolina Mora Lopez</i>	
Silicon-Oracle (Soracle): A Multi-Modal Autoregressive Model Accelerator for Context-Aware Assistance on Mobile Platform.....	40
<i>Wenao Xie, Zhongqi Li, Jiaer Chen, Jerald Yoo, Hoi-Jun Yoo</i>	
Elucidating the Role of Channel Materials and Interlayers in Ferroelectric NAND	43
<i>Jung-Kyun Kim, Sijung Yoo, Sanghyun Jo, Seung Dam Hyun, Yoonsang Park, Taek Jung Kim, Kihong Kim, Kyung Mee Song, Donghoon Kim, Kyoocho Jung, Jee-Eun Yang, Younjin Jang, Na-Rae Han, Byeong Gyu Chae, Jung Yeon Won, Hyangsook Lee, Jinseong Heo, Yongsung Kim, Sangwook Kim, Duk-Hyun Choe</i>	
A 0.75V, 1.43%-Inaccuracy 4T MOS-Based Voltage Reference in 251 μm^2 Area.....	46
<i>Szu-Lin Liu, Bei-Shing Lien, Wie-Lin Lai, Yi-Chen Lu, Ching-Lin Jen, Yung-Chow Peng, Kenny Cheng-Hsiang Hsieh</i>	
HCNP: A 70.2 TOPS/W Hybrid CIM-NPU Processor with In-Streaming Processing for Energy-Efficient CNN/Transformer Acceleration in HMD	49
<i>Seunghbin Kim, Hoichang Jeong, Dongwook Kim, Jiwon Kim, Kyuho Jason Lee</i>	
A 48V-5V Coupled-Inductor Middle-Switched-Capacitor Hybrid GaN Converter Achieving 156 μH Equivalent Inductance and 30mA Ripple	52
<i>Zhiwen Gu, Hieu Pham, Hanh-Phuc Le</i>	
Decoupling Dual Degradation Pathways in OTS Endurance for High-Reliability Selector-Only Memory	55
<i>Y. S. Song, K. D. Park, W. Lee, K. Lee, H. M. Yang, B. J. Koo, G. Jang, C. H. Lee, W. H. Park, J. H. Park, Z. Wu, S. C. Oh, K. M. Park, S. H. Lee, S. J. Yoon, T. Y. Kim, S. H. Lee, M. Shim, D. S. Kim, S. P. Ko, D. Ha, S. J. Ahn, J. H. Song</i>	
Innovative Performance of 6th Generation 11nm DRAM Cell Transistor for HBM4 Application	58
<i>Shinwoo Jeong, Jiuk Jang, Chulmin Kim, Yuseok Choi, Youngwoo Son, Dongsoo Woo, Hoin Ryu, KyoSuk Chae, Byung-hyun Lee, Sangjoon Hwang</i>	
SR-VLNA: A 5.0-23.9 mJ/meter Spatial Reasoning-based Vision Language Navigation Accelerator for Embodied Agents.....	61
<i>Seryeong Kim, Jongjun Park, Sangmyoung Lee, Hyungnam Joo, Wonhoon Park, Seokchan Song, Junha Ryu, Gwangtae Park, Sangjin Kim, Jiwon Choi, Seongyon Hong, Wooyoung Jo, Hyeonrae Kim, Hoi-Jun Yoo</i>	
A 2D-Extendable 4 8 V-1V Ladder-Series-Capacitor Buck Converter for Computing Power Delivery	64
<i>Zhiguo Tong, Wenjie Yang, Zhewen Yu, Shousheng Han, Rui P. Martins, Yan Lu</i>	

A 16-Channel Neural Recording IC with Spike-Driven Adaptive-Basis Compressive Sensing	67
<i>Sanghoon Lee, Soohyun Yun, Seokho Yoon, Kyungmin Kang, Taejune Jeon, Sang Hoon Park, Ju Young Lee, Won Gi Chung, Jang-Ung Park, Ki Jun Yu, Joonsung Bae, Youngcheol Chae</i>	
A 2 n m 37.4 Mbit / mm ² Dual-Rail SRAM with Row-Access Aware Read Tracking and Write Assist Circuits Enabling 2.28 pJ/Access Energy Efficient Operation	70
<i>Ryo Takamatsu, Makoto Yabuuchi, Masaya Hamada, Tomotaka Tanaka, Shu-Huan Hsu, Yao-Yi Liu, Yuichiro Ishii, Koji Nii, Isabel Wang, Hong-Chen Cheng, Hung-Jen Liao, Tsung-Yung Jonathan Chang</i>	
Topological Semimetal MoP as Future Conductors in Back-End-of-Line: Thin Film Deposition, Resistivity Scaling, Processability, Integration, and Reliability	73
<i>Keun Wook Shin, Hyangsook Lee, Changhyun Kim, Dae-Jin Yang, Young Min Lee, Hyeong-Seok Jang, Yujin Han, Youngchul Leem, Gi-Young Jo, Jeong Yub Lee, Kyung-Eun Byun, Sang Won Kim</i>	
An 80.198um ² Compact TRNG with Bias Mitigation, Proven PVT Tolerance in 4nm.....	76
<i>Yunhyeok Choi, Yong Ki Lee, Bohdan Karpinsky, Jieun Park, Hyunwoo Ko, Yongsoo Kim, Taewook Park, Jisu Kang, Sungha Lee, Gapkyung Kim, Jonghoon Shin, Hyo-Gyuem Rhew</i>	
Demonstration of Cell Multi-Bonding (CMB) Technology for Future Vertical NAND Over 1 k-Layer.....	79
<i>Jeehoon Han, Jaeryong Sim, Seogoo Kang, Junghoon Jun, Jihwan Park, Donghwan Kim, Changyeon Yu, Jongho Lim, Yusik Choi, Changmin Kim, Jisoo Yoon, Seonghwan Kim, Jaehoon Jang, Jaihyuk Song</i>	
A 209 ~ 245GHz CMOS Spectroscopic Transmitter with DTC-Based 4FSK Baseline Elimination and Phase-Offset Calibrated SSPLL for Chip-Scale Molecular Clocks	82
<i>Geyu Qiang, Xiao Luo, Xinyang Chen, Chang Liu, Cheng Wang</i>	
A 5.7-6.8GHz Capacitively-Coupled Series-Assisted Parallel-Resonance VCO Achieving -148.8 dBc/Hz PN, 193.5 FoM, and 202.0 FoM_A at 10MHz Offset	85
<i>Jiang Gong, Long He, Taekwang Jang</i>	
A Monolithic 20W/mm ² 4.8V Input 94.8% Peak Efficiency 2-1 Switched Capacitor Voltage Regulator as First-Stage Current Multiplier for Vertical Power Delivery	88
<i>Minxiang Gong, Nicolas Butzen, Jingshu Yu, Harish Krishnamurthy, Sheldon Weng, Krishnan Ravichandran, Christopher Peltó, Ramiz Ahan, James Waldemer, James Tschanz</i>	
A Multi Stacked Cell Array (MSA) Structure with an Up-Down Crossed Bit Line Architecture (Ud-CBL) in 3D Flash Memory.....	91
<i>Hiroshi Maejima, Katsuaki Isobe, Toshifumi Hashimoto, Masaki Unno, Nobuaki Okada, Tetsuaki Utsumi, Toshiki Hisada, Takao Nakajima, Mitsuhiko Noda, Keisuke Nakatsuka, Masayoshi Tagami, Shinji Suzuki, Shigeki Kobayashi, Keiji Maruyama, Toshiyuki Kouchi, Toshiya Kotani, Hitoshi Shiga</i>	
A Multi-Stacked Cell Array Architecture with Wafer-to-Wafer Cu Direct Bonding for Ultra-High-Density 3D Flash Memory Beyond 1,000 Word Lines.....	94
<i>Mitsuhiko Noda, Susumu Hashimoto, Ryuta Mizumoto, Mamoru Watanabe, Genki Sawada, Kanta Kawasaki, Masahisa Sonoda, Eiji Kamiya, Tetsu Morooka, Keisuke Nakatsuka, Hiroshi Maejima, Shigeki Kobayashi, Shinji Suzuki, Yukihiro Sakotsubo, Kohei Osawa, Shinya Sato, Teiji Shibasaki, Masahiro Yaegashi, Ryoichi Honma, Masayoshi Tagami, Katsuyuki Sekine</i>	

A 256-Channel, 32-Interconnect, 1.25-NEF, in Vitro and In Vivo Neural Interface With Auto-Calibrated Input Impedance Boosting and on-Chip Spike Detection for Flexible Capacitive Microelectrode Array.....	97
<i>Yiyang Chen, Suhyeon Nam, Sun-woong Byun, Pietro Velcich, Shinil Cho, Chanwoo Lee, Ju Young Lee, Sean Weaver, Enrico Brugnotto, Eunkyu Hwang, Dongseok Seo, Eunee Lee, Ki Jun Yu, Woojun Choi, Taekwang Jang</i>	
A 16-Channel 97pA _{rms} 1MHz Bandwidth IC for Solid State Nanopore Sequencing	100
<i>Qiuyang Lin, Wim Sijbers, Yixiong Hu, Eric Beamish, Wouter Botermans, Carolina Mora Lopez, Nick Van Helleputte</i>	
A 75nW BJT-Based Temperature Sensor with $\pm 0.1^{\circ}\text{C}$ Inaccuracy from -40°C to 85°C	103
<i>Jida Peng, Nandor G. Toth, Kofi A. A. Makinwa</i>	
A 4Gb 32-Layer 3D NOR Flash Test Chip with Innovative Design Methods Enabling Sub-100ns Low-Latency Read and Robust Retention.....	106
<i>Hang-Ting Lue, Teng-Hao Yeh, Chih-Chang Hsieh, Tzu-Hsuan Hsu, ChihWei Hu, Chia-Jung Chiu, Guan-Ru Lee, Ken-Hui Chen, Chin-Hung Chang, Keh-Chung Wang, Chih-Yuan Lu</i>	
Different Low-Frequency ($1/f$) Noise Origins in Atomically Thin ALD In ₂ O ₃ TFTs Determined by the Quantum-Confinement Effect.....	109
<i>Sumi Lee, Jian-Yu Lin, Chang Niu, Chun-An Shih, Linjia Long, Muhammad A. Alam, Peide D. Ye</i>	
A 6.78MHz Fractional-Resonance Full-Wave Current-Mode Wireless Receiver with Real-Time SAR-Based Optimum Tracking and Power-Aware Division Control.....	112
<i>Jong-Hun Kim, Seong-Ju Lee, Seogyong Jeong, Mun-Jung Cho, Yeon-Woo Jeong, Min-Sik Kim, Myeong-Ho Kim, Dong-Chan Lee, Min-Gyu Jeong, Geon Kim, In-Hye Hur, Eun-Jae Ko, Se-Un Shin</i>	
A 4.32uW/Ch 256-Channel Neural Probe Integrating In-Situ ADC and Stimulation for Closed-Loop DBS.....	115
<i>Shihui Sun, Yi Zhuo, Weixiong Qiu, Yunxu Zhao, Tianyu Yang, Zhaofeng Huang, Linxiao Shen, Yacong Zhang, Zhongjian Chen, Zhihong Li, Wengao Lu</i>	
A 12-Bit 4-GS/s ADC with PLL-Based Sub-Ranging RO-TDC	118
<i>Yimeng Wang, Xinyang Di, Jingxiang Wang, Hongjiang Chen, Ran Zhang, Sai-Weng Sin, Rui P. Martins, Mingqiang Guo</i>	
A 3D-Conformal Flexible X-Ray Detector with 2.06 pA _{rms} Ultra-Low Noise Readout Circuit Enabling Low-Dose Computed Tomography Imaging.....	121
<i>Zhongqiu Shen, Kaiwen Zhou, Shi Chen, Shen Ye, Zhiliang Hong, Yingguo Yang, Jiawei Xu</i>	
Vertically Stacked Dram Technology for Scaling Evolution	124
<i>Seung Uk Han, Jin-Woo Han, Gyuhwan Oh, Sang-IL Han, Sungmin Park, Juhyun Kim, Taekyong Kim, Taejin Bae, Taegyu Kang, Joongchan Shin, Seongbin Hong, Bowon Yoo, Hongrak Choi, Yujin Kim, Sang Hyun Sung, Kyoseon Choi, ManBok Kim, Jin Kwan Lee, Janghee Lee, Chang Hwa Jung, Jungmin Oh, Myoung Ho Jung, Hojin Lee, Yungjun Kim, Soongun Lee, Kyuman Hwang, Moon-Hyun Cha, Taeyoon An, DK Lee, BC Kim, Dongwan Kim, Kwangho Ahn, Kwangmin Park, Sang Wuk Park, Seung Hun Lee, Sangmin Hwang, Siwoo Lee, Sangjin Hyun, Se Guen Park, Jaihyuk Song</i>	
A 54-to-60GHz Cascaded PLL Featuring Implicit Frequency Doubling and Harmonic-Mixing Phase Detector Achieving 53.8fs _{rms} Jitter and -281.1dB FoM _N	127
<i>Yunbo Huang, Zunsong Yang, Li Wang, Kai Cheng, Hongyu Ren, Xiaoyu Shan, Pui-In Mak, Yong Chen, Bo Li</i>	

Direct Synthesis of Multi-Stacked Channels and Doped Source/Drains for TMD CFETs.....	130
<i>Shinichi Tanabe, Naoya Okada, Toshifumi Irisawa, Hao Cheng, Hitoshi Miura, Hisashi Warashina, Yu-min Huang, Keiichi Nagasaka, Atsuki Fukazawa, Hiroki Maehara</i>	
Intel 18A-P CMOS Technology Enhancement Featuring Advanced RibbonFET (GAA) Transistors and PowerVia for High-Performance Computing	133
<i>A. Bowonder, O. Acton, S. Adhikari, R. Aggarwal, U. Agrawal, J. Armstrong, M. Asoro, C. Auth, M. Aykol, R. Bambery, A. Baran, M. Bhuiyan, S. Burgess, K. Byon, D. Caselli, M. Chakraborty, S. Charue-bakker, A. Chatterjee, P. Chaudhari, S. Cheemalapati, S. Chin, P. Chung, D. Crum, G. Danda, R. K. Das, N. Das, P. Dhar, S. Dhar, G. Di Francesco, M. Dolejsi, J. Epple, T. Ezaz, S. Fathipour, R. Forslund, C. Gaddam, W. Grimm, Y. Gu, B. Guha, W. M. Hafez, C. Han, D. Hanken, D. Harris, M. Hattendorf, P. E. Heil, I. Ho, D. Hong, M. Horsch, A. Hryn, W. Hsu, N. S. Isa, S. Jaloviar, S. Jayawardena, K. Jung, J. G. Kameswaran, V. Kamysbayev, E. Karl, S. Karumuri, S. Kirby, M. Kobrinsky, S. Krishnamurthy, O. Kulkarni, A. Kumar, J. Lahiri, A. Lakhani, G. Lee, S.-H. Lee, W. Li, Y.-A. Liao, C.-H. Lin, W. Lin, Y. Liu, O. Loh, G. Malyavanatham, S. Mandal, S. Mandal, K. Mavrakakis, N. Mehta, M. Mleczko, A. Moore, N. Moumen, H. C. P. Movva, A. Murugavel, S. Nigam, L. Nolan, S. R. Novak, L. Pan, S. Panchamgam, I. Paredes, J. K. Park, J. Parker, R. Patel, P. K. Paul, J. Pauls, L. Pipes, C. Prasad, C. Puls, W. Z. Qiu, R. Ramaswamy, O. Saadat, J. Saunders, A. Sayal, B. Sell, C. Serrao, R. Shah, F. Shah, M. Sharma, V. Shingla, M. Smith, R. Starko-bowes, C.-Y. Su, S. Subramanian, A. Sultana, A. Tanaka, S. Techane, S. Thulasi, D. J. Towner, S. Wadekar, X. Wang, Y.-T. Wu, G. Xu, K. Fischer</i>	
A 0.511 pJ/Bit Data-Independent and Post-Processing-Free 6T-SRAM-Based TRNG Exploiting Differential Bit-Line Leakage	136
<i>Jeongho Kim, Donghyun Park, Hyeri Kang, Minhyeok Jeong, Donguk Seo, Kyungjun Lee, Yoonmyung Lee</i>	
Specter: 376 fps 2.67 nJ/Pixel 4DGS Processor for Spatiotemporal Reconstruction with Contribution-Ordered Rendering and Deformation-Aware Modeling.....	139
<i>Jaе-Young Kim, Teokkyu Suh, Junsoo Lim, Minjun Park, Hyunmin Choi, Jaehа Min, Donghyuk Kim, Joo-Young Kim</i>	
High-Density Backside Connectivity with Remaining Bulk Silicon Substrate Using Self-Aligned Local Backside Dielectric Isolation for Frontside Active.....	142
<i>T. Shigetoshi, P. Zhao, L. Witters, V. Georgieva, D. Montero, R. K. Saroj, P. P. Gowda, T. Altantzis, T. H. Shen, N. Jourdan, B. Kenens, E. Vrancken, J. W. Maes, J. De Vos, G. Beyer, E. Beyne, Z. Tokei, K. Shimizu, Y. Kagawa</i>	
A 2 n m Nanosheet 1 2 8 K b Anti-Fuse One-Time-Programmable Memory Featuring Core-Transistor-Only High Voltage Program Circuit and Fault-Tolerant Design.....	145
<i>Gu-Huan Li, Wan-Hsueh Cheng, Chen-Wei Liang, Shaun Chou, Perng-Fei Yuh, Li-Yu Yeh, Yen-Hsiang Huang, Yi-Ching Liu, Chungi Huang, Duncan Yang, Yih Wang, Tsung-Yung Jonathan Chang, Lien-Jung Hung, Ping-Wei Wang, Chin-Shan Hou, Hsin-Jou Chuang, An-Shun Teng, Li-Ling Luo, Jordan Hsu</i>	
Record-Performance In2O3 FETs with Ultra-Scaled Contacted Gate Pitch: Enabled by Higher-k HZO Linear Dielectric and Novel Ti-Seeded Contact.....	148
<i>Jian-Yu Lin, Zehao Lin, Chang Niu, Chang Liu, Juanjuan Lu, Kisoo Nam, Haiyan Wang, Peide D. Ye</i>	
A 28-GHz Quadrature LO-Phase-Shifting Digital Wave-Locked Loop (WLL) Achieving 57.2-fs _{rms} Jitter, -80.6-dBc Spur _{ref} , and 0.59-μs Near-Integer Lock Time	151
<i>Feifan Hong, Jiawen Chen, Chunxiao Liu, Pingda Guan, Robert B. Staszewski, Teerachot Siriburanon</i>	

A Floating-Inverter Integrator LDO Achieving Near-Zero Line Regulation via Parasitic-Synthesized Supply-Tracking Offset	154
<i>Jaehoon Lee, Yeji Min, Jae-Yoon Sim</i>	
4nm FinFET CMOS Logic Embedded 1T Contact RRAM.....	157
<i>Wei-Hwa Lin, Yen-Yu Liu, Yue-Der Chih, Yih Wang, Jonathan Chang, Ya-Chin King, Chrong Jung Lin</i>	
A 48 V, 25 W, 6.78 MHz Self-Starting Class-D WPT Transmitter with Self-Biasing and Autonomous Clocking Achieving 91% Peak DC-DC Efficiency	160
<i>Saurabh Kale, Bernhard Wicht</i>	
A 50-mm ² Crystal-Free Bidirectional WPDT System with Carrier-Reuse Clocking for Implantable Neural Interfaces	163
<i>Cong Ding, Mingxiang Gao, Shaokang Zhao, Niels Kuster, Armin Tajalli, Mahsa Shoaran</i>	
Automotive-Grade 5 nm Embedded MRAM with Robust Read Margin from –40°C to 150°C via Co-Optimized MTJ and Integration	166
<i>H. Jung, M. Son, W. Chung, J. Shim, Y. Kim, J. Yang, H. Sato, S. Noh, D.S. Kim, J. Choi, H. Kwon, N. Y. Ji, K. Lee, J. Park, C. Kim, W. K. Kim, J. Jung, J.-H. Park, S. H. Han, B. Lee, G. Kang, S. Ko, S. Hyun, S. J. Ahn, J. H. Song</i>	
A 0.0257 mm ² , 1.16 μ W, Mask-Efficient KWS SoC with Hybrid Cap-ROM-IMC/SRAM-NMC and Transfer Learning for Flexible Multi-Keyword Recognition	169
<i>Fei Tan, Zhongyu Zhao, Wei-Han Yu, Ka-Fai Un, Jiawei Xu, Yingzhe Hu, Mahsa Shoaran, Rui P. Martins, Pui-In Mak</i>	
Filter-Free Time-Gated Fluorescence CMOS Biochip with Fast Thermal Cycling for PoC DNA Testing	172
<i>Nicholas Vitale, Mark McDermott, Davood Zare, Arjang Hassibi, Tom Lee</i>	
A 57-71-GHz CMOS Phased-Array Transceiver with Aperture-Tuning Antenna Achieving 47.9-62.2% EIRP Efficiency Improvement	175
<i>Minghao Fan, Yilun Chen, Zheng Li, Ziyuan Ren, Minzhe Tang, Junqing Liu, Yuxuan Liu, Dongfan XU, Zezheng Liu, Yudai Yamazaki, Sena Kato, Kazuaki Kunihiro, Hiroyuki Sakai, Yuncheng Zhang, Kenichi Okada</i>	
A Scalable Distributed Digital LDO Achieving Fast and Accurate Current Balancing.....	178
<i>Sang-Yun Nam, Won-Gyu Kim, Jaeseung Lee, Jun-Hyeok Yang, Sung-Wan Hong</i>	
A 2.05pJ/bit, 212.5Gbps DSP Based Transceiver with 55dB Reach in 3nm FinFET.....	181
<i>M. Gambhir, A. Mostafa, F. Chu, Z. Guo, M. Hasan, A. Hassan, E. Hsiao, Z. Li, P. Liu, F. Lu, M. Singh, Y.-P. Su, D. Visani, D. Zhou, H. Wang, K. Chang, R. Chen, K.-M. Lu, Y.-P. Su, A. Lahiri, P. Ramakrishna, U. Shukla, A. Singh, M. Shannon</i>	
Dual-Phase Offset Compensation and Conditional Latch Gating for a Fully Singleended Dram Core Data-Line Architecture Operating at 0.75 V.....	184
<i>Chang-Young Lee, Young-Seok Park, Hyeon-Jin Park, Dong-Hak Shin, Keon-Woo Park, Se-Ryeong Yoon, Dong-Kyu Lee, Min-Soo Kim, Gi-Jong Sung, Kyu-Chang Kang, Sang-Yun Kim, Hyun-Chul Yoon, Bok-Yeon Won, In-Cheol Nam, Young-Hun Seo, Seung-Jun Bae, Young-Soo Sohn, Sang-Jun Hwang</i>	
TARNA: A 1.18- μ W/Channel Topology-Aware Residual Recurrent CIM Processor for Zero-Shot Seizure Detection	187
<i>Huanshihong Deng, Yiheng Fu, Negin Safari, Cong Huang, Fei Tan, Mahsa Shoaran</i>	

A 5.69 mm ² 6.22 Gbps User-Correlation-Based Hybrid Detector for 1024 × 64 Massive MIMO Systems.....	190
<i>Chen-Chien Kao, Tianyu Wei, Wei Tang, Zhengya Zhang</i>	
A 0.06pJ/b Current-Conveyor-Based Current-Domain Transceiver with DC-Balanced Multi-Transmission-Line PAM Symbol Encoding	193
<i>Seunghee Han, Seokman Kim, Sanghyun Han, Younghwan Kim, Joo-Young Kim</i>	
Hydrogen Overflow as a Novel Negative V _{th} Shift Mechanism in PBTI Universal to Planar and Vertical IGZO FETs.....	196
<i>Reika Ichihara, Akinori Kamiyama, Takao Kosaka, Hiroki Tokuhira, Nobuyoshi Saito, Masaya Toda, Kazuhiro Matsuo, Ken-ichi Haga, Takamasa Hamai, Shoichi Kabuyanagi, Takayuki Tsukamoto, Akihiro Kajita, Masumi Saitoh, Shosuke Fujii</i>	
Monolithic 3D Integration of Stacked IGZO/Si Memtransistor-Based 2T0c Gain Cell for Attention Computation and CFET SRAM-DCIM With Multiple Spectral CNT-Sensors for End-To-End Vision Transformers (Vits) on Edge AI	199
<i>Yanqing Li, Yunjiao Bao, Mingcheng Shi, Shuang Liu, Feixiong Wang, Yi Ding, Xiyang Liu, Yanyu Yang, Yanzhao Wei, Yadong Zhang, Gaobo Xu, Zhaohao Zhang, Yuyan Wang, Heyi Huang, Jianshi Tang, Huaxiang Yin, Xiaolei Wang, Tianchun Ye</i>	
Backside Split-VDD Write-Assist Driven SRAM Macro Scaling in Nanosheet-Era.....	202
<i>A. Singh, D. Abdi, P. Weckx, A. Singh, A. Sharma, D. Biswas, F. Garcia-Redondo</i>	
A Switched Inductor-Capacitor Power Amplifier Supporting 100MHz 256-QAM	205
<i>Yuncheng Zhang, Duo Li, Zihang Zhang, Hiroyuki Sakai, Kazuaki Kunihiro, Kenichi Okada</i>	
A Wireless Pressure Sensor Implant with MRI-Encoded Data Uplink.....	208
<i>Biqi Rebekah Zhao, Alexander Chou, Changuk Lee, Aviral Pandey, Jade Pinkenburg, Liz Murray, Karthik Gopalan, Chunlei Liu, Michael Lustig, Rikky Muller</i>	
Event-Gaze: A 28nm 441μs-Latency 12.88mW SoC for Sparse-Event-Based Dynamic Eye Tracking and Gaze Estimation in XR.....	211
<i>Nealson Li, Che-Kai Liu, Zachary J. Ellis, Connor Talley, Young-Seok Noh, Kevin Patino-Sosa, Visvesh Sathe, Arijit Raychowdhury</i>	
An Innovative DTCO for 2 nm GAA Technology with Hyper-Cells in an Extremely High-Density Library for AI/HPC and Mobile SoC Applications	214
<i>Hakchul Jung, Jinyoung Lim, Ingyum Kim, Jisu Yu, Daeyeon Kim, SoonHo Choi, Bomin Joo, Jaehee Cho, Jiyeun Han, Junil Choi, Jungho Do, Sangdo Park, Sanghoon Baek, Jongshin Shin</i>	
NOVA: A 5.3mJ/Frame Fully Integrated Neural Video SoC with Content-Adaptive Architecture for 4K Real-Time Encoding/Decoding and Processing	217
<i>Youngjin Moon, Sangwoo Ha, Junha Ryu, Jungjun Oh, Jingu Lee, Wooyoung Jo, Minsung Kim, Hoi-Jun Yoo</i>	
A 17.6Gb/s, 39.1pJ/b Tiled Beamspace Training and Detection Processor for mmWave Massive MIMO.....	220
<i>Jiyeon Han, Wei Tang, Cheng-Hsun Lu, Jungho Lee, Upamanyu Madhow, Zhengya Zhang</i>	
A 0.33 pJ/b Differential CMOS Thyristor-Based TRNG with PVT Tolerance and LSB Min-Entropy Preservation in 28nm Process.....	223
<i>Jaerok Kim, Donguk Seo, Yoonmyung Lee</i>	

A SPAD-Based iToF Flash LiDAR Sensor with a Coarse-Fine Operation Scheme Robust Against Strong Background Light	226
<i>Dongseok Cho, Hyun-Seung Choi, Injun Park, Yoondeok Na, Seonghun Yang, Minkyung Yang, Yerin Youn, Jimin Cheon, Myung-Jae Lee, Youngcheol Chae</i>	
A 25.3% Area-Efficient 1CPP Mask ROM with Robust Power Mesh on 2-nm NanoSheet Logic CMOS.....	229
<i>Ryota Watanabe, Kazumasa Uno, Hidemitsu Kojima, Ayumu Yamada, Hiromasa Otsubo, Ted Chu, Tsung-Hsien Huang, Hong-Chen Cheng, Koji Nii, Yih Wang, Tsung-Yung Jonathan Chang</i>	
A 90.6 pJ/pixel 1280×800 65 fps cm-Scale Fully Integrated Video Encoder System Utilizing a 2×2 Microlens Array.....	232
<i>Heejin Yang, Pierre Abillama, Xiangdong Wei, Mohammed Ashfakh Ali Hulusvally, Qirui Zhang, Junhao Chen, Jayeon Yi, Chieh-Shen Chen, Andrea Bejarano-Carbo, Michael Alexander Stankovich, Martin Lentz, Yves Bellouard, Patrick Stockton, James Friel, Andrew Trickey-Glassman, David Blaauw, Dennis Sylvester, Hun-Seok Kim</i>	
A 3.86 TOPS/W TTFS-Based Neuromorphic Image Sensor Featuring Clocked-Recharging SPAD Pixels and Sub-Pixel-Array-Level Processing.....	235
<i>Jung-Hye Hwang, Kieop Hong, Jubin Kang, Jong-Beom Kim, Yunji Hong, Seong-Jin Kim</i>	
A Dynamic Supply Temporal Interference Stimulation ASIC Achieving 70% Peak Power Saving and 21V Compliance with Accurate Charge Balancing.....	238
<i>Haoming Xin, Roland van Wegberg, Stefano Stanzione, Vojkan Mihajlovic, Carolina Mora Lopez, Mario Konijnenburg, Nick Van Helleputte</i>	
A Ka-Band Time-Division Multi-Stream Phased-Array Transmitter with Built-in Spatial Notch Generation for 6G MIMO	241
<i>Minzhe Tang, Ziyuan Ren, Yuxuan Liu, Yilun Chen, Minghao Fan, Dongfan Xu, Haiyun Gu, Zheng Li, Yi Zhang, Jian Pang, Daxu Zhang, Zezheng Liu, Dingxin Xu, Chenxin Liu, Duo Li, Yuncheng Zhang, Chun Wang, Yudai Yamazaki, Sena Kato, Hiroyuki Sakai, Kazuaki Kunihiro, Kenichi Okada</i>	
A 50M Pixels 1.22μm Pitch Pixel Image Sensor with 100dB Single Exposure Dynamic Range by Triple Conversion Gain and LOFIC	244
<i>Yoshiaki Tashiro, Takahiro Toyoshima, Masataka Yamane, Kenichi Okumura, Kota Kimura, Maasa Murata, Takumi Kimura, Kenichiro Anjo, Tomohiro Oohama, Goki Aoki, Shigeto Nishijima, Keisuke Yoshiki, Satoru Umeki, Tetsuhiro Iwashita, Tomoya Ueno, Yorito Sakano, Yusuke Oike</i>	
A 3nm Variation-Tolerant On-Die Current Sensor for Power-Limits Management	247
<i>Fikre Gebreyohannes, Yimai Peng, Sohail Asghar, Khaled ElGammal, John MacHale, Keith O'Donoghue, Keith Bowman</i>	
A 28 nm 0.7 pJ/Bit Optically-Programmable, Fully-Digital Sram-Based Receiver Array with on-Chip Skew Calibration for Energy-Efficient Wireless Data Transfer	250
<i>Yifan He, Sungjin Park, Hangyeol Mun, Xiaofeng Hu, Peter McMahon, Alyosha C. Molnar, Jae-sun Seo</i>	
Spectra: An Asymmetric-Precision Speculative Decoding LLM Accelerator with Product Quantization and Reconfigurable Flip-Flop Buffers in 28Nm CMOS	253
<i>HanGyeol Mun, Jian Meng, Chun-Ting Chen, Hyung Joon Byun, Yifan He, Xiaofeng Hu, Sungjin Park, Jae-sun Seo</i>	

Multiple-Wafer (9-Layer), Extreme Thin (3 μ m-Si per Stack) and Innovative Fusion-Bonded Via-In-One Architecture for High Bandwidth 3D Memory.....	256
<i>S. Morein, P. Mahji, W. Gilmore, C.-L. Lu, S.C. Lin, C.H. Chuang, C.F. Sung, C.H. Chen, C.W. Huang, Y.L. Chang, S.-Z. Chang, Chris Liu, HN Hcueh, Hamy Yeh, PT Chen, Wenliang Chen</i>	
A 144Gbps D-Band Dual-Polarized MIMO High-Density Phased-Array Transceiver in 65nm CMOS for 6G UE.....	259
<i>Yudai Yamazaki, Ryuji Kinugawa, Takumi Kojima, Takaya Uchino, Anyi Tian, Chenxin Liu, Sunghwan Park, Kotaro Ito, Sena Kato, Chun Wang, Minzhe Tang, Takashi Tomura, Yuncheng Zhang, Hiroyuki Sakai, Kazuaki Kunihiro, Kenichi Okada</i>	
First Demonstration of 3D Stacked Fets at Gate Pitch of 42 nm Featuring Triple Stacked Nanosheet Channels for Advanced Logic Applications	262
<i>Donghoon Hwang, Jaeho Jeon, Gwangsik Kim, Seong Kwang Kim, Jiwoo Min, Hyunsoo Kim, Byungho Moon, Jina Kim, Jeongeun Her, Kyutae Jeong, Seongbin Park, Soobin Han, Hyeji Yoon, Jaehun Seo, Younsu Ha, Sandra Shaji, Aravindh Kumar, Tae-Hoi Park, Donghoon Kwon, Junghan Lee, Byoungsoon Lee, Seungmo Ha, Sang-Moon Lee, Do-Sun Lee, Heonjong Shin, Wonchang Lee, Youngchai Jung, Harsono Simka, Seung Hun Lee, Sang Wuk Park, Wookhyun Kwon, Sangjin Hyun, Ilryong Kim, Jaihyuk Song</i>	
A Product-Oriented 3rd-Generation 2nm GAA Platform Technology with Enhanced Speed and Power Efficiency across Nanosheets	265
<i>Seulki Park, Dongchan Jeong, Sanghoon Lee, Seungkwon Kim, Minseong Lee, Byungha Choi, Sada-Aki Masuoka, Chang-Woo Sohn, Sung Won Kim, Younghun Jung, Taeyoung Kim, Ju-Youn Kim, Kichul Park, Hyunjo Kim, Jaehun Jeong, Hee Sung Kang, Yuri Yasuda-Masuoka, Ja-Hum Ku</i>	
Robust Configurable 1.5 MHz/2.5 MHz IF Quadrature CT $\Delta\Sigma$ Modulator Using SAQB and QDNC for 175.4 dB FoMs in 14 Nm FinFET	268
<i>Seong-Eun Cho, Ye-Dam Kim, Jongmi Lee, Yong Lim, Yong-Sik Kwak, Kyoung-Jun Moon, Sangmin Yoo</i>	
A 3200 $\times$ 2880, 120Hz OLED Display Driver IC with Miller-Charge Cancellation (MCC) Achieving a 13.3V / μ s Slew Rate Under Worst-Case Full-Channel Load.....	271
<i>Suyun Chae, Taeksu Kwon, Yousung Park, Insuk Kim, Yeongmin Kim, Siwoo Kim, Hyun-Sik Kim</i>	
First Demonstration of Metal Interconnect At-Resolution Stitching with 0.55NA EUV Lithography for A10 Node and Beyond.....	274
<i>Yannick Hermans, Yu Fang, Bart De Wachter, Vincent Wiaux, Tatiana Kovalevich, Stephane Lariviere, Andrea Mingardi, Ivan Ciofi, Victor Blanco, Sandip Halder</i>	
A 1MHz-BW 90.1dB-SNDR CT Zoom ADC with Mismatch Error Shaping Preserving Full-Scale Input Range	277
<i>Junghyun Yoon, Zhaonan Lu, Yong Lim, Zhichao Tan, Youngcheol Chae</i>	
A Single Exposure 137 dB Dynamic Range CMOS Image Sensor with Low Dielectric Absorption Image Lag.....	280
<i>E. Kosugo, T. Yamanaka, K. Yahata, M. Hayashida, T. Ohashi, K. Matsumoto, M. Aoki, H. Yoshida, K. Watanabe, Y. Kiyofuji, S. Gondo, Y. Sakano, Y. Oike</i>	
5T+1 CFET SRAM with Dual-Bitline-Per-Cell-Height Enabling Differential Readout and 12.5% Area Reduction.....	283
<i>D. Abdi, A. Singh, P. Weckx, A. Sharma, J. Boemmels, S. Yang, L. Verschueren, G. Hellings</i>	

A Split-Inference Intracortical Interface IC for Battery-Free mm-Scale Magnetoelectrically Powered Brain Implants	286
<i>Mustafa Kanchwala, Jianxiong Xu, Mohammad Abdolrazzaghi, Wonjune Kim, Gerard O'Leary, Yu Huang, Junyu Ma, Jose Sales Filho, Sudip Nag, Hanfeng Cai, Qiaosong Deng, Weian Deng, Anush Mutyala, Theeban Kumaresan, Shidu Ren, Chae Lim, Mandana Movahed, Homeira Moradi, George Eleftheriades, Taufik A. Valiante, Jacob T. Robinson, Roman Genov</i>	
Performance Improvement from Subtractive Ruthenium Interconnects with Airgap.....	289
<i>Ananya Dutta, Akshit Peer, Saima Siddiqui, Jonathan Bunyan, Weijie Feng, YuWen Huang, Christopher Jezewski, Robert Jordan, Abinasha Kalita, Joshua Kevek, Emmannuel Khora, Brian Krist, Nikhil Mehta, Matthew Metz, Robert Seidel, En-Min Shih, Supanee Sukrittanon, Mauro Kobrinsky</i>	
First Demonstration of Heterogeneous n-IGZO/p-WSe ₂ Integration as a Power-Performance Area Booster for BEOL Complementary Gain-Cell Memory.....	292
<i>Hong-De Lin, Yuan-Chun Su, Tzu-Chuan Su, Elia Ambrosi, Cheng-Hsien Wu, Cheng-Chen Kuo, Chih-Yu Chang, Hung-Li Chiang, Ting-Hua Wei, Yu-Wei Hsu, Ching-Shuan Huang, Sin-Yue Lee, Wei-Ning Chang, Jui-Han Fu, Vincent Tung, Jack Y.-C. Sun, Chenming Hu, Chih-I Wu, Chao-Cheng Lin, Tuo-Hung Hou, Xinyu Bao, Tsung-En Lee</i>	
A 300mm Monolithic GaN MOSHEMT and Si pMOS Technology Demonstrating Energy-Efficient Multi-Thousand-Gate Digital Logic for Power Management	295
<i>Samuel J. Bader, Heli Vora, Po-Han Chen, Saket Jha, Dimitri Frolov, Isha Khandelwal, Shreyas S. Jayaprakash, Pratik Koirala, Adedapo Oni, Michael Beumer, Prafful Golani, Ahmad Zubair, Thomas Hoff, Andrey Vyatskikh, Marko Radosavljevic, Jagdish Rangaswamy, Ibukunoluwa Momson, Qiang Yu, Said Rami, Soumen Sarkar, Hanh-Phuc Le, Han Wui Then</i>	
A 3.25-Gb/S 0.74-pJ/bit IR-UWB Transmitter Using Edge-Reference Differential Phase Shift Keying (ER-DPSK)	298
<i>Donggun Lee, Kyoungseok Song, Sangho Rhee, Tae Wook Kim</i>	
A Highly Scalable and Noise-Robust Direct Digital Readout (DDRO) for E-Skin Temperature Sensor Arrays Achieving 12.2 pJ/Sensor and 710 ns/Row	301
<i>Kosuke Kayano, Sang-Gyu Koh, Shiyuan Sun, Satoshi Hamasuna, Takaaki Miyasako, Tadasu Hosokura, Takeaki Yajima</i>	
High-Performance 2nm GAA Standard Cell Architecture Exploiting Backside Power Delivery via Dynamic Area Borrowing.....	304
<i>Hyeongyu You, Geonwoo Nam, Jaehee Cho, Minjae Jeong, Jisu Yu, Jungho Do, Hakchul Jung, Sanghoon Baek</i>	
A 2.1- μ m Pixel-Pitch CMOS Image Sensor with 65% MTF/35% QE IR Global Shutter and RGB Rolling Shutter Sequential Operation for In-Cabin Applications	307
<i>Mizuha Hiroki, Tatsuya Takeuchi, Yuta Nakamoto, Yhang R. Silva, Yuki Yoshimura, Hiroki Hagiwara, Ryotaro Takata, Kaihei Hotta, Rui Nishikawa, Yuji Nishimura, Shingo Yamaguchi, Ayumi Takayama, Ryosuke Nakamura, Takahiro Toyoshima, Yorito Sakano, Yusuke Oike</i>	
An IEEE 802.15.4z-Compliant IR-UWB System-on-Chip with 27 dB Self-Interference Cancellation and Reconfigurable TIA for Automotive Radar and Ranging	310
<i>Hyun-Gi Seok, Sinyoung Kim, Wonjun Jung, Junhyeong Kim, Eunhye Park, Yeongdae Kim, Jaekeun Lee, Sumin Kang, Jonghoon Myeong, Duyong Seo, Honggul Han, Hyeonuk Son, Junyoung Jang, Hoon Kang, Chiyoung Ahn, Hyukjun Sung, Wan Kim, Hyun-Chul Park, Chan-Hong Park, Joonsuk Kim</i>	

First Demonstration of High-Precision (15 Bits) Photonic-Electronic Hybrid Compute-in-Memory System Based on FeFET Pockels Photonic Memory	313
<i>Haochen Yu, Yixuan Jiang, Ruihao He, Hao Yu, Zihao Deng, Hongwu Jiang, Shanshi Huang, Zefeng Xu</i>	
A 0.5W/mm ² -Power-Density, 91.6%-Peak-Efficiency, Resonant Dual-Path Interleaved DC-DC Converter.....	316
<i>S. Zaffin, M. Leoncini, A. Bertolini, A. Dago, A. Gasparini, S. Levantino, M. Ghioni</i>	
A Cryo-CMOS Fully-Integrated Superconducting Qubit Reflectometry Readout IC with FCNN-Based Adaptive Drift Mitigation and FIR-DSM-Based Stimulus TX	319
<i>Yanshu Guo, Heyue Li, Siqi Zhang, Jun Shi, Shijie Yin, Qichun Liu, Ning Deng, Zhihua Wang, Tiefu Li, Guoxing Wang, Yuanjin Zheng, Hanjun Jiang</i>	
Improved Backside Contacting for CFET	322
<i>C. Sheng, S. Demuynck, D. Batuk, J. Ganguly, A. Peng, T. Chiarella, P. Eyben, D. Schippers, R. Loo, S. Choudhury, T. Dursap, C. Porret, L. Di Donato, H. Huang, S. Iacovo, A. Mingardi, R. Khazaka, C. P. Cullen, D. Casey, F. Sebaai, P. Puttaram Gowda, R. Kumar Saroj, A. Vandooren, C. Cavalcante, M. Hosseini, J. Mitard, K. Vandersmissen, N. Jourdan, N. Reddy, I. Koo, E. Altamirano Sanchez, A. Sepulveda Marquez, L. P. B. Lima, N. Horiguchi, S. Biesemans</i>	
First EUV-Enabled Integration Route for 50 nm Pitch N and PMOS Transistors with 2D Materials Channel from a 300 mm Fab	325
<i>T. Schram, Q. Smets, G. Arutchelvan, C.-H. Yao, S.A. Chou, M.-Y. Li, D. Batuk, T. Rodrigues, S. Ghosh, P. Kumar, B. Groven, A. Opdebeeck, D.M. Alvarez, Y. Jiang, T. Sarkar, K. Kellens, E. Vrancken, C. R. Da Silva, C. Mogultay, T-H Shen, V. Faramarzi, G. S. Kar, C. J. Lockhart de la Rosa, M. van Dal, A. Yen, I. P. Radu, E. De Poortere</i>	
A 120-MHz BW CT 0-4 MASH DS ADC Employing a 2xTI SAR ADC and a Digital 1-0 MASH DSM DAC in 22nm FDSOI	328
<i>Jonathan Ungethüm, John G. Kauffman, Maurits Ortmanns</i>	
Gleanmer: A 6 mW SoC for Real-Time 3D Gaussian Occupancy Mapping	331
<i>Zih-Sing Fu, Peter Zhi Xuan Li, Sertac Karaman, Vivienne Sze</i>	
Scaling High Density Designs Towards Angstrom Nodes: BEOL Routability, Pin Accessibility Challenges and Impact of Gear Ratio	334
<i>Ji-Yung Lin, Yu-Hua Yang, Halil Kükner, Sheng Yang, Lynn Verschueren, Jürgen Bömmels, Francesco Dell'Atti, Odysseas Zografos, Anita Farokhnejad, Geert Hellings</i>	
Origin and Modeling of the Access-Rate-Dependent Degradation and Dual-Interface Optimization in Ultra-Thin Nanolaminate HZO	337
<i>Chen-Yi Cho, Yu-Ling Shih, Ming-Yeh Lao, Yu-An Chen, Yu-De Lin, Po-Chun Yeh, Shyh-Shyuan Sheu, Tuo-Hung Hou</i>	
A High-Performance Heterogeneous 2T0C DRAM with PSLC-Si/IGZO Complementary Gain Cell for Monolithic 3D Leveraging Capacitive Coupling	340
<i>Jongyoun Park, Heejae Jeong, Jiwoo Won, Junhyeok Lee, Chunghyun Ahn, Sangsu Lee, YoungWoo Cho, Geuntae Park, Sangho Yu, Hyuk-Jun Kwon, Hyun-Yong Yu</i>	
An 800 Gbps/Fiber Silicon Photonic Microring-Based DWDM Transceiver in an Open-Cavity Package.....	343
<i>Cooper S. Levy, Jahnavi Sharma, Zhe Xuan, Duanni Huang, Junyi Gao, Songtao Liu, Xinru Wu, Xiaoxi Wang, Susnata Mondal, Sashank Krishnamurthy, Dan Lake, James E. Jaussi</i>	

Toward Thousands-Layer 3D Nand: Unleashing the Block Size Constraint by Enabling Lateral Sub-Block Mode.....	346
<i>Wei Cao, Takayuki Inoue, Peng Zhang, Jiachen Guo, Xiang Yang, Deepanshu Dutta</i>	
A 0.416-pJ/b, 32-Gb/s 3D-Stacked Optical NRZ Receiver with -18.5-dBm OMA Sensitivity Using Self-Timed Decision Feedback Equalization.....	349
<i>Li Xu, Sanquan Song, Nikola Nedovic, Georgios Kalogerakis, Nandish Mehta, Angad Rekhi, Brian Zimmer, Stephen G. Tell, Yoshinori Nishi, Xi Chen, Ward Lopes, Benjamin G. Lee, Thomas H. Greer, John W. Poulton, C. Thomas Gray</i>	
Ultra Low-Power SRAM Technology on High Performance FinFET Platform for HPC, Mobile, and High-Reliability Applications.....	352
<i>Seunghan Park, Yohwan Park, Tae Hyung Kim, Jinkyu Lee, Hongjeon Kang, Youngjae Seo, Hyungjin Kim, Sunghyuk Ha, Dongjun Kim, Jeongmin Choi, Jongki Jung, Jongjin Ro, Youngmin Park, Jongho Lee, Kyuwon Choi, Dukho Hong, Jongmoo Kim, Hyojong Cho, MinYong Jeong, Aliaksei Ivaniukovich, Taejung Kim, Jaehun Jeong, Ho Lee, Hyun-Jo Kim, Yuri Yasuda-Masuoka, Ja-Hum Ku</i>	
A 6.8W 91.3%-Peak-Efficiency Coupled Micro-Inductor-Based Bidirectional Isolated Converter with Tri-State Magnetic Charging for Battery Active Cell Equalization	355
<i>Bin Chen, Yike Fang, Tao Zhu, Yi Fang, Yuhang Zheng, Longcheng Pi, Jingni Hong, Tianlu Gao, Zheng Qiu, Lian Wang, Lenian He, Xiaopeng Yu, Xugang Ke</i>	
A 12 V-to-1V Scalable 2N-Phase Buck Converter Using 0V-Stress Balancer with Shortest I _L Balancing Path for Parallel IC Expansion in xPU Systems.....	358
<i>Young-Jun Jeon, Chan-Ho Lee, Jong-Woo Jang, Sung-Wan Hong</i>	
Scaling V _{DD} for P-Type 2D-Material Channel Transistor: what Non-Idealities are Still to be Solved.....	361
<i>Chao-Ching Cheng, Ang-Sheng Chou, Edward Chen, Ming-Yang Li, Yu-Wei Hsu, Chia-Chin Cheng, Seong Rae Cho, Haomin Liu, Po-Sen Mao, Wen-Chia Wu, Shuer Ku, Wei-Sheng Yun, Chih-Piao Chuu, Wei-Yen Woon, Lain-Jong Li, Vincent Tung, Chih-I Wu, Iuliana Radu, Min Cao</i>	
First Demonstration of f _{max} >700 GHz in L _g =45 nm In _{0.13} Al _{0.83} Ga _{0.04} N / GaN Hemts for Future 6G Applications	364
<i>S.-W. Son, W.-S. Park, I.-G. Lee, S.-M. Choi, S.-P. Son, S.-H. Kim, J. Byeon, M.-K. Song, H.-K. Ahn, D.-H. Shin, Y.-K. Noh, S.-K. Kim, J. Yun, T. Kim, T.-W. Kim, J.-H. Lee, K. Yang, D.-H. Kim</i>	
A Hybrid LDO with Region-Detection and Power-Supply-Rejection-Based Control Achieving High PSR and Fast Transient Response	367
<i>Yu-Ting Huang, Xiao-Quan Wu, Chi-Yu Chen, Po-Jui Chiu, Chien-Wei Cho, Ke-Horng Chen, Seng-Yu Peng, Tsung-Heng Tsai, Ying-His Lin, Shian-Ru Lin, Tsung-Yen Tsai</i>	
Area and Performance of Staggered-Channel Nanostack SRAM Bitcells	370
<i>Chen Zhang, Carl Radens, Utkarsh Bajpai, Shay Reboh, Shahrukh Khan, Matt Deming, Nikhil Jain, Nick Lanzillo, Indira Seshadri, Debarghya Sarkar, Yann Mignot, Nirmaan Shanker, Stuart Sieg, Imran Younus, Shirin Akter, Feng Liu, Uzma Rana, Susan Fan, Ravi Ramachandran, Tenko Yamashita, Dechao Guo, Huiming Bu</i>	
AlN Buffered K/Ku Bands GaN RF Power HEMTs with in-Situ SiN Silicidation Enabled Low R _C =0.03 Ω · mm at 500 K and Record High P _{out} =25 W/mm.....	373
<i>Kun Zhang, Hong Zhou, Qifeng Lyu, Naigian Zhang, Chenrui Zhang, Jianfei Liu, Yixu Yao, Chenlu Wang, Min Zhou, Zhihong Liu, Sen Huang, Yi Pei, Yue Hao, Jincheng Zhang</i>	

μAgent: A 7nm 404.3mJ/Action Edge SoC for Agentic AI Reasoning with Adaptive Block-Wise Mixed-Format 4-Bit Quantization and Decoupled Access-Execute	376
<i>Wonsuk Jang, Christian Kubicka, Allen Pan, Pullabhatla Smriti, Win-San Khwa, Meng-Fan Chang, Priyanka Raina, Thierry Tambe</i>	
A Monolithic Optical IQ Coherent Receiver in Unmodified Bulk CMOS	379
<i>Samir Nooshabadi, Debjit Sarkar, David Baum, Craig Ives, Ali Hajimiri</i>	
Cryo-CMOS Sub-1K 16nm FinFET DAC for Fast Two-Qubit Gates in Spin Qubits	382
<i>Ilker Polat, Ramon W.J. Overwater, Bagas Prabowo, Stefano Reale, Davide Degli Esposti, Kenji Capannelli, Maximilian Rimbach-Russ, Lieven M.K. Vandersypen, Masoud Babaie, Fabio Sebastiano</i>	
Ultra-Scaled High-K Gate Stacks (Cet 0.9 Nm) Enabled by a Low-Thermal-Budget =ft(500^° Cright) Oxygen-Passivated Interfacial Layer (O-PAS IL).....	385
<i>Y. Morita, T. Kawanago, T. Kamioka, Y. Mitani, T. Nabatame, T. Onaya, N. Fukata, W. Jevasuwan, K. Tsukagoshi, T. Hoshii, K. Toprasertpong, A. Tamura, K. Kita, N. Okada, K. Manabe, W. Mizubayashi, H. Ota, T. Matsukawa, S. Migita</i>	
An in-Ear Sleep Modulation SoC Featuring a CNN–LSTM Accelerator with Long-Kernel Memory Reuse and Runtime Dynamic Quantization.....	388
<i>Yaqian Xu, Xinyu Chen, Yuhan Hou, Jianxiong Xu, Hao You, Yu Huang, Bowen Liu, Ashley Hung, Andrew G. Richardson, Roman Genov, Xilin Liu</i>	
A Versatile On-Chip Jitter Measurement Circuit with Dynamic Quantizer-Resolution Adaptation for Arbitrary Clocks Across 1–8GHz and 20–130ps _{pp} Jitter.....	391
<i>Junseok Lee, Chanwoong Hwang, Jeongbeom Seo, Jaehyoun Choi</i>	
Enhancement-Mode Monolayer WSe ₂ pFETs with Record I _{on} /I _{off} at Contact Length of 30 nm.....	394
<i>Yuan-Chun Su, Ting-Hua Wei, Chenxi Lei, Sunhao Shi, Yu-Wei Hsu, Tzu-Chuan Su, Sin-Yue Lee, Hong-De Lin, Shao-Heng Chen, Hung-Li Chiang, Chao-Cheng Lin, Bo-Heng Liu, Chien-Ying Su, Chi-Chung Ke, Shu-Jui Chang, Chih-I Wu, Chenming Hu, Jui-Han Fu, Vincent Tung, Tsung-En Lee</i>	
Backside-Compatible Oxide Vertical Channel-All-Around Transistors and Cylindrical Capacitors for On-Chip Voltage Conversion at High Power Density	397
<i>Hung-Chun Chou, Song-Hyeon Kuk, Chengyang Zhang, Jungyoun Kwak, Emmanuel Quezada, Eknath Sarkar, Suman Datta, Shimeng Yu</i>	
3D Vertical Fefet Array with Record Endurance ($\frac{3}{4}10^{12}$), Fast Writing (± 2 V, 20 ns), Disturb Immunity, and Kb-Scale Verification for High Density 1T Ram.....	400
<i>Yuejia Zhou, Yuancheng Yang, Liang Chen, Mingxiang Yu, Wenpu Luo, Zhiyuan Ning, Weiqin Huang, Xiaojian Xu, Jing Guo, Runteng Zhu, Hanyong Shao, Zhiliang Xia, Zongliang Huo, Kechao Tang, Ru Huang</i>	
High-Density Chiplet Integration using Face-Down COW Processes with Bumpless Interconnects for Heterogeneous 3D Systems	403
<i>Hideki Kitada, Yoshiaki Satake, Wataru Doi, Naoko Araki, Hiroyuki Ryoson, Norio Chujo, Tatsuya Funaki, Azusa Yagi, Toshiyuki Takasaki, Takashi Yoda, Tadashi Fukuda, Takayuki Ohba</i>	

A 2nm 234.4 TOPS/W and 511.9 TOPS/mm ² Digital Computing-in-Memory Compiler with Multiple MAC Units per Weight and Multiple Data Format Support	406
<i>Hidehiro Fujiwara, Brian Crafton, Haruki Mori, Je-Min Hung, Wei-Chang Zhao, Ashwin Sanjay LeLe, Bo Zhang, Chao-Kai Chuang, Hiroaki Ishii, Cheng-En Lee, Vineet Joshi, Xiaochen Peng, Xiaoyu Sun, Shu-Huan Hsu, Yao-Yi Liu, Takeshi Hashizume, Yu-Hao Hsu, Win-San Khwa, Saman Adham, Yu-Der Chih, Yen-Huei Chen, Hung-Jen Liao, Kerem Akarvardar, Meng-Fan Chang, Tsung-Yung Jonathan Chang</i>	
Scalable and Stackable 2S1M SOT-MRAM Memory Cell Enabled by Two-Terminal Write and Read SNGCT Chalcogenide Selectors	409
<i>E. Ambrosi, S. Ricci, C.C. Kuo, M.Y. Song, C.H. Wu, C.H. Lin, W.H. Lu, C.Y. Hu, C.X. He, X.H. Huang, S. Vaziri, C.F. Hsu, H.Y. Lee, Y.J. Chen, C.C. Lin, C.Y. Lo, H.H. Lee, G.L. Chen, Y.C. Hsin, W.Y. Woon, J.H. Wei, K.S. Li, T.H. Hou, K.L. Lin, C.N. Liu, X.Y. Bao</i>	
A MEMS-Based Throughflow Multimodal Sensor Interface IC for Real-Time Fluid Parameter Monitoring.....	412
<i>A. C. de Oliveira, J. Groenesteijn, Z. Tang, H. Jiang, J. Lötters, R. Wiegerink, K. Makinwa</i>	
A 5GS/s Staggered Working Point Ensemble TRNG with a Stochastic Model Achieving 4064.5 Mbps Entropy-Throughput and 997.6 fJ/Entropy-Bit	415
<i>Shaonan Wu, Ziheng Ma, Bohan Yang, Yuanxiao Wang, Zhiqi Yang, Weinan Chen, Hanning Wang, Min Zhu, Aoyang Zhang, Leibo Liu</i>	
A 10-Bit Source-Driver IC with Mismatch-Resilient Cross-Point DAC Achieving 1223µm ² /Channel and 4.3 mV DVO for Mobile OLED Displays	418
<i>Yousung Park, Hyeong-Joon Kim, Suyun Chae, Jeeyeon Eom, Hyun-Sik Kim</i>	
A 1 2 2 . 2 µ J / Token Reasoning LLM Accelerator with Reinforcement Fine-Tune Featuring Two-Level KV-Cache Compression and Spike-Driven Predictive Update.....	421
<i>Mingxuan Li, Wenjie Ren, Zhuolin Li, Le Ye, Tianyu Jia</i>	
A Robust, Digital-Friendly, Differential and Distributed Supply Monitor Architecture for Automotive SoC in 28nm.....	424
<i>Stefano Bonomi, Frank Praemassing, Sie Boo Chiang, Werner Grollitsch, Roberto Nonis</i>	
Performance Demonstration of Monolayer MoS ₂ Transistors at Cryogenic Temperatures Down to 6 K for Ultralow-Power Electronics.....	427
<i>Zhongyunshen Zhu, Aijia Yao, Patricia Sun, Yixuan Jiao, Mohamed Mohamed, Ji-Hoon Park, Jingxian Li, Jing Kong, Jiadi Zhu, Tomás Palacios</i>	
Monolithic Photonic BiCMOS Technology with 400-GHz SiGe-HBTs and Germanium-Fin Photodiodes	430
<i>S. Lischke, B. Heinemann, D. Steckler, A. Peczek, H. Rücker, C. Mai, A. Kroh, S. Marschmeyer, Y. Yamamoto, A. Krüger, F. Korndörfer, T. Lenke, P. Kulse, O. Fursenko, D. Wolansky, M. Fraschke, K. Dorai Swamy Redd, F. Teply, S. Simon, T. Herbel, R. Huber, D. Kissinger, L. Zimmermann</i>	
A 95.0 dB Dynamic Range Zero-Bias PV Light-to-Digital Converter for Seawater Monitoring with Single Point Calibration	433
<i>Sanghyuck Moon, Ashfakh Hluvallay, Hyunwon Chung, Myeongsu Ko, Seokhyeon Jeong, Jungho Lee, Mohammad Khreishah, Jeongtaek Chang, Hung Do, Caitlyn Sutherland, Jason Kapit, David Nicholson, William Reinhardt, Dennis Sylvester, Mark Miskin, David Blaauw</i>	

A Scalable, Unified Current-Mode $\Delta\Sigma$ Redox/PH Readout with Shared Potentiostat and Flicker-Noise Cancellation for High-Density Electrochemical Sensing.....	436
<i>Joan Aymerich, Gerald Topalli, Jose Cisneros Fernandez, Javier Cuenca Michans, Valentina Restrepo Jaramillo, Chutham Sawigun, Carolina Mora Lopez</i>	
Record-High Power Dissipation (up to 5kW) Heterogeneous Integration Package with Direct-Chips-Attached Microfluidic Module Enabling TIM-Free Liquid Cooling	439
<i>Yong Han, Boon Long Lau, Lai Yee Chia, Sharon Pei Siang Lim, Yong Liang Ye, Hsiang Yao Hsiao, Huicheng Feng, Gongyue Tang, Surya Bhattacharya, Yee-Chia Yeo</i>	
All-Digital Event-Based Vision Sensor with Scene Adaptive Power-Saving Pixels and Three-Layer Neural Network for Object Detection.....	442
<i>Houk Lee, Jaehyeon So, Chanwook Hwang, Woosung Chung, Kihoon Kim, Jaemin Lee, Jonghwan Ko, Jaehyuk Choi</i>	
Flexible Monolithic 3D Integration of RRAM-based CIM, CNT CMOS Circuits and IGZO FET-based Sensor and Display for Augmented Reality Contact Lenses	445
<i>Weijin Wang, Yibei Zhang, Jianshi Tang, Qiqi Zhang, Ziruo Wang, Lei Gao, Haitao Xu, Yanbo Su, Jiaming Li, Ruofei Hu, Zhidong Tang, Kexin Wang, Yijia Fan, Jian Yuan, Peng Yao, Dong Wu, Ning Deng, Bin Gao, He Qian, Huaqiang Wu</i>	
An 8-Element 200-MHz Bandwidth Oversampling Digital Slepian Beamformer	448
<i>Zhengqi Xu, Zhiyuan Zhao, Coleman DeLude, Justin Romberg, Michael Flynn</i>	
Vertically Stacked Five-Word-Line IGZO FeFETs with Dual-Gate-Enabled Stable Erase Toward High-Bandwidth Storage	451
<i>Zhuo Chen, Nicolò Ronchi, Roman Izmailov, Kruti Trivedii, Subhali Subhechha, Devin Verreck, Yang Xiang, Hongwei Tang, Geert Van den Bosch, Attilio Belmonte, Maarten Rosmeulen, Valeri Afanas'ev, Jan Van Houdt</i>	
CPU Cores in GAA with Backside Power: Silicon-Validated Design Insights	454
<i>Manjunath Shamanna, M. Wills, J. Hazra, M. Saif, B. Sell, C-H. Lin, K. Fischer, W. Hafez, B. Grimm, S. Joshi, A. Chatterjee, R. Ramaswamy, E. Fetzer, R. Subramaniam, T. Lustman, J. Glassberg, S. Dhar, X. Wang, R. Varada, S. Saha, S. Mudanai, A. Sarwar, T. Wu, E. Karl, A. Murugavel, S.B. Prakash, H. Markovits, P. Ranade, S. Venkataraman, A. Krishnamoorthy, M. Doyle</i>	
FAB Gain Cell Memory: A Folded Asymmetric Boosted Design to Improve Sense Margin for a Refresh-Free Operation	457
<i>Jay Sonawane, Sunbin Deng, Kiseok Lee, Faaiq Waqar, Chengyang Zhang, Omkar Phadke, Suman Datta, Shimeng Yu</i>	
A Hybrid Processing-In-Sensor Architecture With a Computational Mosaic Array and Residual-Enhanced Analog Skip Connections for Robust Color Vision	460
<i>Hyoungjun Kim, Ethan Chen, Vanessa Chen</i>	
High-Temperature Resilient SiGe Nanosheet PFET RMG Towards Multi-Tiered Sequential Integration	463
<i>Nirmaan Shanker, Shogo Mochizuki, Takashi Ando, Shay Reboh, Thanh Nguyen, Debarghya Sarkar, Eunsoo Cho, Wai-Kin Li, Huimei Zhou, Richard Southwick, Juntao Li, Anisha Pawar, Ruturaj Pujari, Paul Jamison, Su Chen Fan, Brown Peethala, Hemanth Jagannathan, Ravikumar Ramachandran, Tenko Yamashita, Dechao Guo, Huiming Bu</i>	

First Demonstration of Bit-Cost Scalable and BEOL-Compatible Monolithic 4-Tier FeRAM Operating at 125 °C	466
<i>Eknath Sarkar, J. Sonawane, H. Park, E. Quezada, K. Lee, D. Chakraborty, J. Shin, F. G. Waqar, C. Zhang, H. J. Lee, M. Tian, S. Trolrier McKinstry, V. Narayanan, A. I. Khan, S. Yu, Suman Datta</i>	
Workload-Derived AC Bias Temperature Instability and Mechanism Contributions in BEOL Oxide Channel DRAM Access Transistors	469
<i>Hyun Jae Lee, Faaiq Waqar, Hyeonwoo Park, Chengyang Zhang, Jaewon Shin, Eknath Sarkar, Hwan Kim, Changik Im, Min Ji Hong, Daewon Ha, Asif I. Khan, Shimeng Yu, Suman Datta</i>	
Improved Disturb-Free Memory Window, Retention and Endurance in Low-Voltage 3D-FeFETs by Controlling Strain and Trap Properties in Interfacial Layers.....	472
<i>Kunifumi Suzuki, Kiwamu Sakuma, Reika Ichihara, Viktoria Schlykow, Hiroki Tokuhira, Rieko Tanaka, Natsuki Iguchi, Takuma Jike, Kazuhiro Matsuo, Daisuke Hagishima, Makoto Fujiwara, Masumi Saitoh</i>	
Backside Contact Resistivity Reduction for Nanosheet Technologies Beyond 2nm by Backside Nanosecond Laser Anneal Without Impacting the Frontside Cu BEOL	475
<i>Ruilong Xie, Kevin Brew, Wonkeun Chung, Oleg Gluschenkov, Jongjin Lee, Chen Zhang, Nirmaan Shanker, Debarghya Sarkar, Haojun Zhang, Huai Huang, Koichi Motoyama, Byoungsoon Kim, Sangshin Jang, WuKang Kim, Dominic Picciocca, Yasir Sulehria, Wei-Shang Lo, Michael Gribelyuk, Sarabjot Singh, Hosadurga Shobha, Fabio Carta, Richard Johnson, Shay Reboh, Shogo Mochizuki, Erik Milosevic, Tao Li, Kishore Natarajan, Su Chen Fan, Tenko Yamashita, Kisik Choi, Dechao Guo, Kang-Ill Seo, Huiming Bu</i>	
A 3.2 GS / s 2nd -Order Noise-Shaping-Pipelined ADC with 400 MHz-BW 69 dB-SNDR Featuring Gain/Quantizer-Embedded Parallel Voltage/Time-Domain Loop Filter.....	478
<i>Yuhang Peng, Shizhan Mo, Liang Qi, Sai-Weng Sin, Rui P. Martins, Mingqiang Guo</i>	
0.144mm ² Fully-Integrated-Onchip Fast-Converging Background Calibrations for 3-Stage 70.5dB-DR CT Pipelined ADC in 28nm CMOS.....	481
<i>Kai Xing, Zi-Xuan Xu, Xiang-Hui Pan, Yan Zhu, Rui P. Martins, Chi-Hang Chan</i>	
6.5 kV Enhancement-Mode GaN Monolithic Bidirectional Switch (MBDS) Achieving Record Power Figure of Merit	484
<i>Junjie Yang, Jingjing Yu, Hao Chang, Yunhong Lao, Jiawei Cui, Han Yang, Xuelin Yang, Xiaosen Liu, Maojun Wang, Bo Shen, Jin Wei</i>	
An 11B Source-Driver IC with Resistor-Resistor-Embedded (RRE) DAC and Multi-Step Offset Calibration Achieving 1723 μm^2 /Channel and 1.6 mV DVO for 6285-PPI OLED-On-Silicon Displays.....	487
<i>Chong-Hwa Bae, Hyeon-Ho Park, Wiman Yoo, Junghwan Oh, Dong-Hyun Kim, Gang-Bae Park, Mungyu Kim, Chankeun Kwon, Dongwan Ha, Jong-Seok Kim</i>	
Atomic Layer Deposition of Epitaxial Semimetal Contacts for 2D Transistors.....	490
<i>Huije Ryu, Jongwon Lee, Sangmin Jeon, Gwangsik Jeon, Yoonhoo Ha, Young Min Lee, Dongmin Kim, Hyun Mi Lee, Joung Eun Yoo, Eun-Kyu Lee, Eun-Hyoung Cho, Jaehyoung Lee, Yongjoon Shin, Chanyoung Yoo, Sungnam Lyu, Seunghun Lee, Sangjin Hyun, Yongsung Kim, Cheol Seong Hwang, Do-Sun Lee, Kyung-Eun Byun, Changhyun Kim</i>	
A 28nm 2GS/s Remote-Sensing On-Chip Oscilloscope Using Charge-Redistributing Voltage Transfer and Time-Domain Stochastic ADC with 1.6mV Resolution	493
<i>Minyoung Kang, Dongkwon Lee, Sangsu Jeong, Kwanghyun Shin, Dongsuk Jeon</i>	

A Fully-Buried Transfer Gate and Polysilicon Wire: Noise Enhancement Technology for CMOS Image Sensors with 2-Layer Pixels	496
<i>Changkyu Lee, Myunghae Seo, Jihun Lim, Sooyeon Kim, Minho Jang, Jongeun Park, KeunYeong Cho, Jinyoung Kim, Minkwan Kim, Yongkun Jo, YoonSeok Kim, Dami Park, Gyunha Park, Jiyoun Song, Sungmin Son, Yongsang Park, Hajin Lim, Jonghyun Go, Jaihyuk Song</i>	
A 1.5-to-20.5 GHz Intrinsic-Spurious-Rejection Real-If Dual-Translation Transceiver Chipset Achieving 10-Gb/s 1024-QAM and 5- μ s Hopping	499
<i>Dongze Li, Yichi Sun, Wei Deng, Xiangyu Nie, Fuzhi Xue, Haikun Jia, Liangjiang Zhou, Rui Wu, Baoyong Chi</i>	
Unified Digital Thermal-Voltage Sensor for Thermal Management in Intel 18A/Intel 3	502
<i>Shanshan Xie, Gregory K. Chen, Phil C. Knag, Hikmet Seha Ozturk, Visvesh S. Sathe, Carlos Tokunaga, James W. Tschanz</i>	
ESD and Circuit Performance DTCO in 2nm CMOS Nanosheet Technology	505
<i>Tao-Yi Hung, Li-Wei Chu, Wun-Jie Lin, Jam-Wem Lee, Kuo-Ji Chen</i>	
A 4.8 V 16nm Stackable Hybrid Fully Integrated Voltage Regulator with in-Package Magnetic Inductors Featuring Automatic Voltage and Current Sharing Between Stacks.....	508
<i>Jingshu Yu, Suhwan Kim, Harish K Krishnamurthy, Minxiang Gong, Zakir K Ahmed, Sheldon Weng, Krishnan Ravichandran, James W Tschanz, Vivek De</i>	
A CMOS Energy Harvesting System Integrating SIDO/DISO Continuously-Scalable-Conversion-Ratio SC Converter and Energy-Recycling BSI Photovoltaics	511
<i>Minsung Kim, Daehong Kim, Minjae Kim, Joongyu Kim, Byeongwoo Yoo, Sung-Yun Park</i>	
A 19.4mW 2.5GS/s Pipelined-SAR ADC Achieving 60.8dB SNDR Employing a Dual-Zero-Compensation Ring Amplifier.....	514
<i>Jingxiang Wang, Kaize Zhang, Xiuyuan Zhao, Hongjiang Chen, Haoyu Li, Sai-Weng Sin, Rui P. Martins, Mingqiang Guo</i>	
A 10-MHz Integrated Voltage Regulator with Cycle-Accurate and Lightweight Predictive Control Achieving 5-mV Off-Chip Droop.....	517
<i>Haochang Zhi, Shaojie Xu, Kaize Zhou, Zhangrui Qian, Shengdao Ren, Tianshu Liu, Jintao Li, Yun Li, Weiwei Shan, Wanyuan Qu</i>	
A Compact Magnetically Coupled Dual-Mode Class-F ⁺ VCO Covering 5.8–9.97 GHz with 196.2 dBc/Hz FoM and 70-320 kHz 1/f ³ Corner Without Harmonic Tuning	520
<i>Yue Wu, Yatao Peng, Jiawei Li, Fenggen Yuan, Wenhua Gong, Jun Yin, Rui P. Martins, Pui-In Mak</i>	
Interfacial-Layer-Free NCFETs Achieving 2 mV Hysteresis, 27 mV /dec SS, 2 mV/V DIBL, and Record 2088 μ A / μ m Ion at V _{DS} =V _{ov} =0.5 V	523
<i>Min-Kuan Lin, Jhih-Yuan Liang, Ying-Qi Liu, Wei-Jen Chen, Jui-Yu Hsu, Xuan-Hao Wu, Jie-Ni Dai, YanJyun Chen, Bo-Hui Yu, Zhi-En Fan, Yi-Ming Mei, Ming-Hao Lee, Ming-Wen Chu, Pin Su, Chenming Hu, C. W. Liu</i>	
VSIMO: A DC-DC SIMO-based Current Mismatch Compensator Supporting Per-Output Bidirectional Power Flow for Stacked Voltage Domains Achieving >82% System Efficiency under up to 360-mA Load Mismatch.....	526
<i>Yichen Xu, Shahreer Ahmed Al Hossain, Baoqi Zhu, Suhwan Kim, Ram K. Krihshnamurthy, Xin Zhang, Mingoo Seok</i>	

A 4Mb 3Bits/Cell RRAM Macro in 12nm FinFET Technology with the Smallest 0.019 μm^2 Bit-Cell, 100K-Cycle Endurance and 10 Years Retention up to 125°C.....	529
<i>Yuan He, Kaimeng Liu, Jianshi Tang, Cong Sun, Wei Chang, Chengxiang Ma, Haotian Mao, Huan Qiao, Kun Wang, Falong Zhou, Songchun Xu, Yilin Shen, Zhen Zhu, Mingcheng Shi, Xurui Zhu, Kun Wang, Xiangchao Ma, Dong Wu, Peng Yao, Bin Gao, He Qian, Huaqiang Wu</i>	
A 12.9-Gb/s CMOS W-Band Polarization-Modulated Active Relay Transceiver Supporting Concurrent Dual-Polarized Dual-Stream Relay Operation.....	532
<i>Yifu Li, Rui Wang, Yuchao Mei, Xinyu Sui, Xu Luo, Zheng Wang, Hanwen Shi, Qingbin Li, Wenlong Sun, Chuanhan Zhang, Yi Zhang, Jing Jin, Lin-Sheng Wu, Jian Pang</i>	
A 1V Time-Division-Multiplexed 4-Channel 3 rd -Order NS-SAR ADC with 178.8dB FoM M _{DR} and 5.8G Ω Input Impedance for Wearable Dry-Contact Biopotentials	535
<i>Geunha Kim, Sehwan Lee, Taeryoung Seol, Kyuhyeon Park, Jeongyoon Wie, Minoo Lee, Seokhan Jeong, Yeonjae Shin, Sangkyu Lee, Byeongwoo Koo, Michael Choi, Junghyup Lee</i>	
High-Performance Normally-Off IGZO FeFETs with Thermally Stable Ru S/D for Power-Efficient Memory Arrays.....	538
<i>Jee-Eun Yang, Seung Dam Hyun, Ha-Jun Sung, Hojung Kim, Chang Seung Lee, Kyoocho Jung, Jung-Kyun Kim, Youngkwan Cha, Ki Deok Bae, Garam Park, Kwang-Hee Lee, Moonil Jung, Daehyuk Son, Younjin Jang, Na-Rae Han, Hyerim Hong, Seung-Geol Nam, Duk-Hyun Choe, Sangwook Kim, Jinseong Heo</i>	
A 91.9dB-SNDR 100kHz-BW DT $\Delta\Sigma$ ADC Employing Thermal Noise Suppression Techniques with Gain-Switched Dynamic Self-Quenching FIA.....	541
<i>Ximing Wang, Jiaao Yu, Yunjie Chen, Haoming Zhang, Yuyang Zhu, Tetsuya Iizuka</i>	
A 1.58-W/mm ² Extreme-Power-Density Ka-Band GaN PA with Electro-Thermal-Mechanical Co-Design in CMOS+GaN Heterogeneous Integration	544
<i>R. Matthew Ma, H. Bruce Bao, S. Sarah Feng, Zhiyu Liu, Yi Pei, Man Hoi Wong, C. Patrick Yue</i>	
A 28nm 44.15TFLOPS/W and 1.57TFLOPS/mm ² Joint-Alignment Floating-Point CIM Macro with ISO26262 ASIL-D Safety Level for Autonomous Driving	547
<i>Zhen He, Yiqi Wang, Zhiheng Yue, Zihan Wu, Yang Hu, Fengbin Tu, Shouyi Yin</i>	
Depletion-Mode III-V/Si SISCAP Mach-Zehnder Modulator Breaking the Efficiency-Bandwidth Trade-off for Co-Packaged Optics.....	550
<i>Donggil Kang, Shin Hyung Lee, Jae-Hoon Han, Jongmin Kim, Seok-Geun Ahn, Minhyuk Jung, Hyun-Chul Jung, SangHyeon Kim</i>	
A Fully Integrated, GBW-Enhanced Tri-Loop, Maximum Ripple Rejection Tracking Analog LDO Achieving Better Than -25.5dB PSR Up to 1GHz and 13ns Settling Time.....	553
<i>Yunbeom Hwang, Yongkeon Kwon, Minkyu Song, Seongjun Shin, Junseo An, Jun-Eun Park</i>	
A 40nm 24.85-to-80.59 TFLOPS/W FP8 Computing-in-Memory Macro with Outlier-Aware Hierarchical-Alignment for Edge Transformers.....	556
<i>Zhiwei Zhou, Tong Hu, Jia Chen, Jiancong Li, Yuyang Fu, Yi Li, Xiangshui Miao</i>	
Back-Illuminated CMOS-SPAD with Full-Surround Anode Structure Achieving Sub-50 ps Timing Jitter for High-Precision Physical-AI Sensors	559
<i>Joo-Hyun Kim, Doyoon Eom, Hyun-Seung Choi, Eunsung Park, Woo-Young Choi, Myung-Jae Lee</i>	

Device-to-Architecture Co-Design of Monolithic 3D FPGA Using 2D Transistor	562
<i>Hyeong-Seok Jang, Munhyeon Kim, Luhing Hu, Jaewoo Shim, Joonyun Kim, Minsu Seol, Sang Won Kim</i>	
Vertical-Die (V-die) 3.5D Integration for Cool Ultrahigh-Bandwidth Memory Systems.....	565
<i>Heesoo Yang, Hyeongjun Kim, Yurim Choi, Seungmin Lee, Dongyun Kam, Haksoon Jung, Yongwoo Lee, Seongju Kim, Jimin Kwon</i>	
Double-Flip Sequential CFET: Superior 3T Library Efficiency and PPA	568
<i>Sheng Yang, Jürgen Bömmels, Halil Kükner, Fabian M. Bufler, Lynn Verschueren, Hans Mertens, Anne Vandooren, Naoto Horiguchi, Anita Farokhnejad, Geert Hellings</i>	
Deposition Process-Based Charge Trap Layer Segmentation for 3D Flash Memory Achieving Improved Cell Reliability While Maintaining Program/Erase Characteristics	571
<i>Fumie Kikushima, Yosuke Murakami, Hideomi Aoike, Naoya Yoshitaka, Kazuhiro Yamauchi, Yuma Hizume, Katsunori Miyachi, Tatsuo Ogura, Atsushi Fukumoto, Junichi Kaneyama, Yusuke Sasaki, Takumi Moriyama, Naohiro Hosoda, Shunsuke Takuma, Masanori Tsutsumi, Tatsunori Isogai, Hiroshi Takeda</i>	
Uniform and Direction-Controllable Metal-Induced Lateral Crystallization for 3D NAND Flash Memory via NiSi ₂ (111)-Oriented Seed Layer Transfer	574
<i>Ohhyuk Kwon, Junyoung Lee, Jaemin Jung, Siyoung Yang, Kwangmin Park, HanMei Choi, Sejun Park, Hyunsang Hwang</i>	
4.5-W 5-V-Input DC-DC Converter with Six Isolated 15-V Outputs Achieving 175-kV/ μ s CMTI Without Signal Isolators	577
<i>Yichen Zhang, Yaogan Liang, Michihiro Ide, Makoto Takamiya</i>	
A 64-Channel, Low-Power End-to-End Transformer-Based BCI SoC for Efficient Motion Intention Decoding	580
<i>Fei Tan, Raphael Berner, Zhongyu Zhao, Yuhan Xie, Amirmahdi Joudi, Yiheng Fu, Icare Sakr, Thibault Collin, Vincent Rouanne, Henri Lorach, Ka-Fai Un, Pui-In Mak, Jocelyne Bloch, Gregoire Courtine, Mahsa Shoaran</i>	
A Cross-Band Wi-Fi/BLE Passive Tag Demonstrating Battery-Free Standard-Mask Communication with Smartphones and Battery-Free AoA Localization	583
<i>Qijing Xiao, Changgui Yang, Junhong Sun, Weixiao Wang, Yunshan Zhang, Xin Hu, Kai Huang, Bo Zhao</i>	
A 240–270 GHz 4×4 Bi-Directional Phased-Array Transceiver with On-Chip Half-Wavelength-Spaced Array and Ultra-Low Power Consumption in 65-nm CMOS.....	586
<i>Chun Wang, Olivia Angel Yong, Chenxin Liu, Wenqian Wang, Anyi Tian, Abanob Shehata, Takumi Kojima, Hans Herdian, Yudai Yamazaki, Sunghwan Park, Minzhe Tang, Dongfan Xu, Sena Kato, Yuncheng Zhang, Kazuaki Kunihiro, Hiroyuki Sakai, Kenichi Okada</i>	
First Demonstration of Highly-Scaled Trench-Structured Ferroelectric Capacitive Memory with Record-High Capacitive Memory Window and Integrated ITO Sensing FET	589
<i>Jingguang Lu, Zuopu Zhou, Leming Jiao, Zijie Zheng, Jiawei Xie, Weibing Hao, Umesh Chand, Akhil Ranjan, Yu-Chieh Chien, Khee Yong Lim, Gengchiao Liang, Xiao Gong</i>	
10-nm-Gate-Length Nanosheet CNFET with Self-Aligned Extension Doping for Ambipolar Leakage Suppression	592
<i>Shengman Li, Mary Vaughan Petty, Nathaniel Safron, Aslan Wei, Shreyam Natani, Donglai Zhong, Sang Young Lee, Aylee A Wu, Prabhakar Bandaru, Andrew Kummel, Iuliana Radu, Gregory Pitner, Subhasish Mitra, H.-S. Philip Wong</i>	

A 6.78MHz Fully Integrated Dual-Output Symmetric 1/16-Cycle Regulating Rectifier Achieving 92.57% Efficiency and 3.7 V Voltage Difference	595
<i>Xiaguang Li, Chao Yang, Shiheng Yang, Sijun Du, Xiaoyang Zeng, Zhiyuan Chen</i>	
A Universal Piezoelectric Energy-Harvesting Interface with Machine Learning-Based Excitation Identification and Cross-Topology MPPT for Diverse Input Vibrations	598
<i>Guangshu Zhao, Haoyang Sang, Chenxi Wang, Hao Wu, Litao Zhang, Ningchao Lin, Kaixue Ma, Rui P. Martins, Man-Kay Law</i>	
A 2.35mm ² 118.3Gbps 5.14pJ/Bit Dual-Mode LDPC Decoder for 5G/6G	601
<i>Yuqing Ren, Yuqi Wang, Leyu Zhang, Wenqing Song, Ludovic Blanc, Andreas Burg</i>	
Wafer-Scale Two-Channel Monolayer-MOS2 Nanosheet Fets with Record-High I _{on} >2 mA / μ m Enabled by Sub-1 NM Cet High- κ Integration.....	604
<i>Haofei Zheng, Lingqi Li, Wanqing Meng, Yi-Hsin Tu, Chenyang Li, Sujuan Ding, Ziming Fu, Mingxi Chen, Dongzhi Chi, Chuanhong Jin, Gengchiao Liang, Lain-Jong Li, Kah-Wee Ang</i>	
Resistivity Scaling of Topological CoSi Wires to Sub-10 nm for Post-Cu Interconnects	607
<i>Guy Cohen, Franco Stellari, Peter Kerns, Leonidas Ocola, John Bruley, Lynne Gignac, Vesna Stanic, Christian Lavoie, Nathan Marchack, Joshua T. Smith, Vijay Narayanan, Ching-Tzu Chen</i>	
First Demonstration of a Functional Gate-All-Around Nanosheet Cmos Circuit Using Single Exposure High Na Euv Beol Interconnects	610
<i>Chris Penny, Julien Frougier, Belle Antonovich, Chris Carr, Victor Chan, Zheng Chen, Scott Halle, Teresa Howe, Atharv Jog, Jeong Kim, Nick Latham, Joe Lee, Shravan Matham, Abhinav Mamidala, Jaime Morillo, Matt Wehrman, Indira Seshadri, Jed Rankin, Luciana Meli</i>	
A 0.69-pJ/b 4x80-Gb/s MRM-Based Coherent Optical Transmitter with Time-Multiplexed Thermal Tuning	613
<i>Pengyu Zeng, Marziyeh Rezaei, Daniel Sturm, Asha Rashmi Nayak, Scott Li, Sajjad Moazeni</i>	
A Scalable Vision-Language-Action Edge Processor with Token Filtering and Hybrid Processing-Near-Memory for 6.7-ms Perception-To-Action Latency in Robot Control	616
<i>Jin Wang, Zhengke Yang, Yulong Chen, Yufu Zhang, Haolong Li, Ruijie Peng, Zhen Kong, Jiamin Li, Yida Li, Feichi Zhou, Longyang Lin, Liang Ran, Xinhe Feng, Zhichao Lyu, Liang Zhao</i>	
A 39pJ/b 7.3Gbps 1.3mm ² Multi-Subcarrier Massive MU-MIMO-OFDM Detector Exploiting Beamspace Sparsity and Frequency-Domain Correlation in 22FDX	619
<i>Abhishek Kumar, Seyed Hadi Mirfarshbafan, Oscar Castañeda, Christoph Studer</i>	
New Insights into Multi-Level Cell Behavior in FeFET: Localization Effect Aware Write-Verify Scheme	622
<i>Omkar Phadke, Halid Mulaosmanovic, Stefan Dünkel, Sven Beyer, Janak Sharda, Shimeng Yu</i>	
First Demonstration of Top-Gated Indium Oxynitride (InOn)-FET with Superior Reliability and Contact Properties (I _{on} =1.2 mA / μ m, L _T =17 nm, p _c =4 × 10 ⁻⁸ O·cm ²).....	625
<i>M. Lee, D. S. Kim, S. Shirodkar, T. T. H. Chu, D. M. Narayan, D. N. Le, M. Jo, J. K. Jeong, Y. Ahn, J. Kim, S. W. Ryu, J. Kim</i>	
A Sub- μ W VCO-Based Direct Digitization Front-End with an Auto-Ranging Technique Achieving 1.8 NEF and 182.3 FoM _{DR} for Energy-Efficient Neural Recording	628
<i>Hong Liao, Xiaoxu Yang, Minghao Chen, Yuqian Li, Lei Qiu, Patrick Mercier, Miao Meng</i>	

The Thermal Paradox of Oxygen Vacancies: Screening vs. Depolarization Setting the Retention in W-Doped Indium Oxide FEFETs	631
<i>Sharadindu Gopal Kirtania, Hyeonwoo Park, E. Quezada, C. Zhang, Shimeng Yu, Asif Khan, Suman Datta</i>	
A 45.3-To-53.9-GHz Circular-Dual-Core Series-Resonance-Harmonic-Extraction VCO Featuring Common-Mode Noise-Diversion Technique Achieving -112.5 dBc/Hz Phase Noise, Average 199.1/203.9 dBc/Hz FoM _A /FoM _{TA} and 0.8 dB Variation at 1-MHz Offset.....	634
<i>Huanyu Ge, Haikun Jia, Wei Deng, Baoyong Chi</i>	
Ultra-Low Drift (4 mV/dec.) and Excellent Write Endurance ($> 3 \times 10^{10}$) in Heterostructure Te-Based Selector-Only Memory (SOM) with 2D WS ₂ Interlayer.....	637
<i>Jangseop Lee, Seungkwon Hwang, Dongmin Kim, Laeyong Jung, Yoori Seo, Yu Bin Park, Byeongjin Park, Seongmo Kang, Yonghun Kim, Tae Hoon Lee, Hyunsang Hwang</i>	
Highly Stackable 3D DRAM of Dual-Gate IGZO 2T0C with Record 3 Bits/Cell and 400s Data Retention	640
<i>Fuxi Liao, Zhengyong Zhu, Guanhua Yang, Xuanming Zhang, Menggan Liu, Kaifei Chen, Wendong Lu, Zihan Li, Naide Mao, Bok-Moon Kang, Jinghong Shi, Meichen Jin, Chang Liu, Jing Liang, Gui-Lei Wang, Congyan Lu, Jinshan Yue, Lingfei Wang, Jiawei Wang, Di Geng, Nianduan Lu, Chao Zhao, Arokia Nathan, Ling Li, Ming Liu</i>	
Engineering 3D HZO Ferroelectric Capacitors to Scale Down 22nm Embedded FeRAM.....	643
<i>S. Martin, C. Jahan, R. Blanc, G. Persson, F. Grimaud, M. Louro, L. Hosier, N. Giovannelli, T. Monniez, G. Boniface, O. Glorieux, C. Boixaderas, A. Roman, M. Oujanba, M. Bedjaoui, J. Mercier, S. Minoret, C. Euvrard, J. Sturm, C. Candegabe, S. Kerdiles, C. Comboroure, E. Guyez, S. Pocas, D. Ly, S. Martinie, Y. Beilliard, G. Pares, F. Bernard-Granger, J. Coignus, N. Bernier, O. Billoint, F. Andrieu, L. Grenouillet</i>	
Sirius: A Dual-Chiplet System for Multimodal Embodied AI with Heterogeneous RVV Cores, Dense and Sparse Accelerators.....	646
<i>Vikram Jain, Hasan Nazim Genc, Coleman Hooper, Minh Nguyen, Rahul Kumar, Rohan Kumar, Di Wang, Kevin Anderson, Yufeng Chi, Shengjun Kris Dong, Dima Nikiforov, Bob Zhou, Borivoje Nikolić, Yakun Sophia Shao</i>	
An 83.5dB DR, 74pA _{RMS} Neurotransmitter Sensor Interface with Drift Correction.....	649
<i>Wangbo Chen, Jose R Lopez-Ruiz, Patrick McCommons, Noah Leonardo, Jill Becker, Sung-Yun Park, Michael P Flynn, Euisik Yoon</i>	
A 1-to-1050-mA DLDO with Rising-Edge Computational Control and Load-Dependent Feedback Achieving 46-mV/ns DVS Rate and 0.15-Ps FoM.....	652
<i>Yichen Xu, Rentao Wan, Mao Li, Zhaoqing Wang, Suhwan Kim, Ram K. Krihshnamurthy, Xin Zhang, Mingoo Seok</i>	
Demonstration of CFET Inverters on Si (110) with 2X2 RibbonFETs at 45nm Gate Pitch with PowerVia and Direct Backside Contacts	655
<i>J. A. Wiedemer, D. Bennett, E. Clinton, C.-Y. Huang, R. Galatage, M. F. Qayyum, V. Gudmundsson, H. Ryu, R. V. Chebiam, N. K. Thomas, P. Buragohain, P. Morrow, A. Agrawal, T. Michaelos, R. Nahm, N. Briggs, D. Kohen, A. Vyatskikh, S. Goodwin, S. Ghose, N. Zussblatt, Y. Huang, D. Unluer, M. Beasley, J. M. Tan, L. H. Tan, M. Elkins, S. Cekli, R. Hermann, L. Shoer, M. Abd El Qader, U. Desai, T. Edwards, P. Prasad, J. Armstrong, M. Ghosh, Y.-A. Liao, V. Kapinus, D. Dixit, P. Tran, K. L. Cheong, A. Fatehi, A. A. Oni, N. Franco, B. J. Krist, Q. Shi, S. Agrawal, A. Krishnamoorthy, T.-H. Wu, S. Sridhar, A. S. Leon, M. V. Metz, J. Torres, S.-H. Sung, G. Dewey, R. Schenker, M. J. Kobrinsky, M. Radosavljević</i>	

Record-Thin (2 nm) Wakeup-Free Hzo Ferroelectric Mfm Via Atomic Layer Etching (Ale): Grain Size Enlargement and Ferroelectric Phase Engineering	658
<i>Xiaopeng Li, Chaoming Wu, Duy Hieu Trinh, Xiaoyu Dou, Jixuan Wu, Wei Shi, Xinming Li, Ning Ji, Zhilun Zhang, Dong Zhang, Jiezhi Chen, Xiao Gong</i>	
Class-D LC Oscillator-Based Capacitively Isolated DC-DC Converters with False-Mode Prevention Technique Achieving 91.3% and 43.3% Peak-Efficiencies.....	661
<i>Suyang Song, Taekwang Jang</i>	
High Yield Sub 20 nm Ru Direct Metal Etch Enabled by Single-Exposure 0.55NA EUV and dry MOR Technology	664
<i>Martin O'Toole, Etienne DePoortere, Tsann-Bim Chiou, Cyrus Tabery, Stefan Decoster, Victor M. Blanco Carballo, Alejandro Berdonces Layunta, Bart DeWachter, Shubhankar Das, Elisabeth Camerotto, Zhengtao Chen, David Hellin, Anuja De Silva, Gosia Jurczak</i>	
BEOL-Compatible Oxide Semiconductor Twin-Gate FeFET Achieving a Record-High Memory Window of 25.4 V and a Near-Ideal Memory Window-to-Operation Voltage Ratio of 1.88.....	667
<i>Xinming Li, Ning Ji, Leming Jiao, Yi Tong, Gan Liu, Chaoming Wu, Trinh Duy Hieu, Zhilun Zhang, Jiawei Sun, Kai Ni, Gengchiao Liang, Chen Sun, Dong Zhang, Xiao Gong</i>	
Record $2P_r$ ($>38 \mu\text{C}/\text{cm}^2$ at 0.5 V, $>28 \mu\text{C}/\text{cm}^2$ at 0.4 V) of 3D MFM Capacitors Enabled by 3 Nm HZO and ALD-TiN Orientation Engineering	670
<i>Yang Feng, Xiaolin Wang, Yaoyu He, Jingguang Lu, Leming Jiao, Hanjie Li, Jiawei Xie, Zhilun Zhang, Dong Zhang, Xiaopeng Li, Wei Shi, Zijie Zheng, Chen Sun, Umesh Chand, Akhil Ranjan, Chien Yu-Chieh, Jixuan Wu, Jiezhi Chen, Xiao Gong</i>	
Interfacial Engineering of Scaled HZO in 3D-Trench BEOL-Compatible FeCAPs for High Endurance ($\geq 10^{13}$ cy.) and $2P_R$ ($>40 \mu\text{C}/\text{cm}^2$) at Low (≥ 1.3 V) Operating Bias	673
<i>J. Bizindavyi, M.I. Popovici, E.C. Demir, W. Maqsood, S. Subramanian, G. Kim, A. Pavel, N. Ronchi, A. Belmonte, J. Van Houdt</i>	
First Demonstration of CVD Monolayer WSe_2 PFETs with Ultra-Short Channel Length of 16 nm: Achieving Record I_{on} of $1532 \mu\text{A}/\mu\text{m}$ at $V_{\text{ds}}=-1$ V and Ballistic Efficiency of 81%.....	676
<i>Lei Sun, Tingting Gao, Lin Xu, Kai Wang, Kaustav Banerjee, Yang Chai, Lain-Jong Li, Xuefei Li</i>	
Dipole Material-Independent Carrier Mobility in Dipole-First nMOS Gate Stack and Introduction of Multi- V_t Patterning-Tolerant Dipole-Middle Integration for NS/CFET	679
<i>H. Arimura, L. Lukose, J. Stiers, S. Brus, J. Franco, J. G. Lai, M. Ben Chroud, C. Cavalcante, T. Chiarella, I. Vaesen, T. Conard, M. Bejide, J. Mitard, M. S. Kim, S. Demuyne, L. P. B. Lima, S. Biesemans, N. Horiguchi</i>	
A 20T Low-Power Single-Phase Full-Static Contention-Free Flip-Flop with Interlatch Transistor Sharing	682
<i>Minkyu Ko, Bomin Joo, Byeonggon Kang, Unbok Wi, Jieun Kim, Dalhee Lee, Changbeom Kim, Hayoung Kim, Sanghoon Baek, Bai-Sun Kong</i>	
Mitigating Intrinsic Fixed-Charge-Induced V_{fb} Fluctuation Using a “Neutral TiO_2 Dipole” Layer	685
<i>Takefumi Kamioka, Toshihide Nabatame, Hiroyuki Matsukawa, Takamasa Kawanago, Yukinori Morita, Kasidit Toprasertpong, Yuichiro Mitani, Takashi Onaya, Naoki Fukata, Wipakorn Jevasuwan, Kazuhito Tsukagoshi, Takuya Hoshii, Atsushi Tamura, Koji Kita, Naoya Okada, Kenzou Manabe, Wataru Mizubayashi, Hiroyuki Ota, Takashi Matsukawa, Shinji Migita</i>	

GMINI: Gut Modulating Neural Interface Chip for Closed-Loop Non-Invasive Therapies	688
<i>Adam Gierlach, Hyemin S. Lee, Deniz Umut Yildirim, Giovanni Traverso, Anantha P. Chandrakasan</i>	
An Upper-Tier ESD Protection Scheme Using Parallel-Electrode ITO TFTs for Monolithic-3D Heterogeneous Integration Achieving >3000V HBM Tolerance.....	691
<i>Wening Xu, Jinfan Wang, Li Lu, Feng Lin, Yuzhen Zhang, Tingrui Huang, Wangran Wu, Runxiao Shi, Weifeng Sun</i>	
A Reconfigurable 24–28GHz Time-Division Full-Duplex Transceiver with 59dB Self-Interference Rejection Over 400MHz.....	694
<i>Dongfan Xu, Haiyun Gu, Minzhe Tang, Yuxuan Liu, Ziyuan Ren, Yilun Chen, Minghao Fan, Duo Li, Zheng Li, Yi Zhang, Daxu Zhang, Zezheng Liu, Chun Wang, Sena Kato, Yudai Yamazaki, Hiroyuki Sakai, Yuncheng Zhang, Kazuaki Kunihiro, Kenichi Okada</i>	
A 1.39pJ/bit 224Gb/s PAM-4 Long-Reach SerDes Receiver in 3nm FinFET	697
<i>Euhan Chong, Jacob Pike, Tae Young Goh, Reza Nikjah, David Berton, Paul Madeira, Masoume Akbari, Christian Bourget, Vinh Tuan Tran, Tung Nguyen, Sadok Aouini, Shahab Oveis Gharan, Naim Ben-Hamida</i>	
An Ultra-Compact 4-Element 4-Beam Q-Band Multibeamformer IC with IQ Pre-Weighted Phase Shifter for VLEO SATCOM.....	700
<i>Mingyu Lee, Hyungju Kim, Wonseob Lee, Hyeonwon Song, Seong-Mo Moon, Dongpil Chang, Seungcheol Hong, Seungchan Lee, Jinseok Park</i>	
Effective Dipole Strength Modulation Using Imprinted Gadolinium Dipole (IGD) Layer to Achieve Fine V_t Tunability for Low Thermal Budget CFET Devices	703
<i>Sangkuk Han, Wonjae Choi, Jaewon Chung, Haesoo Jang, Kyungwook Park, Sangmyun Lim, Soyoun Park, Sangwoo Jeong, Hanbyul Kim, Yong Joo Park, Jinho Ahn, Changhwan Choi</i>	
First Demonstration of Ga ₂ O ₃ Reverse Blocking Transistors with $BV^2/R_{on,sp}$ Figure-of-Merit Over 1 GW/cm ² and Dual Blocking of 8 kV by Double Super-Junction Design	706
<i>Chenlu Wang, Sihan Sun, Hong Zhou, Yao Zhu, Xiaodong Zhang, Guoliang Peng, Min Zhou, Kun Zhang, Tao Zhang, Chunfu Zhang, Zhihong Liu, Yue Hao, Jincheng Zhang</i>	
Experimental Study on Carrier Transport in Amorphous and Poly InGaOx FETs – Hall Measurement, Temperature Dependence, Velocity Saturation	709
<i>Anlan Chen, Xingyu Huang, Kota Sakai, Saraya Takuya, Toshiro Hiramoto, Mutsunori Uenuma, Takanori Takahashi, Yukiharu Uraoka, Masaharu Kobayashi</i>	
A16 Angstrom-Class CMOS Technology Featuring Enhanced Nanosheet Transistors with Super Power Rail (Backside Direct Contact Power Delivery) for AI and HPC Applications.....	712
<i>Geoffrey Yeap, M. Wang, S.S. Lin, C.M. Lee, D. Hsu, I.W. Wu, Y.S. Cheng, Y.C. Tseng, P.Y. Huang, H.Y. Chen, P.H. Huang, P.W. Wang, P. Hung, Y.K. Lin, C.F. Chang, C.Y. Kao, L.G. Chen, C.F. Tsai, K.F. Liao, P.C. JangJian, M.K. Chen, C.F. Fu, C.N. Lin, K.N. Liu, C.C. Lee, Y.H. Tang, C.Y. Ting, T.H. Chiu, H.C. Huang, K.B. Huang, C.L. Wu, C.P. Tsai, Y.H. Su, K.N. Yang, C.W. Lee, J.H. Lee, K.L. Cheng, T.L. Lee, C.M. Liu, C.T. Chan, C.C. Yeh, H. Wang, P.Y. Lin, S.H. Sun, C.P. Lin, Y.C. Peng, H.L. Shang, H.C. Lin, J. Chang, X.M. Chen, H.T. Lin, K.W. Chen, L.C. Lu, Y. Ku, S.M. Jang</i>	
Architecture Partitioning and Optimization in the Era of Chiplet Computing	715
<i>Vamsi Krishna Alla, Alan Smith, Tyrone Huang, Alexander Kaganov, Wonjun Jung, Michael Steffen</i>	
Enabling the Robotic Revolution: Bridging Performance Gap Between Present and Future.....	718
<i>Qijing Huang, Wenqi Jiang, Christos Kozyrakis, Jason Clemons</i>	

Detecting Quantum Errors with Hardware-Efficient Checks	721
<i>Simon Martiel, Ali Javadi-Abhari</i>	
A 3-nm FinFET CMOS PAM-4 Retimer for 800 - Gb/s and 1.6 - Tb/s Optical Modules	724
<i>A. Fan, A. Iyer, A. Tan, B. Cusmai, C. Ramanna, C. Song, C. Zhu, H. Lo, J-H. Teo, J-Q. Wang, K-K. Ravi Prakash, M. Choi, N. Shivashankar, S. Balakrishnan, S. Chen, S. Jafarlou, S. Mahdavi, S. Ray, S. Yu, V. Gurumoorthy, W-Y. Neo, Y. Wang, Z. Sun, Z. Wang, C. Abidin, S. Jantzi, K. Chang</i>	
Backside Power: Enabling Energy-Efficient Performance on Advanced Node Designs.....	727
<i>Eric Karl, Shishir P. Agrawal, Som Bangalore Prakash, Seung-June Choi, Kevin J. Fischer, Lei Jiang, Daniel Pantuso, Ramesh K. Subramaniam, Xiaofei Wang, Xinning Wang, Tai-Hsuan Wu</i>	
3DIC Design Methodology for High-Performance Computing	730
<i>Jim Chang, Zhe-Wei Jiang, King-Ho Tam, Yun-Han Lee, Lee-Chung Lu</i>	
Integrated Imaging Solutions for Robotic Navigation and Manipulation: Visual-Inertial SLAM and Neuromorphic Tactile Sensing	733
<i>Ryoji Eki, Takaaki Kato, Valentina Cavinato, Agis Politis, Stefan Isler</i>	
Membrane III-V Photonic Devices on Silicon Photonics Platform for Short-Distance Optical Interconnections	736
<i>Shinji Matsuo, Tatsurou Hiraki, Tadashi Minotani, Takuma Aihara, Takuro Fujii, Yoshiho Maeda, Suguru Yamaoka, Yoshiya Shikama, Norio Sato, Tomonari Sato</i>	
CFET Demonstration for Future Logic and SRAM Technology.....	739
<i>S. Liao, L. Yang, W.X. You, T.Y. Wu, T.K. Chiu, J.C. Huang, K. Elphick, K.F. Yang, C.H. Sha, G.R. Wang, J.H. Jhang, Y.R. Cheng, M.F. Shieh, C.M. Chang, H.M. Chen, P.R. Jeng, S.Y. Chang, M.H. Yeh, W. Chang, S.M. Jang, M. Cao</i>	
Developing a Quantum Computer with Electrically Driven Spin Qubits.....	742
<i>Takashi Nakajima, Kenta Takeda, Akito Noiri, Takashi Kobayashi, Leon C. Camenzind, Tomonori Sekiguchi, Yusuke Kanno, Yusuke Wachi, Takayasu Norimatsu, Ryuta Tsuchiya, Hiroyuki Mizuno, Seigo Tarucha</i>	
3D Flash Memory Technology for the AI Era	745
<i>Ryota Katsumata, Seiji Maeda, Masahiro Inohara, Hirofumi Inoue</i>	
High Bandwidth Memory 4 (HBM4) Package Development Challenges.....	748
<i>Yeontaek Hwang, Jongkyu Moon, Juheon Yang, Kyoungmoo Harr, Minseok Jang, Jinwoo Choi, Jaesik Lee</i>	
Electrical Characteristics of the 4F ² Vertical Gate (VG) DRAM integrated with Bit Line Shielding (BLS) and Back Gate (BG) Transistor.....	751
<i>Seung Wan Chu, Junho Cheon, Jinsun Cho, Eunhyup Doh, Jungmin Han, Seung Bum Hong, Choong-ki Kim, Daeik Kim, Jin Ar Kim, Sunghyun Kim, Yongtaik Kim, Kyongsoo Kum, Sein Kwon, DongJae Lee, Dong Ryeol Lee, Junghak Lee, Eunshil Park, Jongbum Park, Dong Hee Shin, Eunji Shin, Jino Song, Minchul Sung, Wansik Yoo, JeongTae Hwang, Seungbum Kim, Kyoungchul Jang, Joodong Park, Youngmann Cho, Seonyong Cha</i>	
Intelligence Accelerated: Memory Innovations to Power the AI Era	754
<i>N. Ramaswamy, A. Calderoni, D. Mocuta, D. Daycock, K. Karda, A. Singh, R. Sreeramaneni</i>	
Building the Engine of AI: From Foundational VLSI Technologies to System-Scale Impact.....	758
<i>Daniel H. Morris, Kaushik Vaidynathan, C. Richard Ho</i>	

Meeting AI Demand Through Equipment Innovation and AI-Driven Manufacturing: Progress and Challenges 763
Yoshinobu Mitano

Advancing Package and System Integration for Next-Generation AI 769
Lee-Chung Lu

Author Index