PROCEEDINGS OF SPIE

Advances in Optical and Mechanical Technologies for Telescopes and Instrumentation VII

Ramón Navarro
Ralf Jedamzik
Editors

5–10 July 2026
Copenhagen, Denmark

Sponsored and Published by
SPIE

Volume 14154

Part One of Four Parts

Proceedings of SPIE 0277-786X, V. 14154

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:
Author(s), "Title of Paper," in *Advances in Optical and Mechanical Technologies for Telescopes and Instrumentation VII*, edited by Ramón Navarro, Ralf Jedamzik, Proc. of SPIE 14154, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X
ISSN: 1996-756X (electronic)

ISBN: 9798902323495
ISBN: 9798902323501 (electronic)

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time)
SPIE.org
Copyright © 2026 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

SPIE. DIGITAL LIBRARY
SPIEDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B … 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xxiii *Conference Committee*

Part One

FABRICATION OF MIRRORS, LENSES AND OTHER OPTICAL COMPONENTS I

14154 05 **Slumped shell-based mirrors and telescopes** [14154-3]

14154 06 **Optical characterisation of an additively manufactured freeform optical system** [14154-4]

14154 07 **Status and progress of slicer design and manufacturing at Bertin Winlight** [14154-5]

14154 08 **Edge-cutting analysis for segmented optics for large telescopes such as the Thirty Meter Telescope** [14154-6]

FABRICATION OF MIRRORS, LENSES AND OTHER OPTICAL COMPONENTS II

14154 0A **Manufacturing the ELT M5 blank mirror: a world of challenges** [14154-8]

14154 0C **Slurry processing for longer-lasting high-power laser optics** [14154-10]

14154 0D **Heat rejecter mirror in additive manufacturing for the European Solar Telescope** [14154-11]

14154 0E **Monolithic Tiny Telescope optical mechanism for PicoSat Earth observation: integrated release, deployment, and tip-tilt mirror design** [14154-12]

14154 0F **Prediction of tool influence function derived depth and volume for optical surface polishing using AI-based regression models** [14154-13]

14154 0G **Smart fabrication primary mirror of the 4.2m astrometric telescope at NIAOT** [14154-14]

MATERIALS AND METAMATERIALS

14154 0H **FEM-based thermal deformation analysis of large Fine Cordierite mirrors induced by CTE inhomogeneity** [14154-15]

14154 0I **Progress on a new ZERODUR composition for picometer-stability requirements in astronomy** [14154-16]

14154 0J **Custom-engineered Super Invar: exceptional dimensional stability and magnetic properties for space applications** [14154-17]

14154 0K **Development of NiTi alloys by selective laser melting from elemental Ni and HDH Ti powders** [14154-18]

14154 0L **ZBLAN fibres for wide-field infrared astronomy** [14154-19]

14154 0M **Crucial material factors that underlie stability of spaceborne mirrors** [14154-20]

CALIBRATION, TEST AND METROLOGY I

14154 0N **PLATO cameras alignment, assembly and post-test verification** [14154-21]

14154 0O **Daylight pointing calibration for optical telescope systems** [14154-22]

14154 0P **MAVIS: a flexure-based tip-tilt tool for arcsecond-level bonding of the pick-off mirrors** [14154-23]

14154 0R **Digital-twin-based end-to-end verification of space telescopes using Earth-observation camera heritage** [14154-25]

14154 0S **Motorized mount for the 3-DoF folding mirror 2 of the VLT's BlueMUSE instrument** [14154-26]

14154 0T **Design and evaluation of a white-LED ring for uniform CCD flat-field and contamination monitoring in HARPS3** [14154-27]

CALIBRATION, TEST AND METROLOGY II

14154 0U **Non-iterative random phase shifting interferometry via Fourier-domain reordering** [14154-28]

14154 0V **The polarimetric calibration and alignment assembly of the European Solar Telescope** [14154-29]

14154 0W **Absolute reflectivity measurement for large telescope mirrors: setup and first insights** [14154-30]

14154 0X **Optomechanical design of a broadband cryogenic optical system for ground testing of the Ariel payload** [14154-31]

14154 10 **Surface figure error and parameter testing of aspheric segments in segmented telescope primary mirrors** [14154-34]

OPTO MECHANICS FOR ELT'S

14154 11 **Serial production in the context of ground-based astronomy projects: the ELT M1 case** [14154-35]

14154 12 **Sensitivity analysis and design of a segmented active M1 for the next-generation telescopes** [14154-36]

14154 13 **Manufacturing the ELT M1 segments: achieving optimized production in a smart factory** [14154-37]

14154 15 **Dimensional stability of a direct polished aluminum mirror substrate at 82K** [14154-39]

14154 16 **EST optomechanics preliminary design** [14154-40]

HIGH CONTRAST IMAGING AND POLARIMETRY

14154 17 **Comparing the contrast performance of two IFU technologies for exoplanet direct imaging with ELT-PCS** [14154-41]

14154 19 **Quantum-optimal instruments for high-contrast imaging with multi-plane light converters** [14154-43]

14154 1A **Polarization effects in meter-scale coatings** [14154-44]

14154 1B **Presentation of the design and first results of large format APD infra-red detector at Leonardo and camera at FLI for the PLANETES project** [14154-45]

14154 1C **The optical head for the Dust Environment Spectral Imager (DESI) on Lightship-1** [14154-46]

14154 1D **Prototyping of a metasurface phase knife nulling mask for the near infrared** [14154-47]

LARGE OPTICS AND SUPPORT SYSTEMS

14154 1E **ELT M5 manufacturing and testing status** [14154-48]

14154 1F **Novel approaches for nanometre stability and seismic protection in the ESO ELT M2 and M3 cells** [14154-49]

14154 1G **Comprehensive modeling and sizing tool for medium size segmented mirror telescopes** [14154-50]

14154 1H **Investigation of a slanted-orientation method for gravity-sag and zero-gravity surface figure estimation** [14154-51]

14154 1I **Evaluation of stitching error in interferometric stitching measurements of large-aperture telescope** [14154-52]

14154 1J **GigaBIT: design and analysis of a diffraction-limited balloon-borne telescope** [14154-54]

ACTIVE AND ADAPTIVE INSTRUMENT AND STRUCTURES, ADDITIVE MANUFACTURING

14154 1K **Integration and acceptance testing of the UH2.2 adaptive secondary mirror** [14154-55]

14154 1L **Adaptive secondary mirrors: a survey of current systems, emerging technologies, and future directions** [14154-56]

14154 1M **High stability deformable mirror with large number of actuators for astronomical telescopes: requirements and performance** [14154-57]

14154 1N **SMASHSpec: a testbed for actively-stabilized extreme precision radial velocity spectrographs** [14154-58]

14154 1O **Optomech: a GPU-accelerated optomechanical simulation environment for visuomotor control of hybrid optical telescopes** [14154-299]

14154 1P **Towards CASTLE first light: unveiling the low surface brightness universe with freeform optics and curved sensors** [14154-59]

14154 1Q **The Argus Array Conic Drive: a tracking system for large telescope arrays** [14154-60]

COATINGS, DICHROICS, FILTERS AND METASURFACES

14154 1S **Engineering the ELT's reflective surfaces** [14154-62]

14154 1T **High durability UV-enhanced silver coatings on 0.5m optics: performance, environmental stability, and failure analysis** [14154-63]

14154 1U **Mirrors for high-power laser communication terminals** [14154-64]

14154 1W **Design and modeling of an oblique incidence dichroic mirror for a high contrast imaging system** [14154-66]

14154 1X **Vector apodizing phase plates for the ELT: from prototype to final optics for METIS and MICADO [**14154-67]

14154 1Y **Narrow-band filters coatings for the cryogenic subsystem of the MICADO instrument** [14154-68]

SPECTROSCOPY: GRATINGS, DISPERSERS AND IMAGE SLICERS

14154 1Z **Reactive ion-plasma etched diffraction gratings for astronomy: production of science-grade 4x4 square inch gratings** [14154-69]

14154 21 **HARMONI at ELT: line spread functions in a diffraction limited spectrometer** [14154-71]

14154 22 **A hybrid grism for efficient space-based slitless spectroscopy** [14154-72]

14154 23 **Characterization of a symmetric-facet dual-ruled grating for spatial heterodyne spectroscopy** [14154-73]

14154 24 **Final optical design and performance assessment of the Gemini multi-object infrared integral-field spectrograph** [14154-74]

14154 27 **WST, the Wide-field Spectroscopic Telescope: dispersing elements** [14154-77]

POSITIONERS, PHOTONIC TECHNIQUES

14154 28 **R-θ fiber positioner for next-generation spectroscopic telescopes** [14154-78]

14154 29 **MOSAIC at ELT: design and first prototyping of novel robotic optical-relay positioners (Best Oral Presentation)** [14154-79]

14154 2A **Characterizing robotic positioners under the influence of changing gravity vectors for future spectroscopic surveys** [14154-80]

14154 2B **Advancing control electronics for next-generation astronomical fiber robotic positioners** [14154-83]

14154 2C **Developing high-efficiency high-resolution photonic spectrographs for astronomy** [14154-82]

OPTICAL FIBERS, PHOTONIC TECHNIQUES

14154 2D **Adaptive optics in waveguide: conversion from arbitrary multimode to single-mode** [14154-85]

14154 2E **Novel interferometric beam combiners for multi-T instruments in the visible and near IR** [14154-86]

14154 2F **All-fiber broadband wavelength-division multiplexing using heterogeneous photonic lanterns** [14154-87]

14154 2G **NAIR-APREXIS: enabling photonics-based instruments for long-baseline interferometry and integral-field spectroscopy** [14154-88]

14154 2H **Neural-network spectral reconstruction with photonic lanterns** [14154-89]

14154 2I **FIRST-PL: on-sky retrieval of Humu's (Altair) spin axis using a photonic lantern on Subaru Telescope** [14154-90]

14154 2J **Integrated optics beam combiner for the GLINT nulling interferometer** [14154-91]

14154 2K **Sub-diffraction imaging and precision wavefront sensing with photonic quantum-inspired imaging (PQI2)** [14154-92]

14154 2L **Comparative study of hollow-core and standard optical fibers for astronomy** [14154-93]

Part Two

TECHNOLOGIES FOR VACUUM AND CRYOGENIC INSTRUMENTS

14154 2M **Development of a high-reliability planetary gearbox for cryogenic ultra-high vacuum applications** [14154-94]

14154 2N **Thermal vacuum characterization of a spin-cast, honeycomb structured borosilicate mirror** [14154-297]

14154 2O **The Simons Observatory: overview of the cryogenic half-wave plate polarization modulators** [14154-96]

14154 2P **Cryogenic characterisation for the nulling interferometry cryogenic experiment (NICE)** [14154-97]

14154 2Q **Lifetime test of the image derotator for ELT-METIS** [14154-98]

14154 2R **HARMONI at the ELT: sub-micron repeatability in the cryogenic scale-changer turret for pre-optics: design, optimization, and test results** [14154-99]

14154 2S **Monolith Tiny Telescope thermal performance under space extreme environment** [14154-100]

14154 2T **Dewar entrance assembly (DEA) for the X-IFU instrument for the NewATHENA mission: development status** [14154-101]

GRAVITATIONAL WAVE SENSING TECHNOLOGIES

14154 2X **Compact mechanical resonators for seismic isolation in gravitational wave observatories** [14154-106]

NOVEL AND DISRUPTIVE CONCEPTS

14154 2Y **Millimetre-scale spectrographs for next-generation photonic instrumentation** [14154-107]

14154 2Z **Towards laser-based manufacturing of freeform fused silica image slicers** [14154-108]

14154 30 **Optimised sampling for astronomical instruments via compressed sensing** [14154-109]

14154 31 **APALO+APEX: a dedicated on-sky platform for astrophotonic instrumentation at Lick Observatory** [14154-110]

14154 32 **Towards an integrated optic beam combiner fabricated using ultrafast laser inscription for the SUBARU/FIRST instrument** [14154-111]

14154 33 **High-resolution spectrograph at Lyman-a (HIRSL): an innovative optical design for high dispersion UV spectroscopy** [14154-112]

ADDITIONAL TOPICS II

14154 34 **Open-source Python pipeline for optical performances and alignment analysis using ray-tracing tools** [14154-288]

POSTER SESSION: FABRICATION OF MIRRORS, LENSES AND OTHER OPTICAL COMPONENTS

14154 35 **Conceptual design for the focal plane system of the 6.5-m multiplexed survey telescope for stage-V cosmological surveys** [14154-184]

14154 36 **Fabrication of focusing optics for TA-MOONS: Micro-MOONS** [14154-202]

14154 37 **ASPEN fore-optics preliminary design** [14154-342]

14154 38 **SPACE-MOF: a first step towards an imaging MOF for space applications** [14154-343]

14154 3A **Implementation of SPIAKID (spectro-photometric imaging for astronomy with kinetic inductance detectors) instrument** [14154-409]

POSTER SESSION: CALIBRATION, TEST AND METROLOGY

14154 3D **The development of a precision metrology system for a movable large structure applied to the WSS/METIS/ELT** [14154-347]

14154 3E **A 3D measurement method for fiber-array end faces based on fringe projection** [14154-348]

14154 3F **Development of a deep ultraviolet Fizeau interferometer for the homogeneity evaluation of UV telescope optical materials** [14154-350]

14154 3G **The MICADO first-light imager for the ELT: alignment of MICADO's main selection mechanism on a coordinate measuring machine** [14154-351]

14154 3H **Optical surface and cavity reconstruction from sub-aperture measurements** [14154-352]

14154 3J **Sensitivity and tolerance analysis of a drag-reduced compact Korsch telescope for very low-altitude satellite missions** [14154-354]

14154 3K **Wavefront metrology concept for the convex secondary mirror of a large optical segmented space telescope** [14154-355]

14154 3L **BluePOCO: a tunable visible frequency comb from microring resonators for astronomical spectrographs** [14154-356]

14154 3M **Alignment and performance evaluation of the K-mirror field stabilization system of the DAG400 telescope** [14154-357]

14154 3P **Onboard wavelength calibration of the CubeSpec high-resolution spectrograph using a Fiber Fabry–Pérot Etalon** [14154-360]

POSTER SESSION: OPTO-MECHANICS FOR ELTS

14154 3R **The blue multi-unit spectroscopic explorer (BlueMUSE) on the VLT: spectrograph optomechanical design concept** [14154-361]

14154 3S **Advanced motion control of Stewart platforms: Kane's method integrated with nonlinear model predictive control** [14154-362]

14154 3T **HARMONI at ELT: cryogenic mirror mount based on bonded Invar supports** [14154-363]

14154 3U **A compact atmospheric dispersion corrector mechanism for GMT's GMagAO-X exoplanet instrument** [14154-364]

14154 3W **The MICADO first light imager for the ELT: opto-mechanical assembly, alignment, and testing of the SCAO module** [14154-366]

14154 3X **HARMONI at ELT: LPOU calibrations for a micron-level pointing accuracy** [14154-367]

14154 3Y **HARMONI at ELT: design and tests on the current status of low order wavefront subsystem pick off arm engineering model (LPOA-EM)** [14154-368]

14154 40 **HARMONI at ELT: repeatability analysis of the spectrograph dispersers wheel mechanism** [14154-370]

POSTER SESSION: LARGE OPTICS AND SUPPORT SYSTEMS

14154 42 **Comparative study of roundel support system for sub aperture metrology of segmented telescope mirrors** [14154-53]

14154 44 **Advanced active optics actuator for primary mirrors exposed to dynamic loads** [14154-373]

POSTER SESSION: ACTIVE INSTRUMENTS, ADAPTIVE OPTICS ENGINEERING, SENSING AND CONTROL

14154 45 **Design and development of a multi-spectral imager payload for PM2.5–PM1 aerosol monitoring on the FORMOSAT-8 mission** [14154-374]

14154 46 **Delay line actuator design and testing for the BIFROST instrument** [14154-375]

14154 48 **Evaluating the suitability of MEMS and piezoelectric accelerometers for structural vibration measurement in astronomical telescopes and instruments** [14154-377]

14154 4A **Characterization of the cryogenic METIS SCAO modulator** [14154-379]

14154 4B **MACO: updating active optics control for the Magellan telescopes** [14154-380]

POSTER SESSION: COATINGS, DICHROICS, FILTERS AND METASURFACES

14154 4D **Reflectivity characterization of infrared-suppressing coated reflector surfaces for future space-borne cosmic microwave background telescopes using an open Fabry–Pérot resonator** [14154-381]

14154 4E **The MICADO first light imager for the ELT: first results of medium and broadband NIR filters** [14154-382]

POSTER SESSION: SPECTROSCOPY: GRATINGS, DISPERSERS AND IMAGE SLICERS

14154 4G **Novel transmission gratings with large angular dispersion, high efficiency, and wide spectral bandwidth II** [14154-384]

14154 4H **Design of an image-slicer integral field unit with free-form mirrors for a near-infrared spectrograph SWIMS** [14154-385]

14154 4I **Three-port Fourier-transform spectrometer for high precision differential measurements** [14154-386]

14154 4J **On-sky performance testing of the VIRUS2 fiber-fed integral field spectrograph** [14154-387]

14154 4K **Atmospheric dispersion corrector for the ARC 3.5m telescope** [14154-388]

14154 4L **A simple and effective 3x1 image slicer for coupling into three rectangular fibres (Best Poster Presentation)** [14154-389]

14154 4M **Coronagraph as a spectrograph: spectrum and aberration recovery from a single broadband telescope image** [14154-390]

14154 4N **Updated results for optical properties of digital micromirror devices (DMDs) in the ultraviolet** [14154-391]

14154 4O **An infrared spectropolarimeter for measuring the 3-micron water-ice feature in protoplanetary disks** [14154-392]

14154 4P **A compact high-performance imaging platform for NIR photonic instrumentation** [14154-393]

POSTER SESSION: OPTICAL FIBERS, POSITIONERS, PHOTONIC TECHNIQUES

14154 4R **Design of a next-generation fiber optic positioning unit drive system** [14154-84]

14154 4S **Linear motion flexure ("R-FLEX") for miniature 6.2 mm pitch optical fiber positioning robots with polar (R-θ) kinematics** [14154-290]

14154 4T **Fiber optic characterization for unprecedented sky subtraction (FOCUSS)** [14154-396]

POSTER SESSION: THERMAL CHALLENGES, TECHNOLOGIES FOR VACUUM AND CRYOGENIC INSTRUMENTS

14154 4U **The MICADO first light imager for the ELT: the cryogenic focal plane mechanism** [14154-95]

14154 4V **The MICADO first light imager for the ELT: manufacturing progress of the MICADO cryostat and lessons learned regarding the mechanical design** [14154-398]

14154 4X **HARMONI at ELT: update and numerical simulation of a cryostat for HARMONI AIT** [14154-401]

14154 4Y **Liquid nitrogen pre-cooling system for ELT instruments utilising additively manufactured heat exchangers, integrated temperature and liquid level control** [14154-402]

14154 4Z **Mechanical design of resolver positioned cryogenic filter wheels** [14154-403]

14154 50 **Development of a platform dedicated to measuring material properties at cryogenic temperatures: CryoMat** [14154-404]

POSTER SESSION: NOVEL AND DISRUPTIVE CONCEPTS

14154 51 **MOSAIC at ELT: evolutions of the optical design for the VIS spectrograph** [14154-405]

14154 52 **Wide-angle 3× inner-zoom and inner-focus lens design using all-spherical elements for spaceborne imaging instruments** [14154-408]

POSTER SESSION: ADDITIONAL TOPICS

14154 54 **Self-calibrating multi-head optical angular encoder architecture for long-duration space and telescope mechanisms** [14154-114]

14154 56 **Configurable slit unit development for the Magellan infrared multi-object spectrograph (MIRMOS)** [14154-116]

14154 58 **Engineering challenges in the integration of the DALI cryogenic dark-matter prototype (Best Poster Presentation)** [14154-118]

14154 59 **Integration, testing, and validation of the cryostat alignment system for the METIS/ELT WSS** [14154-119]

14154 5B **The integration and acceptance of the elevation platform for the WSS subsystem of the METIS/ELT** [14154-121]

14154 5C **Robust and compact origami pyramid wavefront sensor design for small telescopes** [14154-122]

14154 5E **Performance testing of a Trillium-based 21-positioner module for stage-5 telescopes** [14154-125]

14154 5F **Testing of a 15-positioner module based on the MPS design for stage-5 telescopes** [14154-126]

14154 5H **Demonstration of simultaneous PIAA-coronagraphy and wavefront sensing using a single metasurface-based focal-plane optic** [14154-128]

14154 5I **Exploration of small footprint stick-slip piezoelectric actuators for use in the FLEX fibre positioner system for the Wide-field Spectroscopic Telescope (WST)** [14154-129]

14154 5J **Method to mitigate polarization aberration in astronomical telescopes** [14154-131]

14154 5K **Development of a metasurface component for full Stokes snapshot spectro-polarimetry in the visible spectrum for space applications** [14154-132]

14154 5L **Mid-to-high spatial frequency surface error analysis for three-mirror off-axis freeform system** [14154-133]

Part Three

14154 5M **Ultra-precise multi-fiber optical connectors for astronomy** [14154-134]

14154 5N **Multiple-aperture grating pattern inscription engine: UV pattern lithography tool for reactive ion-plasma etched large diffraction gratings and beyond** [14154-135]

14154 5O **Quantifying centroid shifts induced by glass in the GFA of JUST** [14154-137]

14154 5P **CHORUS on GTC: a different opto-mechanical approach for CHORUS high resolution spectrograph** [14154-138]

14154 5Q **The MICADO first light imager for the ELT: overview and results of phase I of the Cold system AIT** [14154-139]

14154 5S **Thermal-mechanical analysis of the CMOS focal plane for Earth 2.0's microlensing telescope** [14154-141]

14154 5T **Holographic photopolymer for astronomical volume phase gratings** [14154-142]

14154 5V **Stray light analysis of the K-DRIFT G1 telescope using measured bidirectional scattering distribution function** [14154-144]

14154 5W **Optical design of a direct fibre-fed MO-IFS for the NLOT** [14154-145]

14154 5X **4MOST focal surface alignment** [14154-146]

14154 5Y **CHORUS on GTC: environment control system (ECS)** [14154-147]

14154 5Z **FPGA-accelerated fiber optic position detection** [14154-148]

14154 60 **Fast-controlled fiber-telescope interface for astrophysics** [14154-149]

14154 61 **Design and verification of the HARPS3 exposure meter: a dual-band photometer for improved photon-weighted barycentric correction** [14154-150]

14154 62 **WST multi-object spectrograph fiber positioners: development of a 32,000-unit precision robotic system** [14154-151]

14154 63 **Online upgradeable fiber positioning drive system for LAMOST** [14154-152]

14154 64 **A full A-thermalization for the CHORUS UV spectrograph** [14154-153]

14154 66 **Sub-nanometer spatio-temporal phase metrology of LCOS SLMs: calibration efforts towards adaptive coronagraphy** [14154-155]

14154 68 **Performance of the MIRMOS cryogenic mechanism for detector dithering and flexure compensation** [14154-158]

14154 6B **First hexabundle optical fibre imaging bundles for the infrared (Best Student Presentation)** [14154-162]

14154 6C **Thermal characterization of a 6-positioner, 6.2-mm-pitch module for stage-5 telescopes** [14154-163]

14154 6D **The MICADO first-light imager for the ELT: cryogenic and ambient performances of the main selection mechanism** [14154-165]

14154 6E **Design and optimization of the communication network for the new generation LAMOST fiber positioning system** [14154-166]

14154 6F **Construction, integration and performance of the WEAVE LIFU (Community Engagement Award)** [14154-167]

14154 6H **Overview of plasma-based processes for the passivation of broadband aluminum mirror coatings for UV space telescopes** [14154-170]

14154 6I **Metal and alloy IAD mirror coatings for Fabry Pérot interferometers used in spectrometer calibration systems** [14154-171]

14154 6J **Thermally stable system design to enable photonic aperture synthesis** [14154-173]

14154 6K **Characteristics of carbon deposition of ion beam figuring method** [14154-174]

14154 6L **Design and testing of the motorized 2-DoF folding mirror 1 for the VLT BlueMUSE instrument** [14154-175]

14154 6N **Manufacturable tolerance budget for the K-DRIFT G2** [14154-177]

14154 6O **PWI-SPEC: an optical, multi-resolution spectrograph optimised for high fibre-count astrophotonic wavefront sensing and imaging instruments** [14154-178]

14154 6P **Automated fiber placement (AFP) carbon composite camera barrel prototype for the Keck Observatory wide field imager** [14154-179]

14154 6R **Line-by-line control of 10,000 RIZ-band astrocomb lines for spectral flattening and arbitrary shaping** [14154-181]

14154 6S **HARMONI at ELT: prototype developments for the SCAOS object-selection and dichroic exchange modules** [14154-182]

14154 6T **Tolerancing of short focal length reflecting mirrors system for remote sensing instruments with sub-meter resolution** [14154-183]

14154 6U **Testing the coupling efficiency distribution of fibers with improved optical interfaces** [14154-185]

14154 6V **Additive manufacturing to support mechanical design and advanced prototyping in the INAF OACN 3DL@b** [14154-186]

14154 6X **Athermal package for OH-emission filters for ground-based astronomy: part III: stability assessment** [14154-188]

14154 6Y **Optical characterisation and modelling of a UV-Vis Fabry-Perot etalon for wavelength calibration of EPRV spectrometers** [14154-189]

14154 6Z **ANDES, the high-resolution spectrograph for the ELT: stray light analysis of the RIZ spectrograph preliminary optical design** [14154-190]

14154 72 **In-situ maintainance and repair techniques for the optical fibres of WEAVE at the primary focus of the William Hershel Telescope** [14154-193]

14154 73 **Experimental validation of a versatile method for full Stokes spectropolarimetry** [14154-194]

14154 74 **Focal plate prototyping for modular focal planes of stage-5 instruments for ground-based telescopes** [14154-195]

14154 75 **Toward a unified active optics control architecture for NOIRLab telescopes** [14154-196]

14154 77 **Laser remelting for reduced porosity on additively manufactured aluminium mirrors** [14154-199]

14154 78 **Using a photonic lantern aided by machine learning as wavefront sensor for cophasing a distributed aperture** [14154-200]

14154 79 **Precision measurements of the axial drift in fiber positioners for spectroscopic surveys using defocus blur** [14154-201]

14154 7B **ANDES, the high resolution spectrograph for the ELT: a pilot architecture for the RIZ-band frequency comb** [14154-204]

14154 7C **Exploring generative design AI tools for astronomical instrumentation: a CubeSat chassis case study** [14154-205]

14154 7D **Metrology of EUCLID's dichroic plate using the OBSERVE test bench: initial PSF characterization using phase diversity** [14154-206]

14154 7E **Non-destructive dynamic characterization of thin Ni-P coatings on Ariel AW6061-T651 mirrors using modal analysis** [14154-207]

14154 7G **High-efficiency UV transmission gratings for the CUBES spectrograph of the VLT** [14154-209]

14154 7H **High multiplex and precision: the design and development of FLEX, a grid-based fibre positioner with large patrol radius and minimized telecentric error** [14154-210]

14154 7J **Long-term performance of the MLR-TT sensor: two-photon polymerization validation in the telescope environment** [14154-213]

14154 7L **Scalar diffraction modeling and experimental verification of beam propagation through amplitude grating for Talbot modulation lithography** [14154-215]

14154 7M **Characterization of a J-band integrated circuit for PLANETES, an upgraded high-contrast interferometer for the VLTI** [14154-216]

14154 7O **Sub-diffraction-limited coronagraphic imaging with nano-printed PIAACMC phase masks** [14154-218]

14154 7P **MiraSOL: a DMD-based spectrograph for resolved solar spectroscopy** [14154-220]

14154 7Q **Topology optimisation of lightweight optical mount for GNAO adaptive optics bench** [14154-221]

14154 7R **How to guide a telescope array: control of complex differential flexure via the simultaneous use of multiple guiders** [14154-222]

14154 7S **JUST optical alignment system conceptual design** [14154-223]

14154 7T **Subaru Telescope's reflectivity measurements: 8.5-years measurements and results** [14154-224]

14154 7U **Spatial mode demultiplexing for high-resolution astronomical imaging** [14154-225]

14154 7V **Demonstration of an integrated R~30,000 astrophotonic spectrograph** [14154-226]

14154 7W **Design and simulation of a photonic lantern-inspired astrophotonic chip for spectral sensing** [14154-227]

14154 7X **Towards a single-laser-diode-pumped 15-GHz Ti:sapphire astrocomb** [14154-228]

14154 7Y **Single point diamond turning capability for the next generation astronomical instruments in Thailand** [14154-229]

14154 7Z **Development of upgraded mechanical components for the low-resolution spectrograph (LRS) and the compact low-resolution spectrograph (CoLoRS)** [14154-230]

14154 80 **Doppler-free spectroscopy of the Cesium D1 line as absolute wavelength reference for the iLocater near-IR Etalon calibrator** [14154-231]

14154 83 **Optomechanical design, alignment, and characterization of the CubeSpec high-resolution cross-dispersed Echelle slit spectrograph** [14154-234]

14154 84 **Advanced joining technologies for space for the fabrication of a 4-channel glass beamsplitter** [14154-235]

14154 85 **Mechanical evolution of the ANDES RIZ vacuum vessel toward a manufacturable and transportable design** [14154-236]

14154 87 **Design and manufacturing of the METIS imager collimator system for ELT** [14154-238]

14154 88 **A disruptive concept making use of cutting-edge technologies for the development of fast, adaptive, and dynamic optical surfaces for achieving high-contrast measurements** [14154-239]

14154 89 **The test mass simulator (TMSim), a high precision optomechanical OGSE for LISA** [14154-240]

14154 8A **Simulation of the EnVisS camera polarizing filters** [14154-241]

14154 8B **Photonic EMARCOT at Calar Alto: astrophotonics lab at the IAA-CSIC** [14154-242]

14154 8C **Numerical analysis of material-removal behaviour in optical polishing processes at the CSOA15 laboratory** [14154-243]

14154 8D **Single point diamond turning optimization for the Ariel M1 large off-axis parabolic aluminum mirror** [14154-245]

14154 8E **GLINT: achromatic phase shifters characterisation for broadband photonic nulling interferometry** [14154-246]

14154 8F **Design and implementation of an SLM-driven coherent differential imaging scheme** [14154-247]

14154 8G **3D-printed fused silica for lightweight mirrors: design freedom challenging conventional glass (Community Engagement Award)** [14154-248]

Part Four

14154 8I **Thermal design, analysis, and testing of a cryogenic optical system for characterising the Ariel Space Telescope** [14154-250]

14154 8J **Laboratory demonstration of dark hole generation and maintenance on the CPI-C high-contrast imaging testbed** [14154-251]

14154 8K **Towards high-throughput visible photonic lanterns for the EMARCOT project** [14154-253]

14154 8L **Receiver diversity technology for satellite to ground low-loss free space optical communication** [14154-257]

14154 8M **Automated multi-stressor optical fiber focal ratio degradation and throughput characterization system for future massive multiplex spectroscopic survey** [14154-258]

14154 8N **Direct ultra-precise processing of optical RSA6061 surfaces with shape correction and smoothing techniques** [14154-259]

14154 8O **Numerical investigation of NCPA-induced coronagraphic performance for the DAG400 telescope** [14154-260]

14154 8P **The opto-mechanical design and alignment of x-ray grating modules for the off-plane grating rocket experiment pathfinder (OGRE-P) mission** [14154-261]

14154 8Q **Characterizing fabrication quality and UV performance of UV gratings** [14154-263]

14154 8R **MAVIS: mechanical characterization of binding materials for cemented optics under thermal stress** [14154-264]

14154 8S **SAXO+, the second-stage adaptive optics for SPHERE: opto-mechanical components design and validation** [14154-265]

14154 8T **MAVIS: cooling deformable mirrors using a Ranque–Hilsch vortex tube: prototyping and performance assessment** [14154-266]

14154 8U **What's old is new again: an activated charcoal cryosorption pump for the Dragonfly gamma ray spectrometer** [14154-268]

14154 8V **Practical experience using KDP as a thermal blocking filter** [14154-269]

14154 8W **Using an integral field unit (IFU) for multiplexed confocal Raman microscopy** [14154-270]

14154 8X **A laser frequency comb for calibration of G-CLEF: preliminary results** [14154-271]

14154 8Y **Comet interceptor scan mirror assembly: AIV of the qualification model** [14154-272]

14154 90 **Morfeo@ELT: the Bologna integration hall for Morfeo, a national AIT infrastructure for ELT-class instrumentation** [14154-274]

14154 93 **Development and large-scale production of the large (1.8 m) aspheric secondary mirrors for the Schwarzschild-Couder telescopes for the ASTRI and SST/CTAO air Cherenkov array via hot slumping replication** [14154-278]

14154 95 **Fused closed-back ZERODUR mirror substrates: meeting the stringent requirements of ELT M5-like mirrors** [14154-281]

14154 97 **Conceptual design of wavefront sensing for the Spec-S5 large wide field segmented telescope** [14154-284]

14154 98 **HARMONI at ELT: cryogenic lens mount prototyping: conclusions for the ICAM subsystem** [14154-285]

14154 99 **Automated optical acceptance testing for Argus Array commissioning** [14154-286]

14154 9A **Inflatable primary reflector optical surface simulation and testing** [14154-287]

14154 9B **Inverse-designed tapers to improve throughput of on-chip astrophotonic spectrographs** [14154-289]

14154 9C **Ultra high-efficiency 3-mode photonic lantern for HISPEC** [14154-292]

14154 9D **Characterization and coronagraphic performance of a dichroic mirror on a high-contrast imaging testbed** [14154-294]

14154 9G **Mass production of the LFAST 0.76m primary mirrors: fabrication and on-sky control** [14154-298]

14154 9H **A metasurface scalar vortex coronagraph for the SCALES instrument** [14154-300]

14154 9L **Integration and performance verification of two K-DRIFT G1: from laboratory alignment to first-light in Chile** [14154-304]

14154 9N **Fabrication and evaluation of aluminum image slicers for a high-throughput IFU spectrograph** [14154-306]

14154 9O **Exposure of highly reflective far-ultraviolet coatings to LEO environment for TRL advancement for the Habitable Worlds Observatory** [14154-307]

14154 9Q **Progress of thermal-forming of normal-incidence glass optics for the LiveMirror project** [14154-309]

14154 9S **Results from early prototyping of a metasurface polarization aberration corrector for large observatories** [14154-312]

14154 9T **Development and implementation of sustainable, large scale, industrial stripping and silver coating processes for ESO's ELT M1** [14154-313]

14154 9U **Progress on a new M2 for the Gemini North telescope to minimize mechanical support print-through effects** [14154-315]

14154 9V **Progress on creating a durable UV-enhanced silver coating for the Gemini Observatory** [14154-316]

14154 9X **VPHG@INAF: results and prospectives for astronomical spectrographs from UV to IR** [14154-318]

14154 A0 **Capillary-operated stable mesoporous optical system (COSMOS): design update for the Zenith-DARPA program** [14154-322]

14154 A1 **Sol-Gel dip-coating of large optics: developments for the MARVEL cross-disperser prism** [14154-323]

14154 A2 **Challenges in the fabrication of large aluminum mirrors by means of diamond turning** [14154-324]

14154 A3 **Review of the stripping process for aluminum coating in NOIRLab** [14154-326]

14154 A4 **Surface quality improvement of 3D printed lenses for astronomical use** [14154-327]

14154 A5 **Concept design of an ultrafast transition-edge sensor as the detector terminal of a Fourier-transform spectrometer for high-dynamic-range solar observations** [14154-329]

14154 A6 **Development of large lithium niobate wafer for tunable Fabry-Pérot interferometer** [14154-330]

14154 A7 **The MICADO first light imager for the ELT: manufacturing of the large dichroic plate of its SCAO module** [14154-331]

14154 A8 **Optical and electrical properties of RF-sputtered AZO thin films for space optical applications** [14154-332]

14154 A9 **An ultra-wideband Mueller matrix polarimeter for full-aperture mapping of 2m-class astronomical mirrors** [14154-333]

14154 AA **Characterizing modal noise in high-resolution échelle spectra using flat-field images** [14154-334]

14154 AB **Improved MTF measurement for satellite EO cameras using a multi-bar edge target** [14154-335]

14154 AC **Large dichroic for MORFEO@ELT: update and perspective** [14154-336]

14154 AD **Exorcist: suppression of fibre-interface back-reflections in astronomical spectrographs: the ghost image killer** [14154-337]

14154 AF **Upgrading LBTI/NOMIC with a quadruple annular groove phase mask and GeoSnap detector for imaging nearby, habitable-zone exoplanets** [14154-340]

14154 AG **New narrow-band filter system on MOIRCS at the Subaru Telescope** [14154-341]

14154 AH **Lessons learnt from existing instruments and R&D programs for the implementation of the polarimetric mode of the ELT's high-contrast imager PCS** [14154-410]