

MATERIALS RESEARCH SOCIETY
SYMPOSIUM PROCEEDINGS VOLUME 1798

Soft Electronics – From Electronic Skin to Reliable Neural Interfaces

April 6-10, 2015
San Francisco, California, USA

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571
www.proceedings.com

ISBN: 978-1-5108-2651-9

Some format issues inherent in the e-media version may also appear in this print version.

©Materials Research Society 2015

This reprint is produced with the permission of the Materials Research Society and Cambridge University Press.

This publication is in copyright, subject to statutory exception and to the provisions of relevant collective licensing agreements. No reproduction of any part may take place without the written permission of Cambridge University Press.

Cambridge University Press
Cambridge, New York, Melbourne, Madrid, Cape Town,
Singapore, São Paulo, Delhi, Tokyo, Mexico City

Cambridge University Press
32 Avenue of the Americas, New York, NY 10013-2473, USA
www.cambridge.org

Materials Research Society
506 Keystone Drive, Warrendale, PA 15086
www.mrs.org

CODEN: MRSPDH

ISBN: 978-1-5108-2651-9

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-part Internet Web sites referred to in this publication and does not guarantee that any content on such Web sites is, or will remain, accurate or appropriate.

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

Free-Form 2.5D Thermoplastic Circuits Using One-Time Stretchable Interconnections	1
<i>J. Vanfleteren, B. Plovie, Y. Yang, J. De Smet, Rik Verplancke, F. Bossuyt, H. De Smet</i>	
Piezo-Resistive Pressure Sensor Array with Photo-Thermally Reduced Graphene Oxide	7
<i>R. Kazemzadeh, W. Kim</i>	
Electrospinning 3D Scaffolds for use in Neural Tissue Engineering	13
<i>R. Martin, M. Mullins, F. Zhao, Z. Qian</i>	
Deformable Microsystem for In Situ Cure Degree Monitoring of GFRP (Glass Fiber Reinforced Plastic)	19
<i>Y. Yang, G. Chiesura, T. Vervust, F. Bossuyt, G. Luyckx, M. Kaufmann, J. Degrieck, J. Vanfleteren</i>	
Author Index	